

U.S. Army Medical Research Institute of Chemical Defense

USAMRICD-TR-05-01

Comparison of Non-Human Primate and Human Whole Blood Tissue Gene Expression Profiles

James F. Dillman, III Christopher S. Phillips

March 2005

Approved for public release; distribution unlimited

U.S. Army Medical Research Institute of Chemical Defense Aberdeen Proving Ground, MD 21010-5400

DISPOSITION INSTRUCTIONS:

Destroy this report when no longer needed. Do not return to the originator.

DISCLAIMERS:

The opinions or assertions contained herein are the private views of the author(s) and are not to be construed as official or as reflecting the views of the Army or the Department of Defense.

In conducting the research described in this report, the investigators complied with the regulations and standards of the Animal Welfare Act and adhered to the principles of the Guide for the Care and Use of Laboratory Animals (NRC 1996).

The use of trade names does not constitute an official endorsement or approval of the use of such commercial hardware or software. This document may not be cited for purposes of advertisement.

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathening and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE (DD-MM-YYYY)	2. REPORT TYPE	3. DATES COVERED (From - To)
March 2005	Technical Report	
4. TITLE AND SUBTITLE		5a. CONTRACT NUMBER
Comparison of Non-Human Primate an	d Human Whole Blood Tissue Gene	
Expression Profiles		5b. GRANT NUMBER
		5c. PROGRAM ELEMENT NUMBER 61101A
6. AUTHOR(S)		5d. PROJECT NUMBER
Dillman, JF III, Phillips, CS		91C
		5e. TASK NUMBER
		5f. WORK UNIT NUMBER
7. PERFORMING ORGANIZATION NAME(S	S) AND ADDRESS(ES)	8. PERFORMING ORGANIZATION REPORT NUMBER
US Army Medical Research Institute of	Aberdeen Proving Ground, MD	
Chemical Defense	21010-5400	USAMRICD-TR-05-01
ATTN: MCMR-UV-PA		The state of the s
3100 Ricketts Point Road		
· · · · · · · · · · · · · · · · · · ·	NAME (O) AND ADDROOM OF	44 000000000000000000000000000000000000
9. SPONSORING / MONITORING AGENCY		10. SPONSOR/MONITOR'S ACRONYM(S)
US Army Medical Research Institute of		
Institute of Chemical Defense	21010-5400	44 CRONCOR/MONITORIO DEPORT
ATTN: MCMR-UV-RC		11. SPONSOR/MONITOR'S REPORT
3100 Ricketts Point Road		NUMBER(S)

12. DISTRIBUTION / AVAILABILITY STATEMENT

Approved for public release; distribution unlimited

13. SUPPLEMENTARY NOTES

14. ABSTRACT

Gene expression profiling is utilized in the development of medical countermeasures against chemical warfare agents (CWAs). Non-human primates (NHPs), specifically the rhesus macaque, the cynomologus macaque and the African green monkey, are vital models in the development of CWA prophylactics, therapeutics, and diagnostics. Gene expression profiling of NHPs is complicated by the fact that the genomes of these NHPs are not completely sequenced, and no oligonucleotide microarrays (genechips) are commercially available. We sought to determine whether gene expression profiling of NHP could be carried out using human genechips. Whole blood tissue RNA was isolated from each species of primate and used to generate genechip probes. Hybridization of the NHP samples to the human gene chips (Affymetrix Human U133 Plus 2.0 arrays) resulted in comparable numbers of transcripts detected when compared with human samples. Statistical analysis revealed intraspecies reproducibility of genechip quality control metrics; interspecies comparison between NHPs and humans showed little significant difference in the quality and reproducibility of data generated using human genechips. These results show that human genechips can be used for gene expression profiling of NHP samples and provide a foundation for the development of tools for the comparison of human and NHP gene expression profiles.

15. SUBJECT TERMS

16. SECURITY CLAS	SIFICATION OF:		17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON James F. Dillman III
a. REPORT UNCLASSIFIED	b. ABSTRACT UNCLASSIFIED	c. THIS PAGE UNCLASSIFIED	UNLIMITED	128	19b. TELEPHONE NUMBER (include area code) 410-436-1723

ABSTRACT

Gene expression profiling is an important tool in toxicology and is utilized in the development of medical countermeasures against chemical warfare agents (CWAs). Non-human primates (NHPs), specifically the rhesus macaque (Macaca mulatta), the cynomologus macaque (Macaca fascicularis) and the African green monkey (Cercopithecus aethiops), are vital models in the development of CWA prophylactics, therapeutics, and diagnostics. However, gene expression profiling of NHPs is complicated by the fact that the genomes of these NHPs are not completely sequenced, and that there are no commercially available oligonucleotide microarrays (genechips). We therefore sought to determine whether gene expression profiling of NHP could be carried out using human genechips. Whole blood tissue RNA was isolated from each species of primate (n=4 for each NHP species; n=5 for humans) and used to generate genechip probes. Hybridization of the NHP samples to the human gene chips (Affymetrix Human U133 Plus 2.0 arrays) resulted in comparable numbers of transcripts detected when compared with human samples. Statistical analysis revealed intraspecies (i.e., within the same species) reproducibility of genechip quality control metrics; interspecies (i.e., cross-species) comparison between NHPs and humans showed little significant difference in the quality and reproducibility of data generated using human genechips. Gene expression profiles of each species were compared using principal component analysis (PCA) and hierarchical clustering to determine the similarity of the expression profiles within and across the species. The cynomologus group showed the least intraspecies variability, while the human group showed the greatest intraspecies variability. Intraspecies comparison of the gene expression profiles identified probesets that were reproducibly detected within each species. Each NHP species was found to be dissimilar from humans, with the cynomologus group being the most dissimilar compared with humans. Interspecies comparison of the gene expression profiles revealed probesets that were reproducibly detected in all species examined. These results show that human genechips can be used for gene expression profiling of NHP samples and provide a foundation for the development of tools for the comparison of human and NHP gene expression profiles.

ACKNOWLEDGEMENTS

We with to thank David Lenz for helping arrange blood collections from cynomologus and rhesus macaques off-site; Raymond Genovese and Todd Myers for providing rhesus blood samples, B.P. Doctor, Ashima Saxena, and Wei Sun for providing cynomologus blood samples; John McDonough and Joe McMonagle for providing AGM blood samples; Rich Sweeney for help with data management and development of data analysis tools; Robyn Lee for statistical consultation; Al Sylvester for data management and critical reading of the manuscript; and Gary Minsavage for critical reading of the manuscript.

INTRODUCTION

Gene expression profiling using microarrays is an important tool in efforts to develop medical countermeasures against chemical warfare agents (CWAs) (Draghici et al., 2004). Gene expression profiling has been used to uncover mechanisms of toxicity of the vesicant sulfur mustard (Dillman et al., in press; Sabourin et al., submitted) and to characterize the effects of low-level exposure to the organophosphonate nerve agent VX (Blanton et al., 2004). Gene expression profiling is also an important tool in CWA drug development (Dillman et al., 2004).

A variety of models have been utilized in these gene expression profiling studies, including rats, mice, and cultured human cells. These studies have been facilitated by commercially available oligonucleotide microarrays that are based on the sequenced genomes of rats, mice, and humans. Non-human primates (NHPs), particularly the rhesus macaque (Macaca mulatta), the cynomologus macaque (Macaca fascicularis) and the African green monkey (Cercopithecus aethiops, AGM), are also important animal models used in efforts to develop CWA medical countermeasures. However, gene expression profiling of these species is problematic given that the genomes of these species have not been completely sequenced and there are no commercially available oligonucleotide microarrays (genechips). Given the high similarity between NHP and human genomes (e.g. 98.77% similarity between chimpanzee and human genomes, Fujiyama et al., 2002), it is reasonable to hypothesize that human genechips could be used for gene expression profiling of NHPs. Indeed, several studies have been published which have successfully utilized Affymetrix human genechips for gene expression profiling of NHPs (Wang et al., 2004; Uddin et al., 2004; Kayo et al., 2001; Enard et al., 2002; Chismar et al., 2002; Caceres et al., 2003; Vahey et al., 2003). These studies have used rhesus, chimpanzee, gorilla, or orangutan RNA, but to date no gene expression profiling studies are available that use AGM or cynomologus RNA. To develop methods for gene expression profiling of NHPs in support of efforts to develop CWA medical countermeasures, we compared the results of rhesus, cynomolous, AGM and human samples analyzed using human genechips. We measured the quality control metrics (e.g. fluorescent intensity, gene detection, background, noise) of human genechips probed with RNA from each of these species. Intraspecies (i.e. within a species) comparisons were made to verify data reproducibility and data quality. Interspecies (i.e. cross-species) comparisons were made to determine the performance of NHP samples relative to human samples on a human genechip. We used this data to assess the practicality of using human genechips for gene expression profiling of these NHP species. Furthermore, we evaluated the feasibility of utilizing gene expression profiling for interspecies comparison.

MATERIALS AND METHODS

Non-human primate and human test subjects.

In conducting the research described in this report, the investigators adhered to the Guide for the Care and Use of Laboratory Animals by the Institute of Laboratory Animal Resources, National Research Council, in accordance with the stipulations mandated for an AAALAC accredited facility. To conserve animals, we acquired blood samples from NHPs already in use with other research protocols. Female rhesus macaques (n=4) were of Indian origin and weighed 4-5.5 kg at the time of blood sampling. In a separate experiment, these animals were previously exposed to human butrylylcholinesterase (July 2003), huprezine A (December 2003) and physostigmine (October 2003). These animals were certified to be in good health at the time of the blood collection (June 17, 2004). Male cynomologus macaques (Covance, Denver, PA) were wild caught and of Vietnamese origin. In a separate experiment, these animals had been previously exposed to human butyrylcholinesterase and survived a 5.5xLD₅₀ challenge of soman in December 2003. The animals were certified to be in good health and weighed 3-4 kg at the time of the blood collection (May 13, 2004). Both the rhesus and cynomologus macaques were housed at the Walter Reed Army Institute of Research (WRAIR, Silver Spring, MD) at the time of the blood collection. Blood from these test subjects was collected by WRAIR personnel and shipped at ambient temperature to USAMRICD on the day of the blood collection. Male African green monkeys (n=4) were wild caught from the Caribbean island of St. Kitts. These animals were naïve and certified in good health at the time of the blood collection. These animals were housed at USAMRICD and weighed 5.5-6.8 kg at the time of the blood collection.

Human blood samples (n=5) were collected in accordance with approved human use protocols at USAMRICD. The test subjects were all Caucasian males ranging in age from 23-39 years at the time of the blood collection. All human test subjects were in apparent good health at the time of the blood collection.

Collection of blood tissue.

Whole blood tissue from each donor was collected using a 5 cc syringe and immediately injected into a PAXgeneTM Blood RNA Collection Tube (PreAnalytiX, Franklin Lakes, NJ). For NHP donors, whole blood tissue was withdrawn from the right or left saphenous vein. For human donors whole blood tissue was withdrawn from the median cubital vein. Approximately 1.0 mL of whole blood tissue was obtained from the rhesus macaques, and 2.5 mL of whole blood tissue was obtained from all other donors. All samples were incubated in the PAXgeneTM Blood RNA tube for 24hrs prior to extraction.

Isolation of RNA from whole blood tissue.

RNA was extracted from whole blood tissue according to the PAXgene™ Blood RNA Kit Handbook (April, 2001), with minor modifications. Initial centrifugation time in step 1 of the handbook was increased from 10 minutes at 3000 x g to 15min at 3000 x g to obtain a sufficient pellet. After proteinase K treatment, the centrifugation time was increased from 3 minutes to 7 minutes to obtain a well-defined interface. The quality and amount of RNA was analyzed by UV spectrophotometry with a Nanodrop® ND-1000 UV-Vis Spectrophotometer (Nanodrop Technologies, Rockland, DE). All RNA was precipitated with 3M sodium acetate, glycogen and 100% ethanol and stored at -80° C.

Gene expression profiling.

Gene expression profiling was performed using Affymetrix Human Genome U133 2.0 Plus oligonucleotide microarrays, as described at

http://www.affymetrix.com/support/technical/datasheets/human_datasheet.pdf (Affymetrix, Santa Clara, CA). Precipitated RNA was removed from the -80 $^{\circ}$ C freezer, thawed on ice, and centrifuged for 15 minutes at 16,000 x g, 4 $^{\circ}$ C. The supernatants were removed via pipette, and the pelleted RNA was washed with 75% ethanol and centrifuged for 10 minutes at 16,000 x g, 4 $^{\circ}$ C. The supernatant was removed, and the pelleted RNA was washed a second time with 95% ethanol and centrifuged for 10 minutes at 16,000 x g, 4 $^{\circ}$ C. The supernatant was removed, and the RNA pellets were allowed to air dry at room temperature for approximately 15 minutes. Samples were reconstituted in 60 μ L of RNase-free water and analyzed by UV spectrophotometry and by microcapillary electrophoresis using an Agilent Bioanalyzer (Agilent, Palo Alto, CA).

Due to a limited supply of total RNA from the rhesus macaques and cynomologus macaques, two rounds of linear amplification were performed on all samples using the Bioarray™ RNA Amplification and Labeling System (Enzo Life Sciences, Farmingdale, NY). Briefly, 75-500ng of total RNA was used to generate first-strand cDNA. A T7-dt primer was used to prime reverse transcription and incorporate a T7 promoter sequence into the cDNA. RNA was eliminated by base hydrolysis followed by neutralization. A proprietary homopolymeric tail was added to the 3' end of the first-strand cDNA followed by chain termination. A site-specific primer complimentary to the homopolymeric tail was used to initiate second strand cDNA synthesis. After second strand synthesis the purified double-stranded cDNA was used to perform in vitro transcription resulting in approximately 100-fold increase of copy RNA (cRNA). The cRNA was purified using RNeasy columns (Oiagen, Valencia, CA) and the concentration was determined via UV spectrophotometry. A maximum of 2,000 ng of purified cRNA was utilized as the template in a second round of cDNA synthesis as described above. Purified double-stranded cDNA was utilized in an in vitro transcription labeling reaction using biotinylated UTP and CTP, resulting in a 100-fold increase of labeled target cRNA. The target cRNA generated from each sample was processed as per manufacturer's recommendation using an Affymetrix Genechip Instrument System

(http://www.affymetrix.com/support/technical/manual/expression_manual.affx). Briefly, spiked controls were added to 15µg of fragmented cRNA before hybridizing at 45° C at 40 revolutions per minute for 40-45 hours using 10µg of cRNA (Sartor et al., 2004). Arrays were then washed and stained with streptavidin-phycoerythrin before being scanned on the Affymetrix Genechip® Scanner. After scanning, array images were visually inspected to confirm scanner alignment and the absence of significant bubbles or scratches on the chip surface.

Data Analysis.

Scanned output files from each array were obtained using Affymetrix Gene Chip Operating Software (GCOS v 1.2). Raw signal intensities were normalized using either the GCOS algorithm (Affymetrix) followed by addition of a constant (c=1) and log transformation (log₂), or using the robust multi-array averaging (RMA) algorithm (Irizarry et al., 2003). The normalized data were imported as a comma separated values (.csv) file into Partek Pro 6.0 (Partek, St. Louis, MO). The imported data was analyzed by principal component analysis (PCA) to determine the significant sources of variability in the data. For hierarchical clustering, Euclidian parameters were specified to calculate interpoint distances and single linkage was

specified to calculate the intercluster distances. Boolean analysis of the data was performed using Excel 2003 (Microsoft, Redmond, WA). Probesets that exhibited an intensity with an associated p-value p<0.05 for any given sample were called present. To generate the most stringent list of probesets for intra- and inter-species comparison, we only included probesets that were called present for each biological replicate within a given species (100% reproducibility). Once all comparisons were made the probeset list was tabulated for each respective group comparison. The probesets were imported into Onto-Express (Khatri et al., 2002) as a text file to classify the molecular function and biological processes represented by the probesets.

RESULTS

Intra- and interspecies comparison of quality control metrics for human genechips hybridized with NHP or human RNA probes.

RNA probes were synthesized from NHP or human RNA isolated from whole blood tissue as described and were hybridized to human genechips. A number of quality control metrics are reported when a genechip is scanned to determine a gene expression profile. These metrics include chip background, chip noise (also termed Raw Q), total fluorescent intensity, the number of genes detected (called "present") and the 3'/5' ratio of the housekeeping gene GAPDH (a measure of probe quality). These metrics are assessed to determine the validity of the data obtained from the scanned genechip. We compared these quality control metrics for each chip probed with a particular species to determine intraspecies reproducibility and signal intensity (Table 1). We found that results were consistent within each species based on a 95% confidence interval (Table 1). We also performed an interspecies comparison of quality control metrics between each NHP and humans. We found that the only significant difference was the percent marginal call (transcripts near the threshold of detection are called marginal) for the cynomologus group. No other significant differences were observed.

Analysis of gene expression profiles: Principal component analysis.

The gene expression profiles for NHP and human whole blood tissue were analyzed by principal component analysis (PCA; Figure 1). Each of our samples is defined by 54,000 probesets, which represent 38,500 well-characterized genes from the completely sequenced human genome (Affymetrix Data Sheet, 2004). These 54,000 probesets represent 54,000 response variables, giving us a 54,000-dimensional data set. PCA reduces the complexity of high-dimensional data and simplifies the task of identifying patterns and sources of variability in a large data set (Hotelling, 1933; Joffille, 1986). The samples (four or five biological replicates each hybridized to a separate genechip) are represented by the spheres in the three-dimensional plot (Figure 1). The distance between any pair of points is related to the similarity between the two samples in high-dimensional space (in this case, 54,000 variables and 54,000-dimensional space). Samples that are near each other in the plot are similar in a large number of variables (i.e., expression level of individual probe pairs). Conversely, samples that are far apart in the plot are different in a large number of variables.

Analysis of the whole blood tissue gene expression profiles by PCA revealed a distinct partition between the human samples and the NHP samples (Figure 1A-D). This is the case using two different data normalization algorithms (GCOS, Figure 1A, 1B; RMA Figure 1C, 1D), indicating that the partition in the data set is independent of data transformation methods. Based on the whole blood tissue gene expression profile, no single NHP species partitions closer to

humans than the others. Ellipsoids which represent space two standard deviations from the mean of the sample set are all closely aligned for each NHP species (Figure 1B, 1D). Thus, our data suggest that each of the three NHP species tested is equally different from humans in an interspecies comparison of whole blood tissue gene expression profiles. Within each NHP species, the cynomologus group appears to have the least intraspecies variability. The rhesus, AGM, and human groups appear to have comparable intraspecies variability.

Analysis of gene expression profiles: Hierarchical clustering.

The gene expression profiles for NHP and human whole blood tissue were analyzed by hierarchical clustering (Figure 2). Hierarchical clustering is used to group similar objects into clusters. At the start of the analysis each sample is considered a cluster. The two most similar clusters are combined and continue to combine until all objects are in the same cluster (termed the root). Hierarchical clustering produces a tree (dendogram) that shows the hierarchy of the clusters. The distance between the two members of the cluster determines its height. Groups of samples that are similar will be combined with short clusters, whereas tall clusters will separate dissimilar groups. The width of the clusters has no mathematical value.

Analysis of the whole blood tissue gene expression profiles by hierarchical clustering confirmed many of the observations made by PCA. An intensity map of pairwise comparisons of interpoint distances revealed that the cynomologus group shows the least intraspecies variability (Figure 2A, center of intensity map). In contrast, the rhesus and AGM groups show more intraspecies variability than the cynomologus group (Figure 2A, bottom right corner of intensity map). Variability in the human group appears comparable to that of the rhesus and AGM groups. Interestingly, sample H1 shows the least similarity to the other human group members (Figure 2A, note red blocks in the top left corner of the intensity map). In interspecies comparisons, the greatest dissimilarity appears to be between the human group and the cynomologus group (Figure 2A, left center of the intensity map). A detailed view of the dendogram generated by the hierarchical clustering is shown in Figure 2B. The human samples and the NHP samples separate into two distinct clusters. The human group has the greatest intraspecies variability, and thus this cluster has the greatest height. The cynomologus group has the least intraspecies variability and thus this cluster has the smallest height. Interestingly, the cynomologus samples cluster away from the rhesus and AGM samples, while the AGM and rhesus samples are not discretely clustered into separate distinct AGM and rhesus clusters. One AGM sample is observed clustering away from the rest of the AGM and rhesus samples nearer to the human cluster.

Analysis of gene expression profiles: Boolean analysis.

The gene expression profiles for NHP and human whole blood tissue were examined using an intraspecies Boolean analysis (Boole, 1848). Probesets having a detection p-value of p<0.05 for all biological replicates within a given species (100% reproducibility) were included in the total number of probesets detected (called "present") for that species. These results are summarized in Table 2. The Boolean analysis identified 6,820 probesets detected in the cynomologus group; 2,643 probesets detected in the AGM group; 2,757 probesets detected in the rhesus group; and 2,303 probesets detected in the human group. The results of interspecies comparisons (2-way, 3-way, and 4-way comparisons) of the probesets reproducibly detected in each intraspecies comparison are summarized in Table 2 and in a Venn diagram in Figure 3. In a

4-way interspecies comparison, 1079 probesets were 100% reproducibly detected. These 1079 probesets represent 1009 unique genes.

Characterization of probe sets reproducibly detected in intra- and interspecies comparisons.

To identify the molecular functions and biological processes represented by the probesets reproducibly detected in each species and determine whether they are similar across the species, we mapped this group of probesets to the Gene Ontology TM (The Gene Ontology Consortium, 2000). The Gene Ontology (GO) project is a collaborative effort to address the need for consistent descriptions of gene products in different databases. A controlled GO vocabulary is maintained in a curated database. GO provides three structured networks of defined terms to describe gene product attributes. These are biological process, molecular function, and cellular compartment. We used the web-based search engine Onto-Express to map our genes to the GO database (Khatri et al., 2002). Onto-Express translates lists of differentially regulated transcripts identified in high throughput gene expression experiments into functional profiles based on the GO. The statistical significance value is calculated, and results are displayed graphically as GO hierarchical trees. Table 3 summarizes the molecular functions represented by each group of probesets (p<0.01), and Table 4 summarizes the biological processes represented by each group of probesets. Although there is overlap among the species with regards to the molecular functions and biological processes represented by each group of probesets, the cynomologus group appears to be less similar to humans than either the AGM or rhesus groups.

To identify the molecular functions and biological processes represented by the probe pairs reproducibly detected in all species (100% reproducibility in both intra- and interspecies comparisons), we mapped these 1079 probesets (Table 5) to the Gene Ontology TM (The Gene Ontology Consortium, 2000). Table 6 summarizes the molecular functions represented by this group of probesets (p<0.01), and Table 7 summarizes the biological processes represented by this group of probesets (p<0.01).

DISCUSSION

Non-human primates (NHPs) are an important animal model in the development of medical countermeasures against CWAs, particularly for determining safety and efficacy in lieu of human clinical trials. Our objective was to evaluate the suitability of using human genechips for gene expression profiling of NHPs. We compared the quality control metrics (e.g., fluorescent intensity, gene detection, background, noise) of human genechips probed with RNA from each NHP species and humans to assess the quality and intraspecies reproducibility of the fluorescent signal. Furthermore, we assessed of the feasibility of utilizing gene expression profiling for interspecies comparison.

Although previous work has been published using human genechips to study NHPs, particularly rhesus, chimpanzee, gorilla, and orangutan (Uddin et al., 2004; Kayo et al., 2001; Enard et al., 2002; Chismar et al., 2002; Caceres et al., 2003) an evaluation of the response of cynomologus macaque or AGM RNA on a human genechip is not available in the open literature. In this study we found that whole blood tissue RNA from each NHP tested generated reproducible data comparable to the data obtained using human RNA on a human genechip (Table 1). These results suggest that gene expression profiling of rhesus, cynomologus, or AGM can be performed reliably using human genechips. This is in agreement with previous studies

that have examined the performance of rhesus RNA on human genechips (Chismar et al., 2002; Wang et al., 2004) and extends these observations to cynomologus and AGM RNA.

Since NHP RNA performed well on human genechips, we analyzed the actual gene expression profiles of the NHPs and humans. Analysis of the gene expression data by PCA revealed that each NHP whole blood tissue gene expression profile appears to be equally dissimilar to humans (Figure 1). These results are supported by the hierarchical clustering analysis, in which the human group clusters away from the NHPs (Figure 2). However, the intensity map representing interpoint distances between clusters suggests that the cynomologus group is more dissimilar than the rhesus or AGM compared to humans (Figure 2A). As observed in the PCA, the intensity map, and the cluster dendogram, the cynomologus group shows the least intraspecies variability while the human group shows the greatest intraspecies variability.

The low intraspecies variability of the cynomologus group may be a factor in the 2.5- to 3-fold greater number of probesets observed as reproducibly detected in this group compared with the other groups (Boolean analysis, Table 2). Since a probeset was counted if it was detected (called "present") in all replicates for a species, lower intraspecies variability would tend to result in a higher number of probesets counted. The tight clustering of the cynomologus group (observed by PCA and cluster analysis) may be due to any of a number of factors. These animals were wild caught and they may be genetically related in some way (e.g., siblings). Another factor that may result in the apparent lower intraspecies variability of the cynomologus group is the exposure history of these animals. In a previous unrelated experiment, these animals were exposed to human butrylylcholinesterase and survived a 5.5xLD₅₀ challenge of soman. Although this occurred five months prior to our blood collection and the animals were certified to be in good health and fully recovered from the soman exposure, long-term alterations in the whole blood gene expression profile may have been induced. Furthermore, when we mapped the genes that are reproducibly detected within each species to the Gene Ontology, we discovered that the molecular functions and biological processes associated with these genes appear more similar among humans, AGM and rhesus but appear less similar in the cynomologus group compared with other groups (Tables 3 and 4). While this may be attributed to the greater number of probesets available for gene ontology mapping in the cynomologus group (>6K probesets compared with ~2-3K probesets in the other species) there are also biological processes that are significant in humans, AGM, and rhesus not detected in the cynomologus group, for example, antigen presentation of exogenous antigen (Human p=6.31x10-7; AGM p=1.49x10-4; rhesus p=4.32x10-7; cynomologus p>0.01 Table 4). These observations would require further research to determine their significance, including gene expression profiling of completely naïve cynomologus macaques. Furthermore, a greater number of subjects in each group representing variations across gender, age, and ethnicity would be needed to assess more accurately the intraspecies biological variability.

In our interspecies comparison of the probesets reproducibly detected across all replicates within a species, we identified a group of probesets that is reproducibly detected across all species examined in our study. This group of probesets maps to 1009 unique genes (Table 5). Although the significance of this group of probesets is not clear at the present time, it is interesting to speculate about potential uses for this group of probesets. Since genes in this group of probesets are reproducibly detected within and across the species studied, they may serve as controls useful in normalizing data collected from these different species using human genechips. Thus, these probesets, or more likely a subset of these probesets, have the potential to serve the purpose that "housekeeping" genes do in other types of experiments, such as Western

blotting or PCR experiments. While it is becoming clear that there are likely no universal housekeeping genes, housekeeping genes can be useful if they have been validated in a particular system (Bustin, 2003). This would require additional research looking at detection of these probesets across an expanded population of test subjects, and examining how detection of these probesets may change after a chemical exposure. For now, this group of probesets provides a source of potentially valuable normalization control genes useful for the future development of tools for interspecies comparisons.

One issue that is critical to consider when interpreting our data is the difference in the genomes and the mechanisms of gene expression between humans and NHPs. Although the genomes of humans and chimpanzees have been shown to be highly similar (98.77% similarity, Fujiyama et al., 2002), and presumably this is true of other NHP species, there are obviously still differences that may affect the interspecies detection of certain genes. In addition, focusing on genome similarity neglects the fact that gene expression profiling is based on mRNA expression and not on DNA sequence. A single gene does not necessarily generate a single transcript. Splicing variants are very common in the human, and humans and NHPs may use different splicing strategies in some genes. Recently, several publications have begun to address these issues of interspecies variation in gene expression and genomic sequence as it relates to the issue of analyzing NHP gene expression profiles with human genechips. Chismar and colleagues (2002) used the U95Av2 human genechip and compared the expression patterns of humans with rhesus. They concluded that the percentage of detected genes (genes called "present") in the rhesus brain is lower than that of human brain, and that this is especially true for genes with lower signal intensity. Caceres and colleagues (2003) used the HG-U95Av2 human genechip to identify upregulated genes in the human cortex compared with those of the NHPs. Since sequence divergence could lead to an underestimation of expression levels in NHPs, they excluded 4572 probesets that exhibited different hybridization behavior between two sets of samples in order to reduce false positives. However, this analysis is solely based on probeset signal intensities and not on actual sequence data. Wang and colleagues (2004) employed a sequence analysis approach to assess the utility of human genechips for the study of NHP gene expression profiles. They identified probesets conserved between rhesus and human based on sequence analysis and identified these probesets as providing a more accurate reflection of gene expression profiles. They found that of the 54,675 probesets on the HG-U133 Plus 2.0 genechip (representing the entire human genome), that 3636 of these were interspecies conserved between humans and rhesus (6.6%). Pair-wise correlation coefficients of 20 samples (12 human and 8 rhesuses) were calculated for expressed probesets (0.65±0.044) and for the ISC probesets (0.80±0.026). These results suggest that the reproducibility of interspecies comparisons can be increased by using a subset of probesets that have been previously defined based on sequence analysis. This worked well for rhesus since there is a considerable amount of sequence information available in public databases (as of December 16, 2004, there were 56,063 entries in Genbank under the organism term "Macaca mulatta"). However, in the case of cynomologus macaques, the number drops to 3,717 Genbank entries under the organism term "Macaca fascicularis," and is even lower for African green monkeys (3,059 Genbank entries under the organism term "Cercopithecus aethiops"). However, none of these compares to humans, for which there are 9,018,755 Genbank entries under the organism term "Homo sapiens." Thus, there is still a considerable amount of work to be done in developing tools to compare the gene expression profiles of humans and NHPs.

The work described herein represents an initial starting point in the development of methods to analyze the gene expression profiles of NHPs and to make comparisons with human gene expression profiles. Larger sample sizes are obviously an important component of developing these tools. One way to address this would be to perform gene expression profiling of NHPs housed at USAMRICD and/or at WRAIR on an ongoing basis. Blood samples could be taken when NHPs first arrive, thereby increasing the sample size of naïve test subjects. In addition, as animals are used in a research context and are exposed to various chemical agents, blood samples could be collected, their gene expression profiles determined, and that data entered into a gene expression profile database. Over time, the database would grow to include not only baseline parameters of naïve animals, but also gene expression profiles of animals exposed or treated with various chemicals or countermeasures. A human baseline can also be developed by collecting blood samples from human volunteers at USAMRICD. Metadata (e.g. age, diet, gender, etc.) would be included in the database for all samples (both human and NHP). Over the course of time, this database would become a powerful tool by enabling statistical comparison of the gene expression profiles of naïve animals with exposed animals, identifying potential genomic biomarkers of exposure for future development of diagnostics tests, comparing the effects of various agents within a class of agents (e.g., subtle differences in the effects of the G-agents), comparing humans and NHPs, and developing a statistically robust dataset that could potentially be used in support of submissions for regulatory approval of CWA medical countermeasures.

In conclusion, we have shown that gene expression profiling of NHP samples using human genechips gives reliable, reproducible data. Comparison of humans with NHPs will become more robust as new tools are advanced to address this challenge. This preliminary dataset serves as the foundation for the genomic assessment of NHP responses to CWA exposure and medical countermeasures, and will enhance efforts to develop CWA medical countermeasures that are safe and effective in humans.

REFERENCES

Affymetrix Data Sheet. 2004. GeneChip Human Genome Arrays. http://www.affymetrix.com/support/technical/datasheets/human datasheet.pdf

Blanton, J.L., D'Ambrozio, J.A., Sistrunk, J.E., and Midboe, E.G. 2004. Global changes in the expression patterns of RNA isolated from the hippocampus and cortex of VX exposed mice. *J. Biochem. Mol. Toxicol.* 18:115-123.

Boole, G. 1848. The Calculus of Logic. *Cambridge and Dublin Mathematical Journal*. 3:183-198.

Bustin, S.A. 2002. Quantification of mRNA using real-time reverse transcription PCR (RT-PCR): trends and problems. *J. Mol. Endocrinol.* 29:23-39.

Cáceres, M., Lachuer, J., Zapala, M.A., Redmond, J.C., Kudo, L., Geschwind, D.H., Lockhart, D.J., Preuss, T.M., Barlow, C. 2003. Elevated gene expression levels distinguish human from non-human primate brains. *Proc. Natl. Acad. Sci. (USA).* 100:13030-13035.

Chismar, J.D., Mondala, T., Fox, H.S., Roberts, E., Langford, D., Masliah, E., Salomon, D.R., and Head, S.R. 2002. Analysis of result variability from high-density oligonucleotide arrays comparing same-species and cross-species hybridizations. *Biotechniques*. 33:516-524.

Dillman, J.F. III, Phillips, C.S., Dorsch, L.M., Croxton, M.D., Hege, A.I., Sylvester, A.J., Moran, T.S., and Sciuto, A.M. Genomic analysis of rodent pulmonary tissue following bis-(2-chloroethyl) sulfide exposure. *Chem. Res. Toxicol.* In press.

Dillman, J.F. III, L.M. Dorsch, A.I. Hege, C.S. Phillips, R.C. Kiser, Y.W. Choi, and C.L. Sabourin. 2004. Genomic analysis of the mechanism of action of potential vesicant countermeasures. *Toxicological Sciences*. 78(S-1):1890.

Draghici, S., Chen, D., and Reifman, J. 2004. Applications and challenges of DNA microarray technology in military medical research. *Mil. Med.* 169:654-659.

Enard, W., Khaitovich, P., Klose, J., Zollner, S., Heissig, F., Giavalisco, P., Nieselt-Struwe, K., Muchmore, E., Varki, A., David, R., Doxiadis, G.M., Bontrop, R.E., and Pääbo, S. 2002. Intra- and Interspecific variation in primate gene expression patterns. *Science*. 296:340-343.

Fujiyama, A., Watanabe, H., Toyoda, A., Taylor, T.D., Itoh, T., Tsai, S.F., Park, H.S., Yaspom M.L., Lehrach, H., Chen, Z., Fu, G., Saitou, N., Osoegawa, K., de Jong, P.J., Suto, Y., Hattori, M., and Sakaki, Y. 2002. Construction and analysis of a human-chimpanzee comparative clone map. *Science*. 295:131-134.

Hotelling, H. 1933. Analysis of a complex of statistical variables into principal components. *J. Educ. Psychol.*

Irizarry, R.A., Hobbs, B., Collin, F., Beazer-Barclay, Y.D., Antonellis, K.J., Scherf, U., and Speed, T.P. 2003. Exploration, normalization, and summaries of high density oligonucleotide array probe level data. *Biostatistics*. 4(2):249-264.

Jolliffe, I.T. (1986) Principal Component Analysis, Springer-Verlag, New York.

Kayo, R., Allison, D.B., Weindruch, R., and Prolla, T.A. 2001. Influences of aging and caloric restriction on the transcriptional profile of skeletal muscle from rhesus monkeys. *Proc. Natl. Acad. Sci. (USA)*. 98:5093-5098.

Khatri, P., Draghici, S., Ostermeier, G.C., and Krawetz, S.A. 2002. Profiling gene expression using onto-express. *Genomics*. 79:266-70.

Sabourin, C.L. Rogers, J.V., Choi, Y.W., Kiser, R.C., Casillas, R.P., Babin, M.C., and Schlager, J.J. Temporal and dose analysis of murine gene expression by microarray during cutaneous sulfur mustard injury. Submitted.

Sartor, M., Schwanekamp, J., Halbleib, D., Mohamed, I., Karyala, S., Medvedovic, M., Tomlinson, C.R. 2004. Microarray results improve significantly as hybridization approaches equilibrium. *Biotechniques*. 36:790-796.

The Gene Ontology Consortium. 2000. Gene Ontology: tool for the unification of biology. *Nature Genetics*. 25:25-29.

Uddin, M., Wildman, D.E., Liu, G., Xu, W., Johnson, R.M., Hof, P.R., Kapatos, G., Grossman, L.I., and Goodman, M. 2004. Sister grouping of chimpanzees and humans as revealed by genome-wide phylogenetic analysis of brain gene expression profiles. *Proc. Natl. Acad. Sci. (USA)*. 101:2957-2962.

Vahey, M., Nau, M., Taubman, M., Yalley-Ogunro, J., Silvera, P., Lewis, M. 2003. Pattern of gene expression in peripheral blood mononuclear cells of Rhesus macaques infected with SIVmac251 and exhibiting differential rates of disease progression. *AIDS Res. And Hum. Retroviruses.* 19:369-387.

Wang, Z., Lewis, M.G., Nau, M.E., Arnold, A., Vahey, M.T. 2004. Identification and utilization of inter-species conserved (ISC) probesets on Affymetrix human GeneChip platforms for the optimization of the assessment of expression patterns in non human primate (NHP) samples. *BMC Bioinformatics*. 5:165.

FIGURE LEGENDS

Figure 1. Principal component analysis of primate whole blood tissue gene expression profiles.


Gene expression levels for 54,000 probe pairs (representing 38,500 genes) were uploaded to Partek Pro 6.0 and analyzed by principal component analysis. The GeneChip Operating System (GCOS) normalization algorithm (A, B) and the RMA normalization algorithm (C, D) are shown for comparison. The ellipsoids (B, D) represent a two-standard deviation space from the mean of each sample set.

Figure 2. Hierarchical cluster analysis of primate whole blood tissue gene expression profiles.

The dataset was clustered based on sample gene expression profile as described. A) Pairwise comparisons of sample interpoint distances are displayed as an intensity map. The color intensity is related to the interpoint distance between samples and is indicated by the intensity scale to the right of the map. Similar samples are colored blue, while dissimilar samples are colored red in the intensity map. Each sample is indicated along the bottom and to the right of the map (H=human, C=cynomologus, R=rhesus, A=African green). A dendogram of the clusters is indicated on the left of the intensity map. B) The cluster dendogram in greater detail. The samples are indicated by color and by alphanumeric designation as described for the intensity plot.

Figure 3. Venn diagram summarizing the Boolean analysis of primate whole blood gene expression profiles.

Intra- and interspecies Boolean analyses were performed as described and probe pair sets representing the intersection of all inter- and intraspecies comparisons were identified.







FIGURE 1 DILLMAN AND PHILLIPS






FIGURE 2A DILLMAN AND PHILLIPS






FIGURE 2B DILLMAN AND PHILLIPS





_		N	Mean	Std. Deviation	Std. Error	95% Confide for M		Min	Max
						Lower Bound	Upper Bound		
Background	African Green	4	46.36	6.51	3.26	35.99	56.72	38.89	54.7
	Cynamologous	4	49.81	4.84	2.42	42.10	57.52	43.62	55.3
	Rhesus	4	48.19	10.80	5.40	31.01	65.37	38.17	61.4
	Human	5	45.81	5.93	2.65	38.45	53.17	35.89	50.2
Noise			Name 200						
(Raw Q)	African Green	4	2.54	0.59	0.30	1.60	3.49	1.81	3.1
	Cynomologus	4	3.17	0.51	0.25	2.36	3.98	2.50	3.7
	Rhesus	4	2.92	0.95	0.48	1.40	4.43	1.99	3.8
	Human	5	2.60	0.53	0.24	1.94	3.26	1.70	2.9
Total Fluor.									
Intensity	African Green	4	1.32E+07	7.33E+06	3.67E+06	1.56E+06	2.49E+07	2.3E+06	1.8E+0
	Cynomologus	4	1.82E+07	1.61E+06	8.050E+05	1.57E+07	2.08E+07	1.6E+07	2.0E+0
	Rhesus	4	9.76E+06	9.64E+06	4.82E+06	5.57E+06	2.51E+07	8.9E+05	1.8E+0
	Human	5	1.51E+07	1.02E+06	4.58E+05	1.38E+07	1.63E+07	1.4E+07	1.7E+0
%Present	African Green	4	0.1365	0.0334	0.0167	0.0833	0.1897	0.0920	0.166
	Cynomologus	4	0.2005	0.0226	0.0113	0.1645	0.2365	0.1810	0.233
	Rhesus	4	0.1405	0.0402	0.0201	0.0765	0.2045	0.0890	0.187
	Human	5	0.1402	0.0550	0.0246	0.0719	0.2085	0.0990	0.230
%Absent	African Green	4	0.8490	0.0347	0.0173	0.7938	0.9042	0.8180	0.895
	Cynomologus	4	0.7820	0.0236	0.0118	0.7444	0.8196	0.7480	0.802
	Rhesus	4	0.8450	0.0423	0.0212	0.7777	0.9123	0.7960	0.899
	Human	5	0.8460	0.0566	0.0253	0.7758	0.9162	0.7540	0.889
%Marginal	African Green	4	0.0148	0.0013	0.0006	0.0127	0.0168	0.0130	0.016
3	Cynomologus	4	0.0175*	0.0010	0.0005	0.0159	0.0191	0.0170	0.019
	Rhesus	4	0.0145	0.0021	0.0010	0.0112	0.0178	0.0120	0.017
	Human	5	0.0140	0.0016	0.0007	0.0120	0.0160	0.0120	0.016
3'/5' Ratio									
GAPDH**	African Green	4	7.73	3.92	1.96	1.50	13.96	4.43	13.3
	Cynomologus	4	2.74	0.44	0.22	2.04	3.43	2.15	3.1
	Rhesus	4	3.49	1.85	0.92	0.55	6.42	2.45	6.2
	Human	5	4.62	2.59	1.16	1.40	7.84	1.41	7.2

^{*} Significantly different than human, p<0.05.

Table 1. Intra- and interspecies comparison of quality control metrics for human genechips hybridized with NHP or human probes.

Genechip quality control metrics were compared both intraspecies and interspecies. All data was tested for normality. All parameters had normal distributions except for total fluorescence intensity and the 3'/5' ratio of glyceraldehyde-3-phosphate dehydrogenase (GAPDH). Comparison of the three NHPs to humans for each parameter was made using a one-factor analysis of variance (ANOVA) for the normally distributed parameters and a Kruskal-Wallis test (non-parametric ANOVA) for total fluorescence intensity and the 3'/5' ratio of GAPDH. Species group was statistically significant, p<0.05 for the marginal (%) parameter. A Dunnett's test was used to compare the three NHPs to humans. Only the cynomologus group was found to be significantly different than the humans, p<0.05. No other significant differences were observed.

^{**} Non-normal distributions.

Comparison	Total # of probesets	N=
Human (H)	2303	5
Cynomologous macaque (CM)	6820	4
African green monkey(AG)	2643	4
Rhesus macaque (RM)	2757	4
CM and AG	2301	8
CM and RM	2549	8
AG and RM	1704	8
H and CM	1758	9
H and AG	1293	9
H and RM	1361	9
CM, AG, RM	1694	12
H, CM, AG	1229	13
H, CM, RM	1312	13
H, RM, AG	1103	13
H, RM, AG,CM	1079	17

Table 2. Boolean analysis of NHP and human whole blood tissue gene expression profiles.

An intraspecies Boolean analysis was performed to identify genechip probesets detected with 100% reproducibility. A series of 2-way, 3-way, and 4-way interspecies Boolean analyses were performed to identify genechip probesets detected with 100% reproducibility across the various species.

Table 3. Molecular functions represented by each species probe pair set. The top ranked biological processes are indicated in the shaded area, and those that are in common among the species are indicated in bolded text.

Index	Human	P-Value	AGM	P-Value	Cyno	P-Value	Rhesus	P-Value
_	RNA blinding	1.28E-13		1,11E-16	RNA binding	3.79E-13	RNA binding	1.53E-13
	structural constituent of	8 52E_14	structural constituent of	2.0	structural constituent of	L	structural constituent of	1
	hydrogen-transporting ATP synthase activity,		hydrogen-transporting ATP synthase activity, rotational	0	Picosocile	Z.5ZE-13	hydrogen-transporting ATP	1.02E-13
	rotational mechanism hydrogen-fransporting	8.31E-13		1.62E-12	DNA binding	1.89E-13	mechanism	8.42E-13
-	ATPase activity, rotational mechanism	2.25E-12	cytochrome-c oxidase activity	4.22E-12	ubiquitin-protein ligase activity	4.54E-13	hydrogen-transporting ATPase activity, rotational mechanism	2.57E-12
	(t) 40 C		hydrogen-transporting ATPass activity, rotational					
-	oxidoreductase activity NADH defrydrogenase	4.28E-11	mechanism	4.94E-12	pre-mRNA splicing factor activity translation initiation factor	3.53E-12	oxidoreductase activity	2.88E-11
	(ubiquinone) activity NADH dehydrogenase	2.12E-10	GTP binding	1.94E-09	activity	3.25E-11	pre-mRNA splicing factor activity	7.21E-11
	activity MHC class I receptor	3.39E-10	GTPase activity	2.10E-09	activity	8.82E-11	GTP binding translation initiation factor	7.65E-11
	activity MHC class il receptor	7.59 E- 08	rRNA binding	1.04E-08	GTP binding	1.34E-10	activity	1,13E-10
	activity cytochrome-c oxidase	1.04E-07	single-stranded DNA binding	4.35E-08	transferase activity	1.54E-10	GTPase activity	3.37E-10
250	activity	1.36E-07	endopeptidase activity translation initiation factor	5.80E-08	single-stranded DNA binding	3.40E-09	(ubiquinone) activity	4.44E-09
	rRNA binding	5.48E-07	activity	1.25E-07	GTPase activity	5.37E-09	NADH dehydrogenase activity	6.45E-09
_	GTPase activity	1.17E-05	MHC class II receptor activity NADH dehydrogenase	1.24957E-07	zinc ion binding	1,30E-08	MHC class il receptor activity	1.04E-07
	binding ubiquinol-cytochrome-c	1.11E-05	activity	1.77E-07	oxidoreductase activity	1.34E-08	MHC class I receptor activity	
_	reductase activity	5.49E-05	oxidoreductase activity NADH dehydrogenase	1.85E-07	ATP binding	1.58E-08	rRNA binding protein domain specific	9.88E-08
	signal transducer activity	6.51E-05	(ubiquinone) activity	4.35E-07	protein transporter activity	1.73E-08	binding	2.05E-07
	GTP binding molecular function	9.58E-05	protein kinase C binding	5.33E-07	hydrotase activity NADH dehydrogenase	2.77E-08	cytochrome-c oxidase activity	
	unknown	9.58E-04	MHC class I receptor activity	5.97E-07	(ubiquinone) activity	2.52E-07	single-stranded DNA binding	3.58E-07
	binding	0.001240137	ranscription corepressor activity	6.61E-07	nydrogen-transporting A I Pase activity, rotational mechanism	2.76E-07	protein transporter activity	1.01E-06
	translation intlation factor activity	0.001335895	ubiquitin conjugating enzyme activity	8.97E-07	NADH dehydrogenase activity	5.78E-07	ubiquinol-cytochrome-c reductase activity	2.58E-06
	double-stranded DNA binding	0.001446557	DNA binding	9.58E-07	hydrogen-transporting A I P synthase activity, rotational mechanism	9.19E-07	endopeptidase activity	4.28E-06
- 0 0 -	nematopoletin/interferon- class (D200-domain) cytokine receptor signal transducer activity	0.001520146	pre-mRNA splicing factor activity	1.63E-06	ubiquitin thiolesterase activity	1.01E-06	calclum-dependent phospholipid binding	1.55E-05

	positive transcription		ATP-dependent RNA helicase					
22	elongation factor activity	0.001454052	activity	1.67E-06	cytochrome-c oxidase activity	2.51E-06	DNA binding	8.70E-05
ć	pre-mRNA splicing factor	0 000500000	translation elongation factor	90 300 8	cysteine-type endopeptidase	80 37 8	ubiquitin conjugating enzyme	100
S	activity	0.002000000	ublantpol-cytochrome-c	0.005-00	acuvity	0.07 = 70.0	activity pricless localization sequence	1,36E-04
24	IgE binding	0.002422089	reductase activity	7.58E-06	chaperone activity	6.39E-06	binding	1.73E-04
25	aspartate-tRNA ligase activity	0.002518972	ribosome binding	1.11E-05	nucleic acid binding	1.35E-05	phospholipase inhibitor activity	7.11E-04
56	chaperone activity	0.002764454	protein domain specific binding	1.64E-05	endopeptidase activity	2.51E-05	protein kinase C binding	7.87E-04
27	vivitor assistance	0.003037016	positive transcription elongation	2 45F-05	protein serine/threonine kinase	2 95E-05	translation elongation factor	8 72E 04
i	superoxide dismutase			20101:3	nuclear localization sequence	5.30E.3	activity	a./2E-04
28	activity glyceraldehyde-3-	0.003779546	double-stranded RNA binding	2.79E-05	binding	4.84E-05	double-stranded DNA binding	9.55E-04
	phosphate dehydrogenase							
29	(phosphorylating) activity	0.00531967	phospholipase inhibitor activity	4.44E-05	protein domain specific binding	9.01E-05	molecular_function unknown	0.001099747
30	activity	0.006531985	tRNA binding	9.05E-05	double-stranded RNA binding	1.54E-04	double-stranded RNA binding	0.001288252
	monodehydroascorbate							
3	reductase (NADH) activity	0.006339867	oxygen transporter activity RNA polymerase II transcription	1.07E-04	transcription coactivator activity	1.67E-04	actin filament binding	0.001389533
32	NAD+ kinase activity ATP-ADP antiborier	0.006158728	factor activity	1.09E-04	molecular_function unknown	3.05E-04	chaperone activity	0.001719332
33	activity	0.006736109	molecular_function unknown	1.19E-04	ligase activity	3.31E-04	activity	0.002503838
	adenine		of a disconnection of a boundary					
34	priosphoribosyldarisierase activity	0.006953403	reductase (NADH) activity	1.22E-04	poly(A) binding	4.80E-04	diamine N-acetyltransferase activity	0.003474918
35	receptor signating protein activity	0.008181251	cadmium ion bladina	1.40F-04	ubiquinol-cytochrome-c	8 49E-04	pripried Ho	0.003733062
0		000170000					7	20000 10000
£	heat shock protein activity Rho GDP-dissociation	0.008347023	proteasome activator activity	1.40E-04	rRNA binding	0.001501768	electron carrier activity	0.004626459
37	inhibitor activity structural constituent of	0.008422553	ATPase stimulator activity	1.40E-04	chromatin binding	0.001494511	superoxide dismutase activity	0.004877425
38	cytoskeleton	0.008459726	hydrolase activity	1.40E-04	MHC class I receptor activity	0.001674147	poly-pyrimidine tract binding	0.00475497
	tyrosine phosphatase							
39	activity hematopoletin/interferon-	0.010406451	protein transporter activity	1.48E-04	transcription corepressor activity	0.00180975	hydrolase activity	0.007783135
,	class (D200-domain)		voltage-dependent ion-selective					
9	cytokine receptor activity	0.011051476	channel activity	2.25E-04	transcriptional repressor activity	0.001953484	oxygen transporter activity	0.007987954
14	single-stranded DNA binding	0.013957622	eukaryotic initiation factor 4E binding	2.34F-04	polypid ANSW	937754000	dehydrogenase	1000000
0.7	- Circia 6140	100404040				0000000	(priospriorylamig) activity	0.00800.000
r t	U-plasminogen activator	0.014910737	Diliverain reductase activity	2.34E-04	rhodopsin-like receptor activity	0.005573604	peroxidase activity	0.00917697
43	receptor activity	0.014100202	chaperone activity	2.34E-04	MHC class II receptor activity	0.00594393	cadmlum ion blnding	0.009043513
44	activity	0.015666892	activity	2.78E-04	protein binding	0.007346836	proteasome activator activity	0.009618186

0.009507767	0.009719051	0.009939339	0.010443445	0.015257115	0.015444557	0.015135666	0.019330006	0.025908732	0.025848504	0.025386923	0.024941539	0.023694462	0.026823919	0.024096063	0.02632718	0.023306028	0.024511512	0.029552012	0.032815511	0.034426337	0.033465329	0.03398018	0.034037866
ATP-ADP anticorder activity	isomerase activity	poly(A) binding	tubulin binding	dolichyl- diphosphooligosaccharide- protein glycotransferase activity	binding	positive transcription elongation factor activity	dehydrogenase (NAD+) activity	cadherin binding	N-acetylglucosamine-6-sulfatase activity	voltage-dependent anion channel porin activity	lysine-tRNA ligase activity	aryl sulfotransferase activity	UTP-glucose-1-phosphate uridylyltransferase activity	racemase and epimerase activity	peptidylglycine monooxygenase activity	structural constituent of cytoskeleton	receptor signaling protein activity	tRNA binding	aspartate-tRNA ligase activity	L-lactate dehydrogenase activity	transferase activity	peptidyl-prolyl cis-trans Isomerase activity	in a second
0.008528088	0.009427467	0.012998944	0.014582858	0.018712292	0.019442597	0.01988462	0.021211222	0.020525471	0.020898661	0.020385301	0.020072393	0.02093143	0.025134255	0.029998339	0.031331593	0.031111071	0.036060773	0.03797489	0.041144027	0.045371607	0.046368761	0.045950705	0.045811031
ATP-dependent helicase activity	isomerase activity	double-stranded DNA binding	tRNA binding	binding	RNA polymerase II transcription factor activity	protein-tyrosine kinase activity	activity	superoxide dismutase activity	phospholipase inhibitor activity	activity	epsilon DNA polymerase activity	hormone activity	intracellular transporter activity	calcium-dependent phospholipid binding	acyl-CoA binding	MHC class I protein binding	exonuclease activity	RNA helicase activity	protein phosphatase type 2A regulator activity	electron transporter activity	protein kinase C binding	general KNA polymerase II transcription factor activity	Mindage contractor abytholy
4.09E-04	4.17E-04	4.56E-04	4.56E-04	4.56E-04	4.56E-04	4.56E-04	4.56E-04	4.56E-04	5.75E-04	6.86E-04	6.86E-04	6.86E-04	9.02E-04	0.001043661	0.001043661	0.001043661	0.001057036	0.001057036	0.001086004	0.001101799	0.001218009	0.001265677	0.001552904
thiol-disulfide exchange intermediate activity	interleukin-7 receptor activity	recombinase activity	hypoxanthine phosphoribosyltransferase activity	voltage-dependent anion channel porin activity	lysine-tRNA ligase activity	aryl sulfotransferase activity Hso70/Hsc70 profein regulator		binding	IgE binding	aspartate-tRNA ligase activity	c-idente denydrogenase activity	double-stranded DNA binding	epsilon DNA polymerase activity	benzodazepine receptor	thioredoxin peroxidase activity	superoxide dismutase activity	signal sequence binding	ubiquitin thiolesterase activity	phospholipid binding	protein distininge Isomerase activity	MHC class I protein binding	binding	poly(A) bipding
0.015326307	0.014687711	0.013823728	0.013557887	0.015000215	0.016022957	0.014387962	0.017524475	0.017855125	0.019763377	0.026183111	0.025723758	0.026550547	0.027450566	0.026993056	0.027923851	0.028929848	0.022712537	0.032966408	0.034448044	0.034065288	0.033324738	0.033690944	0.052749518
tripeptidyl-peptidase I activity	kínase binding	voilage-dependent anion channel porin activity	lysine-tRNA ligase activity	glyoxylate reductase (NADP) activity farnesyl-diphosphate	farnesyltransferase activity	cathepsin S activity alpha-mannosidase	activity L-lactate dehydrogenase	activity	protein binding	signal sequence binding	activity begodingsing society	binding	acetyltransferase activity	ceramidase activity	ATPase activity, phosphorylative mechanism	caspase activity	poly(A) binding	cathepsin B activity	dismutase activity	glococol ucord receptor activity ornithina denarboxylasa	inhibitor activity	activity MAD kinasa phosphatasa	activity
45	46	47	48	49	20	21	52	53	24	55	26	27	28	29	9	61	62	63	64	65	99	29	68

69	KDEL sequence binding voltage-dependent ion-	0.051869733	manganese ion binding	0.001585526	receptor signaling protein activity	0.051608991	thioredoxin peroxidase activity	0.035632192
20	selective channel activity	0.050344153	transferase activity	0.001635712	aspartate-tRNA ligase activity	0.055752985	acyltransferase activity	0.046370992
7	protein channel activity	0.052939212	microtubule binding	0.001660474	oxidoreductase activity	0.055258106	ubiquitin-protein ligase activity	0.047043036
72	5S rRNA binding	0.052399016	peroxidase activity	0.001721862	activity	0.056772027	activity	0.038744964
73	cysteine-tRNA ligase activity ribonucleoside-	0.051351036	manganese superoxide dismutase activity	0.001721862	Hsp70/Hsc70 protein regulator activity	0.056004838	chiodeductase activity, acting of the CH-OH group of donors, NAD or NADP as acceptor	0.038711571
74	diphosphate reductase activity	0.05084261	ornithine decarboxylase inhibitor activity	0.001966646	voltage-dependent anion channel porin activity	0.054531026	MHC class I protein binding	0.039966172
75	MHC protein binding	0.053490662	premyrated protein tyrosine phosphatase activity	0.001966646	manganese ion binding	0.054847477	A I P-dependent UNA nelicase activity	0.039574347
92	chemokine activity	0.051704012	polynucieotide adenylyttransferase activity	0.00298118	SH3/SH2 adaptor protein activity	0.057980167	KNA polymerase II transcription factor activity	0.041865228
77	profilin binding	0.053757487	protein channel activity	0.003279034	magnesium ion binding	0.08082752	ion channel activity	0.055099478
78	ferric Iron binding	0.05819671	tubulin binding	0.003279034	steroid hormone receptor activity	0.088853507	alcohol dehydrogenase activity	0.055542498
79	protein kinase C binding phosphatidylinositol-4,5-	0.068639699	co-chaperone activity	0.003279034	glutamate-cysteine ligase activity	0.086803823	manganese superoxide dismutase activity	0.055912789
8	bisphosphate 3-kinase activity	0.058988256	catalase activity	0.003279034	co-chaperone activity	0.087862406	ornithine decarboxylase inhibitor activity	0.055520637
	thiol-disuffide exchange		glutamate-ammonia ligase		succinate-CoA ligase (GDP-		tRNA-intron endonuclease	
5	intermediate activity	0.059431777	activity	0.003279034	forming) activity	0.08476138	activity	0.05603
85	hydrolase activity	0.064181446	5S rRNA binding	0.003279034	adenylytransferase activity ethanolaminephosphotransferase	0.085770444	U6 snRNA bindIng	0.05707729
83	oxygen transporter activity	0.067718324	electron transporter activity protein phosohatase inhibitor	0.003279034	activity voltage-dependent log-selective	0.083775783	microtubule binding	0.056548796
84	casein kinase I activity ATP-dependent RNA	0.068216252	activity	0.003621083	channel activity	0.088947128	chemokine activity	0.055020451
82	helicase activity alutathione peroxidase	0.080016796	profill binding	0.003790891	ion channel activity	0.083257703	BRE binding	0.056103013
98	activity	0.081701312	acyl-CoA binding	0.003953756	single-stranded RNA binding	0.082348814	nucleic acid binding	0.056666605
87	drug binding	0.082289091	exchange factor activity	0.003953756	signal sequence binding	0.083284596	ligase activity	0.060954479
88	somerase activity	0.08242098	structural constituent of cytoskeleton	0.003953756	poly-pyrimidine tract binding	0.081433827	prenylated protein tyrosine phosphatase activity	0.061489167
	oxidoreductase activity, acting on the CH-OH		hematopoietin/interferon-class (D200-domain) cytokine					
88	group of donors, NAD or NADP as acceptor	0.081840551	receptor signal transducer activity	0.004220301	protein carrier activity	0.080334829	phosphatidylinositol transporter activity	0.075673743
8	enzyme activity	0.081331647	delta DNA polymerase activity	0.005024605	protein disumde isomerase activity	0.081217629	acetylglucosaminyltransferase activity	0.080876796
16	antigen binding	0.085343399	carcium-dependent protein serine/threonine phosphatase activity	0.005024605	metal ion binding	0.089773584	voltage-dependent ion-selective channel activity	0.080197159

92	endoribonuclease activity	0.108889947	heat shock protein activity	0.005024605	peptidyl-prolyl cis-trans	0.00667712	polynucleotide pdepaletransferans octivity	0.001568061
	and the factor of the second		polypeptide N-		614000	71 / 10050:0	מטכווין ואוומווין ומופים מכנולון	0.0000100.0
93	binding	0.108144125	acety/galactosaminyltransferase activity	0.005086811	protein serine/threonine phosphatase activity	0.095310914	eukaryotic initiation factor 4E binding	0.084027419
94	activity	0.107408451	ubiquitin-protein ligase activity	0.005120962	ATP-dependent peptidase activity	0.100375192	Rho GDP-dissociation inhibitor activity	0.08333867
95	peptide antigen binding	0.106682718	chemokine activity	0.005500935	dlamine N-acetyltransferase activity	0.118720991	protein channel activity	0.07943217
96	activity	0.112702552	phosphatidylinositol binding	0.005596762	phosphoglycerate kinase activity	0.117545535	ethanolaminephosphotransferase activity	0.084727648
97	transmembrane receptor activity	0.0969089	peptidyl-prolyl cis-trans isomerase activity	0.005679646	benzodiazepine receptor binding	0.119920193	SS rRNA blading	0.081338542
86	ATPase activity, coupled	0.097612231	ATP-dependent DNA helicase activity	0.005977504	chymotrypsin activity	0.117459712	succinate-CoA ligase (GDP-forming) activity	0.081994498
66	protein transporter activity	0.103636031	casein kinase I activity	0.00626004	extracellular matrix structural constituent	0.117137658	acetyl-CoA C-acyltransferase activity	0.080692998
90	glutathione transferase activity	0.104691621	Signature as a collection of the collection of t	0.006408868	transmembrane receptor protein tyrosine kinase adaptor protein	0		
į	translation elongation			2000	acuvity	0.113437472	election transporter activity	0.08266112
101	factor activity MAP kinase kinase	0.107546634	glutathione peroxidase activity	0.006667468	heat shock protein activity	0.119261946	transcription coactivator activity	0.08005762
102	activity	0.1132146	diphosphokinase activity	0.007238247	peroxidase activity	0.127368316	GTPase activator activity	0.080321909
103	activity	0.112294453	clathrin binding	0.007238247	positive transcription elongation factor activity	0.131449464	profilin binding	0.083859109
104	oligopeptide transporter activity	0.112898187	isomerase activity	0.007238247	violetin kinase C labibitor activity	0.130232330	things cocceptable lociter	0.006260072
405	things of or	44.0	protein heterodimerization			0.13022233	ARF guanyl-nucleotide exchange	0.000200013
2	igase activity	0.1145/3188	activity	0.007734842	ATP:ADP antiporter activity	0.132183811	factor activity	0.095732846
106	protein phosphatase inhibitor activity	0.116088687	oxidoreductasa activity, acting on the CH-OH group of donors, NAD or NADP as acceptor recent recent consider simpling protein	0.008041072	non-selenium glutathione peroxidase activity	0.125405154	helicase activity	0.094303998
101	hyaluronic acid binding	0.116240504	tyrosine kinase activity	0.008102439	interleukin-10 receptor activity	0.126486233	ATPase activity, coupled	0.095013051
108	calcium fon binding	0.115666472	RNA helicase activity	0.008102439	cadmium ion binding	0.12870529	asparagine-tRNA ligase activity	0.095374057
109	transporter activity	0.118170017	endoribonuclease activity	0.009945471	proteasome activator activity GDP-mannose 4 6-dehydratase	0.131003599	phosphoprotein phosphatase activity	0.096049505
110			poly-pyrimidine tract binding	0.00994688	activity	0.133385482	7S RNA binding	0.091767727
111			peptide antigen binding profein-l -Isoaspartate (D-	0.00994688	pius-end-directed microtubule motor activity	0.134609202	phosphatidylinositol-4,5- blsphosphate 3-kinase activity	0.090181
112			aspartate) O-methyltransferase activity	0.00994688	asparagine-tRNA ligase activity	0.129844275	thiol-disulfide exchange intermediate activity	0.090972352
113				0.00994688	carbon-sulfur lyase activity	0.127586114	delta DNA polymerase activity	0.09315133
114					transcriptional activator activity	0.136270802	protein kinase C inhibitor activity	0.092048948
115					translation elongation factor activity	0.140127207	high-density lipoprotein binding	0.093712483

G-protein coupled receptor activity	0.151947786	cotoskeletal protein binding	0.091507483
thyrold hormone recentor hinding	0 157486991	purchased binding	0.097596858
מוניים ומעובים ופוניים ומיים ומיים	0.10140000	יותרופיר פרות חוויתווה	0.092330030
actin filament binding	0.158309118	signal transducer activity	0.098108629
3'-5'-exoribonuclease activity	0.159606734	casein kinase I activity	0.103778602
activity	0.159941309	glutathione peroxidase activity	0.117973978
electron carrier activity	0.169257296	alpha-mannosidase activity	0.118317102
Probe ribose-phosphate dinhosphokinasa artivity	0.195094221	transcriptional repressor activity cysteine-type endopeptidase	0.12641845
t-SNARE activity	0.193570048		0.127724047
IgE binding	0.196642588		0.148003172
catalytic activity	0.198667798		
Probe manganese superoxide dismutase activity	0.19911516		
telomerase activity	0.200635123		
ornithine decarboxylase inhibitor activity glyceraldehyde-3-phosphate	0.20217847		
denyarogenase (phosphorylating) activity	0.197618054		
transcription factor binding	0.196877614		
protein kinase activity	0.200063448		
cation channel activity	0.20568846		
voltage-gated potassium channel activity	0.205348863		
has guanyi-nucleoude exchange factor activity	0.207589506		
growth factor activity	0.213242078		
activity	0.215225089		
oxidoreductase activity, acting on the CH-OH group of donors, NAD or NADP as acceptor	0.217172462		
monooxygenase activity	0.216649098		
trypsin activity	0.252074309		
FK506 binding	0.264086943		
signal transducer activity	0.26768353		
acyltransferase activity	0.269188396		
endoribonuclease activity	0.270849171		
rRNA methyltransferase activity	0.272679233		

0.269215294	0.288926523 0.288295807 0.28051976	0.258078179	0.285846084 0.278788156	0.28404831	0.282273008	0.255162041	0.277077799	0.270441205	0.272070369	0.289510778	0.291378589	0.268831436	0.264115095	0.273719281
rRNA (adenine-N6,N6-)- dimethyltransferase activity protein tyrosine phosphatase activity hydrolase activity, acting on acid anhydrides, catalyzing transmembrane movement of substances	profilin binding phosphoprotein phosphatase activity phosphoric ester hydrolase activity	tRNA guanylyttransferase activity UDP-galactose transporter activity	interleukin-7 receptor activity N-acetylglucosamine-6-sulfatase activity RAB GDP-dissociation inhibitor activity	recombinase activity	tripeptidyl-peptidase I activity kynurenine 3-monooxygenase activity	cytidylate kinase activity [RNA-polymerase]-subunit kinase activity orotate	phosphoribosyltransferase activity	kinase binding	geranyltranstransferase activity ceramide cholinephosphotransferase	activity ADP-ribosylarginine hydrolase	activity orotidine-5'-phosphate decarboxylase activity	cathepsin S activity phosphotransferase activity, phosphate group as acceptor	dUTP diphosphatase activity mRNA (2'-0-methyladenosine-N6-)-methyltransferase activity	pre-mRNA cleavage factor

	0.256611826	0.253728547	0.293270658	0.2679555	0.203473159	0.199370877	0.200178047	0.200991779	0.204313957	0.205161733	0.201812153	0.202639252	0.202188181	0.203321288	0.210096839	0.212159846	0.21267561	0.218953358	0.242308752	0.24139304	0.247489377	0.258100087
activity	DNA photolyase activity importin-alpha export receptor	activity	lysine-tRNA ligase activity	glycosyl bonds	SH2 domain binding	dolichyl- diphosphooligosaccharlde- protein glycotransferase activity eukaryottc initiation factor 4E	binding	biliverdin reductase activity	lipoate-protein Ilgase B activity	tubulin binding	satellite DNA binding	reductase activity	peptidase activity	symporter activity	hyaluronic acid binding	RAN protein binding	kinase activity	transcription factor activity	calcium ion storage activity	activity	phosphatidylinositol binding	protein dimerization activity
																					*	
	174	175	176		178	179	180															

Table 4. Biological processes represented by each species probe pair set. The top ranked biological processes are indicated in the shaded areas, and those that are in common among the species are indicated in bolded text.

Index	Index Human	P-Value	AGM	P-Value	Cyno	P-Value	Rhesus	Corrected P.
•	immune response	8.52E-14	protein blosynthesis	1.47E-13		3.79E-13	protein blosynthesis	1,53E-13
2	protein biosynthesis	1.28E-13	mmune response	4.30E-10	catabolism	2.52E-13	Immune response	6.12E-13
က	proton transport	9.01E-12	proton transport	9.28E-09	spiceosome	3.79E-13	profes transport	1 12E-11

4	antigen presentation, endogenous antigen	2.85E-09	ubiquitin-dependent protein catabolism	1 535-07	ONA colition	3 18E-12	possessi actions	3 36 5 00
	amtigen processing,				7	2		200-700-7
u	MILC class	1					nuclear mRNA splicing, via	
n		1./8E-08	protein transport	3.20E-07	mRNA processing	7.57E-12	spliceosome	2.18E-09
9	proton transport antigen presentation.	2.73€-08	translational elongation	3.04E-07	protein transport	1.09E-11	endogenous antigen	3.18E-09
7	exogenous antigen	6.31E-07	proton transport	1.93E-06	Immune response	4.00E-10	initiation	8.19E-09
80	inflammatory response	8.04E-07	endogenous antigen	9.04E-06	ubiquitin cycle	1.29E-09	RNA splicing	7.86E-09
	exogenous antigen via		amigen processing, endogenous antigen via				antigen processing,	
6	MHC class II	7.24E-07	MHC class I	3.53E-05	protein ubiquitination	9.70E-09	MHC class I	2.47E-08
10	translational elongation	1.78E-06	regulation of translational initiation	1.56E-04	regulation of translational	3.50E-08	translational elongation	4.60E-08
	kappaB kinase/NF-kappaB		response to oxidative					
=	cascade	3.04E-06	stress	1.55E-04	protein folding	1.65E-07	protein transport	8.62E-08
12	cellular defense response	6.40E-06	antigen presentation, exocepous antigen	1 49F-04	PNA proposelpo	5 BAE 07	antigen presentation.	10 700 4
5		1 0		4 1	ATP synthesis coupled	2.0.1	מאסטים מווומפון	4.3 2E -07
2	nucleosonia assembly	0.93E-00	regulation of translation	1.49E-04	proton transport	1.35E-06	mRNA processing	5.64E-07
4	chemotaxis	1.38E-05	micmhibish nolomentzation	1 685-04	remilation of translation	1 450 08	exogenous antigen via	L Cu
			antigen processing.		HORDELINA IO HORDERA.	00-101	mitochondrial electron	3.30 E-0 7
5	negative regulation of iymphocyte proliferation antimicrobial humoral	1.45E-05	exogenous antigen via MHC class II	1.63E-04	regulation of transcription. DNA-dependent	1.49E-06	transport, NADH to ubiquinone	3.08E-06
0	response (sensu		feather than the second		small GTPase mediated		ubiquitin-dependent protein	
0	Vertebrata)	1.4/E-05	KNA splicing	6.48E-04	signal transduction	2.09E-06	catabolism	1,41E-05
17	signal transduction	1.62E-05	targeting	6.50E-04	mracellular protein transport	2.60E-06	microtubule polymerization	3.44E-05
			nuclear mRNA splicing, via		mitochondrial electron transport, NADH to		cotranslational membrane	
18	cell motility mitochondrial electron transport, NADH to	1.53E-05	spliceosome	7.32E-04	abiquinone	3.51E-06	targeting	6.84E-05
19	ubiquinone	2.22E-05	electron transport	0.001145698	transcription	5.12E-06	nucleosome assembly	9.54E-05
20	regulation of apoptosis	3.57E-05	ubiquitin cycle	0.001186297	synaptic transmission	8.16E-06	protein folding	1.67E-04
21	RNA splicing	4.21E-05	RNA processing	0.001562438	protein-nucleus import, docking	9.60E-06	RNA processing	2.98E-04
22	dendrite morphogenesis	7.08E-05	energy pathways	0.00208299	regulation of transcription from Pol II promoter	9.78E-06	protein-nucleus import, docking	5.77E-04
23	anti-apoptosis	2.18E-04	nucleosome assembly	0.002297439	protein amino acid phosphorylation	1.02E-05	glycolysis	6.13E-04
24	protein transport	4.26E-04	dendrite morphogenesis	0.00294977	targeting	4.24E-05	mRNA splice site selection	0.001071317
25	energy pathways	5.42E-04	mitochondrial electron	0.003550205	apoptosis	4.27E-05	protein-nucleus import,	0.001150072

		0.001143308	0.001258488	0.001561506		0.001924091	0.001923494	0.0000000	0.002388466	0.002386708	0.002666689	0000442000	0.003113392	0.008203845	0.007987954		0.009647584	0.009495689	0.012028445		0.012990152	0.014273034				
translocation		regulation of cell cycle transcription from Pol III	promoter mitochondrial electron	transport, ubiquinol to	small GTPase mediated	signal transduction	response to oxidative stress	solicionest to solicionest	microtubule-based	cell motility	translational Initiation	regulation of actin filament		response to blotic stimulus	oxidative phosphorylation		oxygen transport	asparagine	natural killer cell mediated cytolysis	actin cytoskeleton organization and	piogenesis	viral genome replication				
	70.0	4.84E-05	7.51E-05	1.11E-04		1.22E-04	1.40E-04	0 150 04	5.79E-04	7.77E-04	7.63E-04	7 885 04	1000	8.74E-04	9.41E-04		0.001389008	0.00210331	0.002748022	4	0.002815047	0.003080958	0.003058925	0.003806245	0.00399148	0.003987654
	antigen presentation,	endogenous amgen	nucleosome assembly	proton transport		signal transduction	negative regulation of transcription	antigen processing, endogenous antigen via MHC class I	ion transport	dendrite morphogenesis	RAS protein signal transduction	possent oci mileseton	transcription from Dol II	promoter	microtubule polymerization	positive regulation of I- kappaB kinase/NF-kappaB	cascade protein-picleus import	translocation	response to oxidative stress	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	grycorysis antiden presentation	exogenous antigen	nucleus import	o-protein coupled receptor protein signaling pathway	anti-apoptosis antigen processing,	exogenous antigen via MHC class II
	0.006446006	0.003116663	0.006033093	0.006148958		0.006538419	0.007717436	0.007598477	0.008709177	0.008453025	0.009843993	0.01029218	0.70	0.010014013												
transport, NADH to ublquinone	cellular defense response	microtubule-based	movement	protein-nucleus import, translocation	negative regulation of transcription from Pol II	promoter	response to blotic stimulus	cell surface receptor linked sional transduction	DNA unwinding	oxygen transport	mRNA processing	neurotransmitter receptor	negative regulation of	peptidolysis												
	2036	10.00 C	6.63E-04	0.001192353		0.001457896	0.001580303	0.00168203	0.00163442	0.001657432	0.001799266	0.001826791		0.001877535	0.001778717		0.002458647	0.002636446	0.002609686	0.000873337	0.00201 3331	0.002761128	0.003452017	0.003409326	0.004685989	0.004586287
	mitochondrial electron transport, ublquinol to	cytocardine c	cell proliferation	regulation of actin filament polymerization	regulation of translational	initiation	intracellular signaling cascade	BRNA processing	neutrophil chemotaxis	protein folding	aspartyl-tRNA aminoacylatlon	intracellular iron ion storage	negative regulation of axon	extension	apoptosis		superoxide metabolism	response to virus	response to biotic stimulus	noite modusodo evitebixo	response to oxidative	stress response to	pest/pathogen/parasite	microtubule polymerization	apoptotic nuclear changes	adenine salvage
	gc	9	27	28		59	30	3	35	33	34	35	}	36	37		38	39	9	14	F	42	43	4	45	46

regulation of cell cycle	cell cycle	mRNA splice site selection	DNA replication	translational elongation	negative regulation of lymphocyte proliferation	negative regulation of transcription from Pol II	promoter	response to stress	cell proliferation	chromatin assembly/disassembly	polyamine biosynthesis	cell surface receptor linked signal transduction	phosphate transport	chromosome organization	and bogenesis (sensu Eukarya)	tricarboxylic acid cycle mitochondrial electron	transport, ubiquinol to	cytochrome c	Cascade	ranscription from Pol III promoter						
0.005447671	0.005578146	0.005691985	0.005585252	0.005646594	0.006038812	0.006784202	200000000000000000000000000000000000000	0.007568328	0.00825348	0.008146572	0.0098879	0.009720309	0.009982177		0.00967738	0.009836025		0.011015783	0.011190637	0.010522539	0.010681972	0.01084631	0.010453268	0.013518881	0.013714806	0.013531002
nuclear mRNA splicing, via spliceosome	hemocyte development	defense response to fungi	promoter	cation transport	rRNA transcription	cell growth and/or	Golgi to secretory vesicle	transport	movement	protein complex assembly	cell homeostasis	regulation of viral genome replication	cellular morphogenesis	G-protein signaling, adenylate cyclase	activating pathway cotranslational membrane	targeting	22.67	redulation of peptidyl-	tyrosine phosphorylation	lysyl-tRNA aminoacylation	association	clathrin cage assembly	response to stress detection of	pest/pathogen/parasite cellular defense response	(sensu Vertebrata)	catabolism
47	48	49	20	51	52	53	3	54	55	99	22	28	29		09	چ 31	C	76	63	64	65	99	67	89	69	20

0.009534971

0.008965414

0.00719669

0.009895085

0.011819967

0.01283557

0.013993397 0.014098666 0.014568711

0.003956367 0.004384896 0.004856594 0.005533476 0.00612315

0.006190458

0.006210897

Table 5. Group of probesets reproducibly detected in intra- and interspecies comparisons by Boolean analysis.

te ε_{\parallel}	AW190090 actin, gamma 1 BC001920 actin, gamma 1 BG231551 activated RNA polymerase II transcription cofactor 4 BC31551 activated RNA polymerase II transcription cofactor 4 BC001417 activating signal cointegrator 1 complex subunit 3-like 1 AA766897 activating transcription factor 7 interacting protein AK025060 activating transcription factor 7 interacting protein BC006337 adaptor-related protein complex 2, sigma 1 subunit NM_001634 ADP-ribosylation factor 1 /// ADP-ribosylati
o7//x00351_3	213214_x_at 221607_x_at 221507_x_at 224585_x_at 212857_x_at 224586_x_at 200058_s_at 225917_at 231825_x_at 211047_x_at 201197_at 20007_at 200781_s_at

<u>Probe Set ID</u> 225956 at	Public ID AL565238	Gene Description adult retina protein
211986_at	BG287862	AHNAK nucleoprotein (desmoyokin)
201425_at	069000 MN	aldehyde dehydrogenase 2 family (mitochondrial)
204976_s_at	AK023637	Alport syndrome, mental retardation, midface hypoplasia and elliptocytosis chromosomal region, gene 1
216187_x_at	AF222691	Alu repeat (LNX1)
208248_x_at	NM_001642	amyloid beta (A4) precursor-like protein 2
223266_at	AB038950	amyotrophic lateral sclerosis 2 (juvenile) chromosome region, candidate 2
226861_at	BF223343	ankyrin repeat and SOCS box-containing 8
201590_x_at	NM_004039	annexin A2
210427_x_at	BC001388	annexin A2
213503_x_at	BE908217	annexin A2
225524_at	AU152178	anthrax toxin receptor 2
205434_s_at	AW451954	AP2 associated kinase 1
204174_at	NM_001629	arachidonate 5-lipoxygenase-activating protein
202655_at	NM_006010	arginine-rich, mutated in early stage tumors
200996_at	NM_005721	ARP3 actin-related protein 3 homolog (yeast)
213101_s_at	Z78330	ARP3 actin-related protein 3 homolog (yeast)
222047_s_at	AI523895	arsenate resistance protein ARS2
200027_at	NM_004539	asparaginyl-tRNA synthetase /// asparaginyl-tRNA synthetase
211755_s_at	BC005960	ATP synthase, H+ transporting, mitochondrial F0 complex, subunit b, isoform 1 /// ATP synthase, H+
		transporting, mitochondrial F0 complex, subunit b, isoform 1
207507_s_at	NM_001689	ATP synthase, H+ transporting, mitochondrial F0 complex, subunit c (subunit 9) isoform 3
207508_at	NM_001689	ATP synthase, H+ transporting, mitochondrial F0 complex, subunit c (subunit 9) isoform 3
207335_x_at	NM_007100	ATP synthase, H+ transporting, mitochondrial F0 complex, subunit e
209492_x_at	BC003679	ATP synthase, H+ transporting, mitochondrial F0 complex, subunit e
202961_s_at	NM_004889	ATP synthase, H+ transporting, mitochondrial F0 complex, subunit f, isoform 2
207573_x_at	NM_006476	ATP synthase, H+ transporting, mitochondrial F0 complex, subunit g
208746_x_at	AF070655	ATP synthase, H+ transporting, mitochondrial F0 complex, subunit g
210453_x_at	AL050277	ATP synthase, H+ transporting, mitochondrial F0 complex, subunit g
213738_s_at	AI587323	ATP synthase, H+ transporting, mitochondrial F1 complex, alpha subunit, isoform 1, cardiac muscle
201322_at	NM_001686	ATP synthase, H+ transporting, mitochondrial F1 complex, beta polypeptide (ATP5B), nuclear gene
		encoding mitochondrial protein
217801_at	NM_006886	ATP synthase, H+ transporting, mitochondrial F1 complex, epsilon subunit
208870_x_at	BC000931	ATP synthase, H+ transporting, mitochondrial F1 complex, gamma polypeptide 1
205711_x_at	NM_005174	ATP synthase, H+ transporting, mitochondrial F1 complex, gamma polypeptide 1 (ATP5C1), nuclear
90000	NIM 001607	gene encoding mitochondrial protein, transcript variant 2
2000 10_d1	180100 NIN	ATF synthase, n+ transporting, mitochondrial F1 complex, O subunit (oligomycin sensitivity conferring
214594_x_at	BG252666	ATPase, Class I, type 8B, member 1

Gene Description ATPase, H+ transporting, lysosomal 13kDa, V1 subunit G isoform 1 ATPase, H+ transporting, lysosomal 16kDa, V0 subunit c ATPase, H+ transporting, lysosomal 34kDa, V1 subunit D ATPase, H+ transporting, lysosomal 9kDa, V0 subunit e ATPase, H+ transporting, lysosomal 9kDa, V0 subunit e /// ATPase, H+ transporting, lysosomal 9kDa, V0 subunit e	ATPase, H+ transporting, lysosomal accessory protein 2 ATPase, H+ transporting, lysosomal accessory protein 2 ATPase, Na+/K+ transporting, beta 3 polypeptide ATP-binding cassette, sub-family F (GCN20), member 1 /// ATP-binding cassette, sub-family F (GCN20), member 1 AV699746 GKC Homo sapiens cDNA clone GKCBYE11 AYP1 protein B cell RAG associated protein	BAC clone GS1-111G14 from 7 basic transcription factor 3 basic transcription factor 3 basic transcription factor 3 B-cell CLL/lymphoma 11B (zinc finger protein) B-cell CLL/lymphoma 6 (zinc finger protein 51) B-cell translocation gene 1, anti-proliferative (BTG1) BCL2/adenovirus E1B 19kDa interacting protein 3-like BCL2-associated transcription factor 1	BCL2-like 11 (apoptosis facilitator) beta 5-tubulin beta-2-microglobulin beta-2-microglobulin brain abundant, membrane attached signal protein 1 butyrophilin, subfamily 3, member A3 C/EBP-induced protein /// C/EBP-induced protein calcium and integrin binding 1 (calmyrin) calmodulin 1 (phosphorylase kinase, delta) calmodulin 1 (phosphorylase kinase, delta) calmodulin 2 (phosphorylase kinase, delta) calmodulin 2 (phosphorylase kinase, delta) calmodulin 2 (phosphorylase kinase, delta)	calpain 2, (m/ll) large subunit CAP, adenylate cyclase-associated protein 1 (yeast) CAP, adenylate cyclase-associated protein 1 (yeast) capping protein (actin filament) muscle Z-line, alpha 1
Gene Descri ATPase, H+ ATPase, H+ ATPase, H+ ATPase, H+	ATPase, H+ transpo ATPase, Na+/K+ transpo ATP-binding cassett (GCN20), member 1 AV699746 GKC Hor AYP1 protein B cell RAG associate	BAC clone basic trans basic trans basic trans B-cell CLL B-cell CLL B-cell tran BCL2/ader	BCL2-like 11 (apopte beta 5-tubulin beta-2-microglobulin brain abundant, membutyrophilin, subfami C/EBP-induced prote calmodulin 1 (phosplealmodulin 1 (phosplealmodulin 2 (phosplealmodul	calpain 2, CAP, ader CAP, ader capping pr
Public ID BC003564 M62762 AF077614 NM_003945 AI862255	AF248966 U51478 NM_001090 AV699746 BF982002 NM_014863		AF455755 BC001002 NM_004048 AW188940 NM_006317 NM_006994 NM_030802 NM_030802 NM_006884 MZ7319 NM_006888 BC000454 NM_001743	M23254 NM_006367 AA806142 NM_006135
Probe Set ID 208737_at 36994_at 208898_at 201172_x_at 200096_s_at	201443_s_at 208836_at 200045_at 242578_x_at 226453_at 203066_at	216380_x_at 208517_x_at 211939_x_at 214800_x_at 219528_s_at 203140_at 200921_s_at 221479_s_at 201084_s_at	1555372_at 212320_at 201891_s_at 201891_s_at 202391_at 204820_s_at 221249_s_at 201953_at 200653_s_at 209563_x_at 207243_s_at 200655_s_at 200655_s_at 200655_s_at 200655_s_at	208683_at 200625_s_at 213798_s_at 208374_s_at

227346_at Al669379

Probe Set ID 231812_x_at	Public ID AK023255	Gene Description cDNA FLJ13193 fis, clone NT2RP3004348, moderately similar to R.norvegicus mRNA for cytosolic resiniferatoxin-binding protein
233319_x_at	AK023907	cDNA FLJ13845 fis, clone THYRO1000815
1559467_at	BI520422	CDNA FLJ36734 fis, clone UTERU2012890
237475_x_at	AI151104	CDNA FLJ45442 fis, clone BRSSN2011843
233702_x_at	AK024599	CDNA: FLJ20946 fis, clone ADSE01819
216526_x_at	AK024836	cDNA: FLJ21183 fis, clone CAS11634, highly similar to HSHLACW07 Homo sapiens mRNA for human
222041 × 5	A 1700F	leukocyje aniigen o alpha chain
233041_x_at	AKUZSUUS	CDNA: FLJZ1356 fis, clone COL02831
34210_at	N90866	CDW52 antigen (CAMPATH-1 antigen)
232266_x_at	AKU24379	
208/28_s_at	BC003682	cell division cycle 42 (GTP binding protein, 25kDa)
219206_x_at	NM_016056	CGI-119 protein
201570_at	NM_015380	CGI-51 protein
200877_at	NM_006430	chaperonin containing TCP1, subunit 4 (delta)
200873_s_at	NM_006585	chaperonin containing TCP1, subunit 8 (theta)
1405_i_at	M21121	chemokine (C-C motif) ligand 5
205898_at	U20350	chemokine (C-X3-C motif) receptor 1
217028_at	AJ224869	chemokine (C-X-C motif) receptor 4
219161_s_at	NM_016951	chemokine-like factor
223451_s_at	AF096895	chemokine-like factor
208659_at	AF034607	chloride intracellular channel 1
204620_s_at	NM_004385	chondroitin sulfate proteoglycan 2 (versican)
221731_x_at	BF218922	chondroitin sulfate proteoglycan 2 (versican)
201518_at	NM_006807	chromobox homolog 1 (HP1 beta homolog Drosophila)
202808_at	AK000161	chromosome 10 open reading frame 26
218213_s_at	NM_014206	chromosome 11 open reading frame 10
228332_s_at	AA526939	chromosome 11 open reading frame 31
201216_at	NM_006817	chromosome 12 open reading frame 8
218422_s_at	NM_022118	chromosome 13 open reading frame 10
221434_s_at	NM_031210	chromosome 14 open reading frame 156 /// chromosome 14 open reading frame 156
217768_at	NM_016039	chromosome 14 open reading frame 166
210532_s_at	AF116639	chromosome 14 open reading frame 2
208837_at	BC000027	chromosome 15 open reading frame 22
221190_s_at	NM_013326	chromosome 18 open reading frame 8
55705_at	W07773	chromosome 19 open reading frame 22
218037_at	NM_024293	chromosome 2 open reading frame 17
221983_at	AL040896	chromosome 2 open reading frame 17

Gene Description	chromosome 2 open reading frame 17	chromosome 2 open reading frame 24 /// chromosome 2 open reading frame 24	chromosome 2 open reading frame 25	chromosome 20 open reading frame 178	chromosome 20 open reading frame 3	chromosome 20 open reading frame 43	chromosome 20 open reading frame 43	chromosome 20 open reading frame 52	chromosome 3 open reading frame 10	chromosome 6 open reading frame 32	chromosome 6 open reading frame 32	chromosome 6 open reading frame 49	chromosome 6 open reading frame 49	chromosome 6 open reading frame 62	chromosome 6 open reading frame 83	chromosome 7 open reading frame 19	chromosome 7 open reading frame 30	chromosome 7 open reading frame 35	chromosome 9 open reading frame 10	chromosome 9 open reading frame 19	chromosome X open reading frame 9	cisplatin resistance-associated overexpressed protein	clathrin, heavy polypeptide (Hc)	clone FLB4816 PRO1252	Clone IMAGE:5285814, mRNA	clone RP11-371L19 on chromosome 20 Contains the C20orf54 gene, the C20orf55 gene, the RPS10L	gene for ribosomal protein S10-like and five CpG islands clone RP1-281H8 on chromosome 6/25 1-25 3	clone RP13-258015 on chromosome X	clone RP4-595K12 on chromosome 1p31.2-31.3 Contains a pseudogene similar to 60S RPI 29	(ribosomal protein L29 (cell surface heparin binding protein HIP)), a chromosome 1 specific mRNA (KIAA0499), a novel mRNA (KIAA0433) FSTs, STSs, GSSs, and a CnG Island, complete sequences	clone RP4-753D5 on chromosome 6p12.1-12.3. Contains the 3' end of the TFAP2B gene for	transcription factor AP-2 beta (activating enhancer-binding protein 2 beta), the gene for a novel protein similar to RPS17 (40S ribosomal protein S17), a pseudogene similar to part of nuclear transport	receptor MTR10A, an FTH1 (ferritin, heavy polypeptide 1) pseudogene, ESTs, STSs and GSSs CNDP dinentidate 2 (metalliginantidate M20 family)	coactosin-like 1 (Dictvostelium)
Public ID	AL040896	BC001393	NM_015702	AV713673	BC000353	NM_016407	AK000586	BF381837	BE868361	NM_015864	AB002384	NM_017601	AF216754	AL136632	BF975327	BC016797	BG397444	AF260336	BE963765	H92988	AL023653	NM_006107	NM_004859	AF130054	BG031051	AL118502	AL031133	AL121871	AL096829		AL049693		NM 018235	NM_021615 AL 565621
Probe Set ID	221984_s_at	200070_at	217883_at	225498_at	206656_s_at	217737_x_at	233842_x_at	224972_at	224575_at	206707_x_at	209829_at	218233_s_at	223516_s_at	208809_s_at	225849_s_at	1558426_x_at	226385_s_at	223396_at	200774_at	225602_at	204923_at	203804_s_at	200614_at	211452_x_at	224752_at	216505_x_at	215452 x at	222229_x_at	216570_x_at		216348_at		217752 s at	221059_s_at 224583_at

Gene Description coagulation factor XIII, A1 polypeptide coagulation factor XIII, A1 polypeptide coated vesicle membrane protein /// coated vesicle membrane protein coaled-coil-helix-coiled-coil-helix domain containing 2 COMM domain containing 6 COP9 constitutive photomorphogenic homolog subunit 6 (Arabidopsis) CTD (carboxy-terminal domain, RNA polymerase II, polypeptide A) small phosphatase 2 C-terminal binding protein 2 CUG triplet repeat, RNA binding protein 1 CUG triplet repeat, RNA binding protein 1 CUG triplet repeat, RNA binding protein 2 cyclin D3 cyclin D3	cyclin I cysteine-rich protein 1 (intestinal) cysteine-rich protein 1 (intestinal) cysteine-rich protein 1 (intestinal) cytochrome c oxidase subunit IV isoform 1 /// cytochrome c oxidase subunit IV isoform 1 /// cytochrome c oxidase subunit Vb cytochrome c oxidase subunit Vb //// cytochrome c oxidase subunit Vla polypeptide 1 cytochrome c oxidase subunit VIIa polypeptide 2 (liver) cytochrome c oxidase subunit VIIb cytochrome c oxidase subunit VIIb cytochrome c oxidase subunit VIIc DAZ associated protein 1 DAZ associated protein 1	DEAD (Asp-Glu-Ala-Asp) box polypeptide 17 DEAD (Asp-Glu-Ala-Asp) box polypeptide 24 DEAD (Asp-Glu-Ala-Asp) box polypeptide 39 DEAD (Asp-Glu-Ala-Asp) box polypeptide 5 /// DEAD (Asp-Glu-Ala-Asp) box polypeptide 6 DEAD (Asp-Glu-Ala-Asp) box polypeptide 6 DEAH (Asp-Glu-Ala-His) box polypeptide 6 DEAH (Asp-Glu-Ala-His) box polypeptide 9 death effector domain containing 2 dedicator of cytokinesis 11 defender against cell death 1 /// defender against cell death 1 defender against cell grotein dendritic cell protein developmentally regulated GTP binding protein 1 diazepam binding inhibitor (GABA receptor modulator, acyl-Coenzyme A binding protein)
Public ID NM_000129 AK024976 NM_016139 AV704551 NM_005730 NM_001329 NZ5915 AI472139 U69546 NM_001760 BG530368	AF135162 NM_001311 NM_001861 AA854966 NM_001862 AI557312 BC006229 NM_004373 NM_001865 AF042165 BF512907 N34846	297056 NM_020414 NM_005804 NM_004396 BF129093 NM_001357 AW245401 AI742838 NM_001344 AL110191 NM_006360 NM_0064147 NM_0064147
Probe Set ID 203305_at 203305_at 200087_s_at 217720_at 225312_at 201405_s_at 203445_s_at 201220_x_at 209489_at 209489_at 201743_at 202157_s_at 202157_s_at 202155_s_at	208656_s_at 205081_at 205081_at 202698_x_at 202343_x_at 213735_s_at 211025_x_at 201597_at 201597_at 202110_at 217491_x_at 229813_x_at 214334_x_at	208718_at 200694_s_at 201584_s_at 201584_s_at 202420_s_at 22549_at 225434_at 226875_at 200046_at 208763_s_at 208763_s_at 202231_at 202231_at

Gene Description differentially expressed in FDCP 6 homolog (mouse)	ă	80				DNA sequence from clone RP1-111B22 on chromosome 6q16-21			dual specificity phosphatase 7	dUTP pyrophosphatase) ectonucleoside triphosphate diphosphohydrolase 1		7 endothelial cell growth factor 1 (platelet-derived)	endothelin converting enzyme 2	7 enhancer of polycomb homolog 1 (Drosophila)	s enhancer of zeste homolog 1 (Drosophila)	28 enolase 1, (alpha)	3	esterase D/formylglutathione hydrolase	3 esterase D/formylglutathione hydrolase	02 eukaryotic translation elongation factor 1 alpha 1	03 eukaryotic translation elongation factor 1 alpha 1	eukaryotic translation elongation factor 1 alpha 1	eukaryotic translation elongation factor 1 alpha 1				61 eukaryotic translation elongation factor 2		eukaryotic translation initiation factor 2, subunit 3 gamma, 52kDa					91 eukaryotic translation initiation factor 3, subunit 6 interacting protein
Public ID Z97832	AU150824	NM 001918	NM_001386	AK024674	NM_022487	Z98200	BC002594	BC003143	AI655015	U62891	NM_014183	AV717590	BC000436	AW613387	AF521189	AK024117	AB002386	NM_001428	NM_01663.	BC001169	AU145746	NM_001402	NM_001403	AL515273	BE786672	NM_001959	NM_001960	NM_001404	NM_001961	BC000461	BE252813	AW083133	AF085358	NM_003756	NM_003754	LEGGLO WN
Probe Set ID	at	at at		at	at	215963 x at	at	208891_at		208956 x at		209473 at	202596_at	217497_at	_a_at	234969_s_at		201231_s_at	219672_at	209009_at	215096_s_at	204892_x_at	206559_x_at	213477_x_at	213614_x_at	200705_s_at	203113_s_at	200689_x_at	204102_s_at	208726_s_at	224936_at	212716_s_at	221494_x_at	201592_at	at	21 / 19_at

201530 x at 201530 x at 201787 s at 200912 s at 200912 s at 224645 at 224645 at 202651 at 215600 x at 218941 at 224369 s at 1554899 s at 212987 at 213187 x at 200748 s at 217628 x at 213187 x at	Public ID NM_001416 BC006210 NM_001967 BF247371 BG106477 NM_014873 AK022174 NM_012164 AF251055 AF233225 NM_012179 AL031178 BC020763 NM_002032 J04755 BG538564 AK00004	Gene Description eukaryotic translation initiation factor 4A, isoform 1 eukaryotic translation initiation factor 4A, isoform 1 eukaryotic translation initiation factor 4A, isoform 2 eukaryotic translation initiation factor 4B eukaryotic translation initiation factor 4B eukaryotic translation initiation factor 4B fewaryotic translation initiation factor 4B binding protein 2 family with sequence similarity 34, member A F-box and WD-40 domain protein 12 F-box and WD-40 domain protein 2 F-box protein 7 F-box protein 7 F-box protein 7 F-box protein 7 F-box protein 9 Fc fragment of IgE, high affinity I, receptor for; gamma polypeptide ferritin, heavy polypeptide 1 ferritin, heavy polypeptide seeudogene 1 /// ferritin, heavy polypeptide ferritin, ight polypeptide ferritin, ight polypeptide FGD1 family member 3
204834_at 200019_s_at 200709_at 21445_x_at 212473_s_at 212473_s_at 35254_at 201350_at 224891_at 224836_at 224838_at 224838_at 22558_at 209899_s_at 2105_s_at 205220_at 225558_at 20645_at	NM_006682 NM_001997 NM_001997 AF315951 BE965029 BE176566 AB007447 NM_004475 AV725666 AW080845 AV725666 AW080845 AK126898 BE878277 AF217197 M14333 NM_006018 R38084 NM_006018	fibrinogen-like 2 Finkel-Biskis-Reilly murine sarcoma virus (FBR-MuSV) ubiquitously expressed (fox derived); ribosomal protein S30 /// Finkel-Biskis-Reilly murine sarcoma virus (FBR-MuSV) ubiquitously expressed (fox derived); ribosomal protein S30 /// Finkel-Biskis-Reilly murine sarcoma virus (FBR-MuSV) ubiquitously expressed (fox derived); ribosomal protein S30 /// FK506 binding protein 1A, 12kDa FKS047 flavoprotein oxidoreductase MICAL2 FLJ45803 protein FLN29 gene product floxillin 2 forkhead box P1 for

Public ID Gene Description AF180519 GABA(A) receptor-associated protein like 1		NM_001494 GDP dissociation inhibitor 2 /// GDP dissociation inhibitor 2	BE542815 general transcription factor IIIA	NM_004877 glia maturation factor, gamma	NM_015710 glioma tumor suppressor candidate region gene 2		AL161952 glutamate-ammonia ligase (glutamine synthase)	U08626 glutamate-ammonia ligase (glutamine synthase)	NM_005051 glutaminyl-tRNA synthetase	NM_000581 glutathione peroxidase 1	NM_002085 glutathione peroxidase 4 (phospholipid hydroperoxidase)	Unknown glyceraldehyde-3-phosphate dehydrogenase	at	Unknown glyceraldehyde-3-phosphate dehydrogenase	5 at	NM_000173 glycoprotein lb (platelet), alpha polypeptide	NM_000516 GNAS complex locus	NM_016592 GNAS complex locus	AF088184 GNAS complex locus	Ai591100 GNAS complex locus	AW001443 golgi associated, gamma adaptin ear containing, ARF binding protein 1	J03189 granzyme B (granzyme 2, cytotoxic T-lymphocyte-associated serine esterase 1)	NM_006098 guanine nucleotide binding protein (G protein), beta polypeptide 2-like 1		NM_005274 guanine nucleotide binding protein (G protein), gamma 5	BF718636 H2A histone family, member Z	NM_002106 H2A histone family, member Z (H2AFZ),	BF312331 H3 histone, family 3A	BE869922 H3 histone, family 3A	AA477655 H3 histone, family 3A	Al955655 H3 histone, family 3A /// H3 histone, family 3A	BC001124 H3 histone, family 3B (H3.3B)	NM_005324 H3 histone, family 3B (H3.3B)	Z48950 H3 histone, family 3B (H3.3B)	AL096857 HBxAg transactivated protein 2	NM_016217 headcase homolog (Drosophila)	
211458_s_at	208949 s at	200009_at	215091_s_at	204220_at	217807_s_at	212334_at	215001_s_at	217202 s at	217846 at	200736 s at	201106 at	AFFX-	HUMGAPDH/M33197_3_	AFFX-	H/M33197	207389_at	200780 x at	200981_x_at	211858 x at	212273_x_at	50277_at	210164_at	200651_at	204115_at	207157_s_at	213911_s_at	200853_at	208755_x_at	211940_x_at	213828 x at	200080_s at	209069_s_at	211997_x_at	211999_at	211946_s_at	218603_at	1

Gene Description heat shock 70kDa protein 8 heat shock 70kDa protein 8 heat shock 70kDa protein 8 heat shock 90kDa protein 1, alpha heat shock 90kDa protein 1, beta /// heat shock 90kDa protein 1, beta /// heat shock factor binding protein 1	hematopoietic cell-specific Lyn substrate 1 heme-regulated initiation factor 2-alpha kinase hemoglobin, alpha 2 /// hemoglobin, alpha 2 hemoglobin, alpha 2 /// hemoglobin, alpha 2 hemoglobin, beta	hemoglobin, beta /// hemoglobin, beta hemoglobin, beta hemoglobin, delta hemoglobin, delta hemoglobin, gamma A hemoglobin, gamma A hemoglobin, gamma A hepatitis B virus x interacting protein hepatitis C virus core-binding protein 6 heterogeneous nuclear ribonucleoprotein A1 /// heterogeneous nuclear ribonucleoprotein A1 /// heterogeneous nuclear ribonucleoprotein A1	heterogeneous nuclear ribonucleoprotein A1 /// hypothetical protein LOC144983 heterogeneous nuclear ribonucleoprotein A2/B1 heterogeneous nuclear ribonucleoprotein A2/B1 heterogeneous nuclear ribonucleoprotein A3 /// heterogeneous nuclear ribonucleoprotein A3	heterogeneous nuclear ribonucleoprotein C (C1/C2) heterogeneous nuclear ribonucleoprotein C (C1/C2) heterogeneous nuclear ribonucleoprotein C (C1/C2) /// heterogeneous nuclear ribonucleoprotein C (C1/C2) heterogeneous nuclear ribonucleoprotein D-like heterogeneous nuclear ribonucleoprotein H3 (2H9) heterogeneous nuclear ribonucleoprotein K heterogeneous nuclear ribonucleoprotein K heterogeneous nuclear ribonucleoprotein R
Public ID AF352832 AA704004 AF217511 BG420237 AF275719 NM_001537	NM_005335 NM_014413 NM_000558 AF105974 T50399 V00489 AF349571 BC005931	AF349114 NM_000519 NM_000184 AI133353 NM_006402 BC000255 X79536 NM_002136	AL568186 NM_002137 AI375753 BG505670 AA528233	AA664258 AV725195 NM_004500 AI762552 NM_021644 BC000355 AF061832 BC001449
Probe Set ID 208687_x_at 221891_x_at 224187_x_at 211969_at 200064_at 200942_s_at	202957_at 217736_s_at 204018_x_at 209458_x_at 214414_x_at 217414_x_at 211699_x_at 211745_x_at 209116_x_at	211696_x_at 206834_at 204419_x_at 213515_x_at 202300_at 223042_s_at 214280_x_at 200016_x_at	213356_x_at 205292_s_at 225932_s_at 211931_s_at 211933_s_at	212626_x_at 214737_x_at 200014_s_at 202014_s_at 207127_s_at 200775_s_at 200775_s_at 200775_s_at

O

Probe Set ID 200594 x at 200594 x at 2008713 at 201944 at 201944 at 2019680 x at 208668 x at 200943 at 200943 at 200944 s at 200944 s at 200993 s at 200994 at 211528 x at 2009958 at 211528 x at 200093 s at 211528 x at 200093 s at 211528 x at 200964 at 211528 x at 200964 at 211528 x at 200968 at 200968 at 211529 x at 200968 at 211529 x at 200968 at 200968 at 211529 x at 200968 at 200968 at 211529 x at 200968 at 20096	Public ID NM_004501 BF724216 NM_000521 NM_0002128 AF283771 BC003689 NM_004965 NM_024014 AV56841 AN602282 NM_024014 AV693403 AF028844 AF226044 NM_014019 AF277178 M30448 M30448 M15564 NM_000190 AV751709 BE537881 R75637 BF572868 NM_030796 AIB58000	Gene Description Hearogeneous nuclear ribonucleoprotein U (scaffold attachment factor A) heterogeneous nuclear ribonucleoprotein U-like 1 hexosaminidase B (beta polypeptide) high-mobility group box 1 high-mobility group box 1 high-mobility group box 1 high-mobility group box 1 high-mobility group nucleosoma binding domain 1 high-mobility group nucleosoma binding domain 1 high-mobility group nucleosome binding protein 1 HLA-B associated transcript 3 HLA-C associated transcript 3 HLA-C associated transcript 3 HLA-C distocompatibility antigen, class I, G HLA-G histocompatibility antigen, class I, G HMBF1alpha homeo box A6 Homeo sapiens cDNA clone IMAGE:2247110 3' similar to gb:Z21507 ELONGATION FACTOR 1-DELTA (HUMAN): HSCO09 protein HSPCO09 protein
232215_x_at 226062_x_at 45526_g_at 208246_x_at 207783_x_at	AK000296 AB037811 AI246641 NM_017618 NM_017627	hypothetical protein FLJ11029 hypothetical protein FLJ11280 hypothetical protein FLJ14154 hypothetical protein FLJ20006 hypothetical protein FLJ20030

Probe Set ID 218068_s_at 218454_at 220486_x_at 1552942_at	Public ID NM_024836 NM_024829 NM_017698 NM_153009	Gene Description hypothetical protein FLJ22301 hypothetical protein FLJ22662 hypothetical protein FLJ22679 hypothetical protein FLJ30430
221791_s_at 223067_at 224826_at	BG167522 AF110775 AK001947	hypothetical protein HSPC016 hypothetical protein HSPC148 hypothetical protein KIAA1434
244635_at 212697_at 201812_s_at 51774_s_at	AL109935 AL515874 NM_019059 AW014299	hypothetical protein KIAA1434 hypothetical protein LOC162427 hypothetical protein LOC201725 /// translocase of outer mitochondrial membrane 7 homolog (yeast) hypothetical protein LOC222070
58900_at 225117_at 1555847_a_at 224765_at 231770_x_at	AW025284 AL137317 BU617052 AA001203 AK022647	hypothetical protein LOC222070 hypothetical protein LOC284058 hypothetical protein LOC389287 hypothetical protein LOC339287
224512_s_at 224512_s_at 228532_at 223003_at 221255_s_at 225799_at	AI862477 BC006407 AI923675 AW662189 AF061732 NM_031298 AI961778 AW500180 BF209337	hypothetical protein LOC56757 hypothetical protein MGC14151 hypothetical protein MGC19764 hypothetical protein MGC2803 hypothetical protein MGC2963 /// hypothetical protein MGC2963 /// hypothetical protein MGC45871 hypothetical protein MGC46719 hypothetical protein MGC4677
224573_at 62212_at 219293_s_at 212725_s_at 202081_at 64064_at 212827_at	BE744389 W37846 NM_013341 N37081 AV703259 NM_004907 AI435089	hypothetical protein MGC49942 hypothetical protein MGC955 hypothetical protein PTD004 hypothetical protein TI-227H iduronate 2-sulfatase (Hunter syndrome) immediate early response 2 immune associated nucleotide 4 like 1 (mouse) immunoglobulin heavy constant mu
239748_x_at 203006_at 201393_s_at 217731_s_at 217732_s_at	H09533 NM_005539 NM_000876 NM_021999 AF092128	infant brain 1NIB Homo sapiens cDNA clone IMAGE:46131 3' similar to contains Alu repetitive element inositol polyphosphate-5-phosphatase, 40kDa insulin-like growth factor 2 receptor integral membrane protein 2B integral membrane protein 2B

Gene Description integrin, alpha L (antigen CD11A (p180), lymphocyte function-associated antigen 1; alpha polypeptide) integrin, beta 1 (fibronectin receptor, beta polypeptide, antigen CD29 includes MDF2, MSK12) interferon induced transmembrane protein 1 (9-27) interferon induced transmembrane protein 2 (1-8D) interferon regulatory factor 2 binding protein 2 interferon regulatory factor 2 binding protein 2 interleukin 10 receptor, alpha interleukin 3 receptor interleukin 6 receptor interleukin 7 receptor interleukin 6 receptor interleukin 7 receptor interleukin 7 receptor interleukin 7 receptor interleukin 7 receptor interleukin 6 receptor interleukin 7 receptor interleukin 6 receptor interleukin 7 receptor interleukin 7 receptor interleukin 7 receptor interleukin 7 receptor interleukin 6 receptor interleukin 7 receptor interleukin 7 receptor interleukin 7 receptor interleukin 7 receptor interleukin 6 receptor interleukin 7 receptor interleukin 7 receptor interleukin 6 receptor interleukin 7 receptor interleukin 7 receptor interleukin 6 receptor interleukin 7 receptor interleukin 6 receptor interleukin 6 receptor interleukin 7 receptor interleukin 6 receptor interleukin 7 receptor interleukin 7 receptor interleukin 7 receptor interleukin 6 receptor interleukin 7 receptor interleukin 7 receptor interleukin 6 receptor interleukin 7 rece	Ray A A A A A A A A A A A A A A A A A A A
AC002310 BG500301 NM_003641 AA749101 NM_006435 AW242432 NM_001558 NM_001556 AV700030 BE217880 NM_018442 AL039831 AB002344 BG029530 AF151056 BC004239	DC004239 NM_005354 BC003572 NM_006854 BF791544 BE260771 AA811192 BC001404 NM_014856 NM_014856 NM_014856 NM_014857 AI652645 AA526904 BC000779 BC000779 BC002799 AB037814 AI686303 BE622897 NM_004798 AL390127 NM_005566 NM_005566 NM_005300 BE042354
213475_s_at 213475_s_at 211945_s_at 201601_x_at 2013015_x_at 201315_x_at 204912_at 204912_at 205333_at 226333_at 226333_at 226333_at 226333_at 226333_at 226333_at 2203218_at 217908_s_at 217908_s_at 217908_s_at 217908_s_at 217908_s_at 217908_x_at 210927_x_at	203752_s_at 203752_s_at 208974_x_at 208974_x_at 200700_s_at 225225_at 212846_at 212846_at 215696_s_at 203906_at 203906_at 203906_at 225266_at 225266_at 226720_at

Gene Description laminin receptor 1 (ribosomal protein SA, 67kDa) LDL receptor adaptor protein leptin receptor overlapping transcript-like 1 leukocyte immunoglobulin-like receptor, subfamily B (with TM and ITIM domains), member 1 /// leukocyte receptor cluster (LRC) member 5 leukocyte specific transcript 1 leukocyte specific transcript 1	likely ortholog of mouse gene rich cluster, C10 gene likely ortholog of mouse la related protein likely ortholog of rat vacuole membrane protein 1 /// likely ortholog of rat vacuole membrane protein 1 LIM and SH3 protein 1 LOC387869 low molecular mass ubiquinone-binding protein (9.5kD) LSM5 homolog, U6 small nuclear RNA associated (S. cerevisiae) /// LSM5 homolog, U6 small nuclear RNA associated (S. cerevisiae)	lymphotoxine-specific protein tyrosine kinase lymphotoxin beta (TNF superfamily, member 3) lysosomal-associated membrane protein 1 lysosomal-associated membrane protein 1 lysol-tRNA synthetase lysyl-tRNA synthetase lysyl-tRNA synthetase lysyl-tRNA synthetase lysyl-tRNA synthetase lysyl-tRNA synthetase macrophage expressed gene 1 macrophage expressed gene 1 macrophage migration inhibitory factor (glycosylation-inhibiting factor) major histocompatibility complex, class I, A major histocompatibility complex, class I, C	major histocompatibility complex, class I, E major histocompatibility complex, class I, E major histocompatibility complex, class I, F major histocompatibility complex, class II, DM alpha major histocompatibility complex, class II, DM beta major histocompatibility complex, class II, DP alpha 1 major histocompatibility complex, class II, DP beta 1 major histocompatibility complex, class II, DR beta 1 major histocompatibility complex, class II, DR beta 1 major histocompatibility complex, class II, DR beta 4 major histocompatibility complex, class II, DR beta 3 major histocompatibility complex, class II, DR beta 4 major histocompatibility complex, class II, DR beta 3
Public ID AW304232 AA169780 AF161461 AV711904 NM_024075 NM_007161 J02959	BG339653 AV746402 NM_030938 NM_006148 BE967207 NM_014402 BC005938	NM_002341 NM_002341 NM_005561 NM_005561 NM_005548 AF285758 T64884 NM_002415 AA573862 L42024 M12679 L07950	NM_005516 M31183 AW514210 X76775 NM_002118 MZ7487 NM_002121 BG397856 NM_002125
Probe Set ID 213801_x_at 57082_at 202595_s_at 213975_s_at 218132_s_at 214574_x_at 208771_s_at	224719_s_at 212137_at 220990_s_at 200618_at 212114_at 201568_at 201568_at	207339_s_at 207339_s_at 201552_at 201553_s_at 200840_at 200079_s_at 226818_at 217871_s_at 215313_x_at 209140_x_at 21911_x_at 21911_x_at	200905_x_at 217456_x_at 221875_x_at 217478_s_at 203932_at 211991_s_at 201137_s_at 204670_x_at 208306_x_at

Probe Set ID 215193_x_at 217362_x_at	Public ID AJ297586 AF005487	Gene Description major histocompatibility complex, class II, DR beta 3 major histocompatibility complex, class II, DR beta 6 (pseudogene)
201285_at	NM_013446	makorin, ring finger protein, 1
209845_at	AF117233	makorin, ring finger protein, 1
208082_x_at	NM_030757	makorin, ring finger protein, 4 /// makorin, ring finger protein, 4
209036_s_at	BC001917	malate dehydrogenase 2, NAD (mitochondrial)
204153_s_at	NM_002405	manic fringe homolog (Drosophila)
218205_s_at	NM_017572	MAP kinase interacting serine/threonine kinase 2
211678_s_at	AF090934	maternally expressed 3 /// zinc finger protein 313 /// maternally expressed 3 /// zinc finger protein 313
214363_s_at	AA129420	matrin 3
226275_at	AI188653	MAX dimerization protein 1
228846_at	AW071793	MAX dimerization protein 1
202364_at	NM_005962	MAX interactor 1
209332_s_at	BC003525	MAX protein, transcript variant 2
200768_s_at	BC001686	methionine adenosyltransferase II, alpha
217993_s_at	NM_013283	methionine adenosyltransferase II, beta
209312_x_at	U65585	MHC class II antigen (HLA-DRB1)
208634_s_at	AB029290	microtubule-actin crosslinking factor 1
212566_at	AL523310	microtubule-associated protein 4
221619_s_at	AF189289	mitochondrial carrier homolog 1 (C. elegans)
204387_x_at	NM_024026	mitochondrial ribosomal protein 63
213897_s_at	AI832239	mitochondrial ribosomal protein L23
203152_at	NM_003776	mitochondrial ribosomal protein L40
223086_x_at	AF151075	mitochondrial ribosomal protein L51
218106_s_at	NM_018141	mitochondrial ribosomal protein S10
224621_at	AA129773	mitogen-activated protein kinase 1
225927_at	AA541479	mitogen-activated protein kinase kinase tinase 1
203652_at	NM_002419	mitogen-activated protein kinase kinase kinase 11
41220_at	AB023208	MLL septin-like fusion
217982_s_at	NM_006791	mortality factor 4 like 1
201994_at	NM_012286	mortality factor 4 like 2
32209_at	AF052151	Mouse Mammary Turmor Virus Receptor homolog 1
213583_x_at	BE964125	MRNA expressed only in placental villi, clone SMAP83. /// Full-length cDNA clone CS0DF006YK07 of
		Fetal brain of Homo sapiens (human)
1559436_x_at	AL832061	MRNA; cDNA DKFZp313M2114 (from clone DKFZp313M2114)
1555832_s_at	BU683415	MRNA; cDNA DKFZp564C2063 (from clone DKFZp564C2063)
215628_x_at	AL049285	MRNA; cDNA DKFZp564M193 (from clone DKFZp564M193)
214902_x_at	AL080232	MRNA; cDNA DKFZp586A061 (from clone DKFZp586A061)
201254_x_at	NM_001010	MRNA; cDNA DKFZp5861041 (from clone DKFZp5861041)

Gene Description MRNA; cDNA DKFZp586l041 (from clone DKFZp586l041) MRNA; cDNA DKFZp686D04119 (from clone DKFZp686D04119) MSTP146 (MST146) mRNA, complete cds multiple myeloma susceptibility mutant beta-globin (HBB) gene muted homolog (mouse) myeloid cell leukemia sequence 1 (BCL2-related)	myeloid/lymphoid or mixed-lineage leukemia (trithorax homolog, Drosophila); translocated to, 2 myosin regulatory light chain interacting protein myosin regulatory light chain MRCL3 /// myosin regulatory light chain MRCL3 /// myosin regulatory light chain MRLC2 myosin regulatory light chain MRLC2 myosin regulatory light polypeptide 6, alkali, smooth muscle and non-muscle myotrophin MYST histone acetyltransferase (monocytic leukemia) 3 NADH dehydrogenase (ubiquinone) 1 alpha subcomplex, 1, 7.5kDa	NADH dehydrogenase (ubiquinone) 1 alpha subcomplex, 4, 9kDa NADH dehydrogenase (ubiquinone) 1 alpha subcomplex, 6, 14kDa NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 1, 7kDa NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 1, 7kDa NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 2, 8kDa NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 8, 19kDa NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 9, 22kDa NADH dehydrogenase (ubiquinone) 1, alpha/beta subcomplex, 1, 8kDa NADH dehydrogenase (ubiquinone) 1, alpha/beta subcomplex, 1, 8kDa NADH dehydrogenase (ubiquinone) Fe-S protein 5, 15kDa (NADH-coenzyme Q reductase) NADH dehydrogenase (ubiquinone) Fe-S protein 8, 23kDa (NADH-coenzyme Q reductase)	nascent-polypeptide-associated complex alpha polypeptide nascent-polypeptide-associated complex alpha polypeptide nascent-polypeptide-associated complex alpha polypeptide NCI_CGAP_Ut4 Homo sapiens cDNA clone IMAGE:2436700 3' similar to contains Alu repetitive element Ned4 binding protein 1 neurolysin (metallopeptidase M3 family) NFS1 nitrogen fixation 1 (S. cerevisiae) Niemann-Pick disease, type C2 non-metastatic cells 2, protein (NM23B) expressed in non-POU domain containing, octamer-binding ll/ non-POU domain containing, octamer-binding nuclear recentor coactivator 4
Public ID BC000524 AL589593 AA156754 AY094612 AY094612 AY094612 AY734582 AI275690 NM 002432	NM_005935 AW292746 NM_006471 NM_006471 U26162 BE734356 AL533334 AI817830 NM_004541	NM_002489 NM_002489 NM_004545 NM_019056 NM_004546 NM_005004 AF261090 NM_005003 NM_004552 AK002110	NM_005594 BF976260 AI859990 AA225490 AK026655 NM_021100 NM_006432 NM_007363
Probe Set ID 209134_s_at 225893_at 225176_at 1566887_x_at 217232_x_at 226544_x_at 200797_s_at	201924_at 228098_s_at 201319_at 201318_s_at 221474_at 212082_s_at 224656_s_at 226547_at 202298_at	217773 s at 202001 s at 206790 s at 218320 s at 201227 s at 222992 s at 202077 at 232169 x at	200735_x_at 208635_x_at 244197_x_at 48612_at 234762_x_at 218455_at 200701_at 201268_at 201057_s_at

Gene Description nuclease sensitive element binding protein 1 nucleolar protein family A, member 3 (H/ACA small nucleolar RNPs) nucleolin nucleophosmin (nucleolar phosphoprotein B23, numatrin) /// nucleophosmin (nucleolar phosphoprotein B23, numatrin) nucleoporin 50kDa nucleosome assembly protein 1-like 1	nucleosome assembly protein 1-like 1 nudE nuclear distribution gene E homolog like 1 (A. nidulans) homolog like 1 (A. nidulans) ornithine decarboxylase antizyme 1 ornithine decarboxylase antizyme 1 /// ornithine decarboxylase	ovarian carcinoma immunoreactive antigen paired immunoglobin-like type 2 receptor alpha paired immunoglobin-like type 2 receptor alpha palmitoyl-protein thioesterase 1 (ceroid-lipofuscinosis, neuronal 1, infantile) pantothenate kinase 2 (Hallervorden-Spatz syndrome) Parkinson disease (autosomal recessive, early onset) 7 /// Parkinson disease (autosomal recessive, early onset) 7 peptidylprolyl isomerase A (cyclophilin A) pentidylprolyl isomerase A (cyclophilin A)	populayipany isomerase A (cyclophilin A) peptidylprolyl isomerase A (cyclophilin A) peptidylprolyl isomerase A (cyclophilin A) peptidylprolyl isomerase A (cyclophilin A) /// peptidylprolyl isomerase A (cyclophilin A) peroxiredoxin 1 peroxiredoxin 5 peroxiredoxin 5 peroxisomal biogenesis factor 16 PHD finger protein 1 phosphatidylinositol-4-phosphate 5-kinase, type II, alpha	phosphodiesterase 4C, cAMP-specific (phosphodiesterase E1 dunce homolog, Drosophila) phosphoglycerate kinase 1 phosphoglycerate kinase 1 phospholipase C, gamma 2 (phosphatidylinositol-specific) phosphoprotein enriched in astrocytes 15 PI-3-kinase-related kinase SMG-1 placental growth factor, vascular endothelial growth factor-related protein placenta-specific 8 platelet factor 4 (chemokine (C-X-C motif) ligand 4)
Public ID BC002411 NM_018648 NM_005381 BC002398 AL036344 NM_004537	AI888072 AW148801 AI985751 NM_030808 AF090094 D87914	AK024302 AJ400843 NM_000310 NM_024960 NM_07262 NM_021130	AI708767 BE731738 BC005982 L19184 AI718223 AF197952 AA523441 AL021366 NM 005028	NM_000923 NM_000291 NM_002661 NM_003768 AK025794 AK023843 NM_016619 NM_002619
Probe Set ID 208628_s_at 217962_at 200610_s_at 200063_s_at 2013682_at 204528_s_at	208752_x_at 212967_x_at 213864_s_at 208093_s_at 215952_s_at 200077_s_at	232644_x_at 222218_s_at 200975_at 218809_at 200006_at 201293_x_at	211978_x_at 211978_x_at 211765_x_at 208680_at 1560587_s_at 222994_at 49878_at 40446_at	206792_x_at 200738_s_at 204613_at 200788_s_at 224842_at 215179_x_at 219014_at 206390_x_at

Probe Set ID 201410_at 202880_s_at 219183_s_at	Public ID A1983043 NM_004762 NM_013385	Gene Description pleckstrin homology domain containing, family B (evectins) member 2 pleckstrin homology, Sec7 and coiled-coil domains 1(cytohesin 1) pleckstrin homology, Sec7 and coiled-coil domains 4
213241_at	AF035307	plexin C1
222983_s_at 215157_x at	BC001716 Al734929	poly(A) binding protein interacting protein 2 poly(A) binding protein cytoplasmic 1
215823_x_at	U64661	poly(A) binding protein, cytoplasmic 1
208113_x_at	NM_030979	poly(A) binding protein, cytoplasmic 1 /// poly(A) binding protein, cytoplasmic 1
201544_x_at	BF675004	poly(A) binding protein, nuclear 1
212718_at	BF797555	poly(A) polymerase alpha
208620_at	U24223	poly(rC) binding protein 1
204031_s_at	NM_005016	poly(rC) binding protein 2
203366_at	NM_002693	polymerase (DNA directed), gamma
1555837_s_at	BE614461	polymerase (RNA) II (DNA directed) polypeptide B, 140kDa
211730_s_at	BC005903	polymerase (RNA) II (DNA directed) polypeptide L, 7.6kDa /// polymerase (RNA) II (DNA directed) polypeptide L, 7 6kDa
211271_x_at	BC004383	polypyrimidine tract binding protein 1
227647_at	AI692703	potassium voltage-gated channel, Isk-related family, member 3
225373_at	BE271644	PP2135 protein
207132_x_at	NM_002624	prefoldin 5
220856_x_at	NM_014128	PR00470 protein (PR00470),
211345_x_at	AF119850	PRO1608
217746_s_at	NM_013374	programmed cell death 6 interacting protein
211178_s_at	AF038602	proline-serine-threonine phosphatase interacting protein 1
214146_s_at	R64130	pro-platelet basic protein (chemokine (C-X-C motif) ligand 7)
200871_s_at	NM_002778	prosaposin (variant Gaucher disease and variant metachromatic leukodystrophy)
200882_s_at	NM_002810	proteasome (prosome, macropain) 26S subunit, non-ATPase, 4
211609_x_at	U51007	proteasome (prosome, macropain) 26S subunit, non-ATPase, 4 /// proteasome (prosome, macropain)
te s C37100	NIM OCORTR	professions (processe magnetic) activator subunit 3 (DA29 bota)
201317 s at	NM 002787	professione (prosome macropain) subjuit alpha type 2
200876 s at	NM 002793	processome (prosome macropain) subtinit heta two 1
214288 s at	W86293	processing (processing, magnetic) submit beta two 1
200039_s_at	NM 002794	proteasome (prosome, macropain) subunit, beta type, 2 /// proteasome (prosome, macropain) subunit.
		beta type, 2
202244_at	NM_002796	profeasome (prosome, macropain) subunit, beta type, 4
208827_at	BC000835	proteasome (prosome, macropain) subunit, beta type, 6
_	NM_002800	proteasome (prosome, macropain) subunit, beta type, 9 (large multifunctional protease 2)
226091_s_at	66435643	profein associated with MRG, 14 KDa

Probe Set ID	Public ID	Gene Description
209685_s_at	M13975	protein kinase C, beta 1
200603_at	AL050038	protein kinase, cAMP-dependent, regulatory, type I, alpha (tissue specific extinguisher 1)
1555248_a_at	AY082340	protein kinase, lysine deficient 3
201500_s_at	NM_021959	protein phosphatase 1, regulatory (inhibitor) subunit 11
203966_s_at	NM_021003	protein phosphatase 1A (formerly 2C), magnesium-dependent, alpha isoform
208615_s_at	BF795101	protein tyrosine phosphatase type IVA, member 2
208616_s_at	U48297	protein tyrosine phosphatase type IVA, member 2
221840_at	AA775177	protein tyrosine phosphatase, receptor type, E
201859_at	NM_002727	proteoglycan 1, secretory granule
200773_x_at	NM_002823	prothymosin, alpha (gene sequence 28)
217780_at	NM_016145	PTD008 protein
216221_s_at	D87078	pumilio homolog 2 (Drosophila)
202121_s_at	NM_014453	putative breast adenocarcinoma marker (32kD)
223276_at	AF313413	putative small membrane protein NID67
211956_s_at	BF246436	putative translation initiation factor
212130_x_at	AL537707	putative translation initiation factor
212227_x_at	W67644	putative translation initiation factor
203020_at	NM_014857	RAB GTPase activating protein 1-like
200863_s_at	AI215102	RAB11A, member RAS oncogene family
209089_at	BC001267	RAB5A, member RAS oncogene family
211961_s_at	AK000826	RAB7, member RAS oncogene family
218699_at	BG338251	RAB7, member RAS oncogene family-like 1
213923_at	AW005535	RAP2B, member of RAS oncogene family
223322_at	BC004270	Ras association (RaIGDS/AF-6) domain family 5
200059_s_at	BC001360	ras homolog gene family, member A /// ras homolog gene family, member A
203175_at	NM_001665	ras homolog gene family, member G (rho G)
208640_at	BG292367	ras-related C3 botulinum toxin substrate 1 (rho family, small GTP binding protein Rac1)
208641_s_at	BC004247	ras-related C3 botulinum toxin substrate 1 (rho family, small GTP binding protein Rac1)
213603_s_at	BE138888	ras-related C3 botulinum toxin substrate 2 (rho family, small GTP binding protein Rac2)
211974_x_at	AL513759	recombining binding protein suppressor of hairless (Drosophila)
202388_at	NM_002923	regulator of G-protein signalling 2, 24kDa
201600_at	NM_007273	repressor of estrogen receptor activity
202296_s_at	NM_007033	RER1 homolog (S. cerevisiae)
224564_s_at	BE544689	reticulon 3
211509_s_at	AB015639	reticulon 4
201288_at	NM_001175	Rho GDP dissociation inhibitor (GDI) beta
38149_at	D29642	Rho GTPase activating protein 25
225415_at	AA577672	rhysin 2

Probe Set ID	Public ID	Gene Description
217983_s_at	NM_003730	ribonuclease T2
217984_at	NM_003730	ribonuclease T2
206050_s_at	NM_002939	ribonuclease/angiogenin inhibitor
200725_x_at	NM_006013	ribosomal protein L10
229563_s_at	BG231561	ribosomal protein L10a
200036_s_at	NM_007104	ribosomal protein L10a /// ribosomal protein L10a
200010_at	NM_000975	ribosomal protein L11 /// ribosomal protein L11
200809_x_at	926000 MN	ribosomal protein L12
214271_x_at	AA281332	ribosomal protein L12
200088_x_at	AK026491	ribosomal protein L12 /// ribosomal protein L12
208929_x_at	BC004954	
212191_x_at	AW574664	ribosomal protein L13
212734_x_at	AI186735	ribosomal protein L13
212933_x_at	AA961748	ribosomal protein L13
214351_x_at	AA789278	ribosomal protein L13
200715_x_at	BC000514	ribosomal protein L13a
210646_x_at	BC001675	ribosomal protein L13a
211942_x_at	BF979419	ribosomal protein L13a
200716_x_at	NM_012423	ribosomal protein L13a (RPL13A)
213588_x_at	AA838274	ribosomal protein L14
200074_s_at	U16738	ribosomal protein L14 /// ribosomal protein L14
221475_s_at	NM_002948	ribosomal protein L15
212270_x_at	BG168283	ribosomal protein L17
212537_x_at	BE733979	ribosomal protein L17
200038_s_at	NM_000985	ribosomal protein L17 /// ribosomal protein L17
200022_at		ribosomal protein L18 /// ribosomal protein L18
200869_at	086000 MN	
200029_at	NM_000981	
200012_x_at	NM_000982	ribosomal protein L21 /// ribosomal protein L21
208768_x_at	D17652	ribosomal protein L22
220960_x_at	NM_000983	ribosomal protein L22
221775_x_at	BG152979	ribosomal protein L22
200888_s_at	NM_000978	ribosomal protein L23
×	NM_000984	ribosomal protein L23a
208825_x_at	U43701	ribosomal protein L23a
×	BC001865	ribosomal protein L23a
213084_x_at	BF125158	ribosomal protein L23a
200013_at	000986 WN	ribosomal protein L24 (RPL24)

Probe Set ID	Public ID	Gene Description
200025 s at	NM_000988	ribosomal protein L27 /// ribosomal protein L27
203034_s_at	066000 WN	ribosomal protein L27a
200003_s_at	NM_000991	ribosomal protein L28 /// ribosomal protein L28
200823_x_at	NM_000992	ribosomal protein L29
213969_x_at	BF683426	ribosomal protein L29
201217_x_at	NM_000967	ribosomal protein L3
212039_x_at	BG339228	ribosomal protein L3
211073_x_at	BC006483	ribosomal protein L3 /// ribosomal protein L3
211666_x_at	L22453	ribosomal protein L3 /// ribosomal protein L3
200062_s_at	L05095	ribosomal protein L30
200963_x_at	NM_000993	ribosomal protein L31 (RPL31)
200674_s_at	NM_000994	ribosomal protein L32
200026_at	NM_000995	ribosomal protein L34 /// ribosomal protein L34
200002_at	NM_007209	ribosomal protein L35 /// ribosomal protein L35
213687_s_at	BE968801	ribosomal protein L35a
225190_x_at	AW402660	ribosomal protein L35a
219762_s_at	NM_015414	ribosomal protein L36
201406_at	NM_021029	ribosomal protein L36a
207585_s_at	NM_001001	ribosomal protein L36a-like
200092_s_at	BF216701	ribosomal protein L37 /// ribosomal protein L37
201429_s_at	866000 MN	ribosomal protein L37a
202029_x_at	666000 WN	ribosomal protein L38
208695_s_at	BC001019	ribosomal protein L39
201154_x_at	896000 WN	ribosomal protein L4
200089_s_at	AI953886	ribosomal protein L4 /// ribosomal protein L4
211710_x_at	BC005817	ribosomal protein L4 /// ribosomal protein L4
201492_s_at	NM_021104	ribosomal protein L41
200937_s_at	696000 MN	ribosomal protein L5
213080_x_at	BF214492	ribosomal protein L5
200034_s_at	0V 000970	ribosomal protein L6 /// ribosomal protein L6
200717_x_at	NM_000971	ribosomal protein L7
212042_x_at	BG389744	ribosomal protein L7
217740_x_at	NM_000972	ribosomal protein L7a
224930_x_at	BE559788	ribosomal protein L7a
234512_x_at	AL136226	ribosomal protein L7a
234873_x_at	AJ224080	ribosomal protein L7a
	NM_000973	ribosomal protein L8
200032_s_at	NM_000661	ribosomal protein L9 /// ribosomal protein L9

Probe Set ID	Public ID	Gene Description
200817_x_at	NM_001014	ribosomal protein S10
211542_x_at	BC004334	ribosomal protein S10
200095_x_at	AA320764	ribosomal protein S10 /// ribosomal protein S10
200031_s_at	NM_001015	ribosomal protein S11 /// ribosomal protein S11
213377_x_at	AI799007	ribosomal protein S12
200018_at	NM_001017	ribosomal protein S13 /// ribosomal protein S13
208645_s_at	AF116710	ribosomal protein S14
200819_s_at	NM_001018	ribosomal protein S15
201258_at	NM_001020	ribosomal protein S16
213890_x_at	AI200589	ribosomal protein S16
226131_s_at	AA583817	ribosomal protein S16
201665_x_at	NM_001021	ribosomal protein S17
211487_x_at	BC004886	ribosomal protein S17
212578_x_at	BF026595	ribosomal protein S17
201049_s_at	NM_022551	ribosomal protein S18 (RPS18),
202649_x_at	NM_001022	ribosomal protein S19
213414_s_at	BE259729	ribosomal protein S19
203107_x_at	NM_002952	ribosomal protein S2
212433_x_at	AA630314	ribosomal protein S2
221798_x_at	AI183766	ribosomal protein S2
200949_x_at	NM_001023	ribosomal protein S20
214003_x_at	BF184532	ribosomal protein S20
200834_s_at	NM_001024	ribosomal protein S21
200926_at	NM_001025	ribosomal protein S23
200061_s_at	BC000523	ribosomal protein S24 /// ribosomal protein S24
	AA888388	ribosomal protein S25 /// ribosomal protein S25
w ₁	NM_001029	ribosomal protein S26
200741_s_at	NM_001030	ribosomal protein S27 (metallopanstimulin 1)
200017_at	NM_002954	ribosomal protein S27a /// ribosomal protein S27a
208904_s_at	BC000354	ribosomal protein S28
201094_at	NM_001032	ribosomal protein S29
208692_at	U14990	ribosomal protein S3
201257_x_at	NM_001006	ribosomal protein S3A
212391_x_at	AI925635	ribosomal protein S3A
200099_s_at	AL356115	ribosomal protein S3A /// ribosomal protein S3A
×	NM_001007	ribosomal protein S4, X-linked
213347_x_at	AW132023	ribosomal protein S4, X-linked
200024_at	NM_001009	ribosomal protein S5 (RPS5)

Gene Description ribosomal protein S6 /// ribosomal protein S6 ribosomal protein S7 /// ribosomal protein S7 ribosomal protein S8 ribosomal protein S9 ribosomal protein S9	ribosomal protein, large P2 ribosomal protein, large, P0 /// ribosomal protein, large, P1 RING1 and YY1 binding protein ring-box 1	RNA binding motif, single stranded interacting protein 1 runt-related transcription factor 3 S100 calcium binding protein A10 (annexin II ligand, calpactin I, light polypeptide (p11)) S100 calcium binding protein A1 pseudogene S100 calcium binding protein A6 (calcium protein, calvasculin, metastasin, murine placental homolog) S100 calcium binding protein A6 (calgranulin A) S100 calcium binding protein A9 (calgranulin B) scotin Sec61 beta subunit Sec61 gamma subunit	SEH1-like (S. cerevisiae) selectin L (lymphocyte adhesion molecule 1) selectin L (lymphocyte adhesion molecule 1) selenoprotein O selenoprotein W, 1 sequence from clone RP1-189G13 on chromosome 20. Contains an RPL7A (60S ribosomal protein L7A) (SURF3) pseudogene, an RPS4 (40S ribosomal protein S4) pseudogene, ESTs, STSs and GSSs sequence from clone RP3-507l15 on chromosome Xq26.3-27.3 serine/threonine kinase 10 serine/threonine kinase 19 serine/threonine kinase 24 (STE20 homolog, yeast) serine/threonine kinase receptor associated protein SET translocation (myeloid leukemia-associated) SH3 domain binding glutamic acid-rich protein like
Public ID BE741754 AI970731 AI805587 NM_001012 BE348997 NM_001013	NM_001004 NM_001002 BC003655 AI953822 AA555113 BC005863 NM_001003 AB029551	AL517946 NM_004350 NM_002966 NM_021039 NM_014624 NM_002964 NM_002965 BC001463 NM_014302	AV701173 NM_000655 BC001099 AW514401 AL121916 Z98950 AB015718 L26260 AF083420 NM_007178 AV702810 NM_003022
Probe Set ID 200081_s_at 213941_x_at 200082_s_at 200858_s_at 214317_x_at 217747_s_at	200909_s_at 201033_x_at 208856_x_at 211972_x_at 211720_x_at 200763_s_at 201845_s_at 201845_s_at	215127_s_at 204197_s_at 200872_at 2008540_x_at 203186_s_at 217728_at 202917_s_at 203535_at 222986_s_at 203133_at 2031484_at	221931_s_at 204563_at 233168_s_at 1555851_s_at 216342_x_at 217256_x_at 40420_at 36019_at 208855_s_at 200870_at 200830_x_at 201312_s_at

Gene Description SH3-domain binding protein 5 (BTK-associated) SH3-domain kinase binding protein 1	SH3-domain kinase binding protein 1	SHC (Src homology 2 domain containing) transforming protein 1	SID1 transmembrane family, member 2	signal peptidase 12kDa	signal peptidase complex (18kD)	signal sequence receptor, beta (translocon-associated protein beta)	signal sequence receptor, delta (translocon-associated protein delta)	signal transducer and activator of transcription 1, 91kDa	Similar to cyclin-like F-box (3A784)	Similar to expressed sequence C79663	Similar to ribosomal protein S14	Similar to RIKEN cDNA 2310016E02	Similar to rRNA intron-encoded homing endonuclease	single-stranded DNA binding protein 1	Sjogren syndrome antigen A2 (60kDa, ribonucleoprotein autoantigen SS-A/Ro)	SKI interacting protein	small membrane protein 1	small nuclear ribonucleoprotein polypeptide E	small nuclear ribonucleoprotein polypeptide G	SMT3 suppressor of mif two 3 homolog 2 (yeast)	SMT3 suppressor of mif two 3 homolog 2 (yeast)	SMT3 suppressor of mif two 3 homolog 2 (yeast)	SNRPN upstream reading frame /// small nuclear ribonucleoprotein polypeptide N	Soares adult brain N2b5HB55Y Homo sapiens cDNA clone IMAGE:179551 3'	solute carrier family 25 (mitochondrial carrier; adenine nucleotide translocator), member 5 (SLC25A5),	solute carrier family 25 (mitochondrial carrier; phosphate carrier), member 3 /// solute carrier family 25 (mitochondrial carrier, phosphate carrier), member 3	solute carrier family 31 (copper fransporters) member 2	solute carrier family 35, member E1	solute carrier family 36 (proton/amino acid symporter), member 2	solute carrier organic anion transporter family, member 3A1	SON DNA binding protein	SON DNA binding protein	sorcin	sortilin-related receptor, L(DLR class) A repeats-containing	sortilin-related receptor, L(DLR class) A repeats-containing (SORL1),	57
Public ID NM_004844 AF542051	AF230904	AI091079	AA150165	NM 014041	NM_014300	NM 006280	AW087870	BC002704	AL080160	AW628987	BF244614	BF211019	Unknown	NM_003143	AL538601	NM_012245	AL550722	NM_003094	960E00 MN	AK024823	L76416	AI971724	NM_003097	H51429	NM_001152	NM_002635	NM 001860	NM 024881	AI560573	NM 013272	X63071	BF676840	L12387	AV728268	NM_003105	
Probe Set ID 201811_x_at 1554168_a_at		214853_s_at	56256_at	21/92/_at	201290_at	20005_at	222411 s at	209969_s_at	217446_x_at	225522_at	224867_at	224637_at	AFFX-HUMRGE/M10098_5_at	202591_s_at	212852_s_at	201575_at	222401_s_at	203316_s_at	205644_s_at	208738_x_at	208739_x_at	213881_x_at	201522_x_at	213344_s_at	200657_at	200030_s_at	204204 at	220796 x at	214143 x at	219229_at	214988_s_at	226465_s_at	208921_s_at	212560_at	203509_at	

Probe Set ID 204655 at	Public ID NM 002985	Gene Description sortilin-related receptor, L(DLR class) A repeats-containing (SORL1),
53912 at	AI668643	sorting nexin 11
210648 x at	AB047360	sorting nexin 3
221498 at	BF939727	sorting nexin family member 27
209762 x at	AF280094	SP110 nuclear body protein
202524 s at	NM_014767	sparc/osteonectin, cwcv and kazal-like domains proteoglycan (testican) 2
215383_x_at	AL137312	spastic paraplegia 21 (autosomal recessive, Mast syndrome)
202761_s_at	NM_015180	spectrin repeat containing, nuclear envelope 2
210592_s_at	M55580	spermidine/spermine N1-acetyltransferase
200711 s at	NM_003197	S-phase kinase-associated protein 1A (p19A)
200718 s. at	AA927664	S-phase kinase-associated protein 1A (p19A)
226068 at	BF593625	spleen tyrosine kinase
216457_s_at	AK026080	splicing factor 3a, subunit 1, 120kDa
211784_s_at	BC006181	splicing factor, arginine/serine-rich 1 (splicing factor 2, alternate splicing factor) /// splicing factor,
		arginine/serine-rich 1 (splicing factor 2, alternate splicing factor)
200893_at	NM_004593	splicing factor, arginine/serine-rich 10 (transformer 2 homolog, Drosophila)
214882_s_at	BG254869	splicing factor, arginine/serine-rich 2
201698_s_at	003769 NM	splicing factor, arginine/serine-rich 9
AFFX-M27830 5 at	AFFX-	SRY (sex determining region Y)-box 18
,	M27830_5	
AFFX-M27830_M_at	AFFX- M27830 M	SRY (sex determining region Y)-box 18
217713_x_at	AA126763	Stratagene lung carcinoma 937218 Homo sapiens cDNA clone IMAGE:565149 3' similar to contains Ali renetitive element contains element MER22 renetitive element : MRNA sequence
200971_s_at	NM_014445	stress-associated endoplasmic reticulum protein 1
215088_s_at	BG110532	succinate dehydrogenase complex, subunit C, integral membrane protein, 15kDa
210580_x_at	L25275	sulfotransferase family, cytosolic, 1A, phenol-preferring, member 3
215223_s_at	W46388	superoxide dismutase 2, mitochondrial
207040_s_at	NM_003932	suppression of tumorigenicity 13 (colon carcinoma) (Hsp70 interacting protein)
201827_at	AF113019	SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily d, member 2
200958_s_at	NM_005625	syndecan binding protein (syntenin)
204466_s_at	BG260394	synuclein, alpha (non A4 component of amyloid precursor)
211546_x_at	L36674	synuclein, alpha (non A4 component of amyloid precursor)
211796_s_at	AF043179	T cell receptor beta chain
209813_x_at	M16768	T cell receptor gamma variable 9
211144_x_at	M30894	T cell receptor gamma variable 9
213193_x_at	AL559122	T CELLS (JURKAT CELL LINE) COT 10-NORMALIZED Homo sapiens cDNA clone CS0DJ014YE01
200055_at	NM_006284	TAF10 RNA polymerase II, TATA box binding protein (TBP)-associated factor, 30kDa /// TAF10 RNA

Public ID Gene Description	polymerase II, TATA box binding protein (TBP)-associated factor, 30kDa NM 005642 TAF7 RNA polymerase II. TATA box binding protein (TBP)-associated factor, 55kDa		NM_007375 TAR DNA binding protein /// TAR DNA binding protein		NM_021943 testis expressed sequence 27		AF313911 thioredoxin	BC005374 thioredoxin domain containing 4 (endoplasmic reticulum)	NM_006472 thioredoxin interacting protein				NM_001469 thyroid autoantigen 70kDa (Ku antigen)	AK023837 thyroid hormone receptor associated protein 2	NM_006058 TNFAIP3 interacting protein 1	NM_006755 transaldolase 1	AV756131 transaldolase 1	BF185165 transaldolase 1	BG330520 transaldolase 1	NM_007108 transcription elongation factor B (SIII), polypeptide 2 (18kDa, elongin B) /// transcription elongation factor B (SIII), polypeptide 2 (18kDa, elongin B)	NM 003202 transcription factor 7 (T-cell specific, HMG-box)		NM_005875 translation factor sui1 homolog	BC000687 translocation associated membrane protein 1	BC002496 transmembrane protein 14B /// transmembrane protein 14C	NM_002270 transportin 1	NM_030912 tripartite motif-containing 8 /// tripartite motif-containing 8	BC000771 tropomyosin 3	AL136629 TSPY-like 1	AL565074 tubulin, alpha 1 (testis specific)	AF141347 tubulin, alpha 3	NM_006082 tubulin, alpha, ubiquitous	AL581768 tubulin, alpha, ubiquitous	BE300252 tubulin, alpha, ubiquitous	BC006379 tubulin, alpha, ubiquitous /// tubulin, alpha, ubiquitous	BC006481 tubulin, alpha, ubiquitous /// tubulin, alpha, ubiquitous	
Probe Set ID	201023 at	208829_at	200020_at	201999_s_at	218020_s_at	208944_at	208864_s_at	208959_s_at	201010_s_at	201588_at	217733_s_at	216438_s_at	200792_at	212208_at	207196_s_at	201463_s_at	224915_x_at	226227_x_at	226835_s_at	200085_s_at	205255_x_at	208700_s_at	201738_at	201398_s_at	223105_s_at	207657_x_at	221012_s_at	222976_s_at	221493_at	212242_at	209118 s at	201090_x_at	212639_x_at	213646_x_at	211058_x_at	211072 x at	1

Probe Set ID	Public ID	Gene Description
225912_at	AW341649	tumor protein p53 inducible nuclear protein 1
211943_x_at	AL565449	tumor protein, translationally-controlled 1
212284 x at	BG498776	tumor protein, translationally-controlled 1
212869 x at	AI721229	tumor protein, translationally-controlled 1
214327 x at	AI888178	tumor protein, translationally-controlled 1
216520 s at	AF072098	tumor protein, translationally-controlled 1
204122 at	NM_003332	TYRO protein tyrosine kinase binding protein
208743_s_at	BC001359	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, beta polypeptide
217717 s at	BF246499	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, beta polypeptide
217718 s at	NM_014052	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, beta polypeptide
222985_at	AB024334	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, gamma polypeptide
213699_s_at	AA854017	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, theta polypeptide
200639_s_at	NM_003406	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, zeta polypeptide
200640_at	NM_003406	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, zeta polypeptide
222990_at	AW204104	ubiquilin 1
205849_s_at	NM_006294	ubiquinol-cytochrome c reductase binding protein
218190 s at	NM_013387	ubiquinol-cytochrome c reductase complex (7.2 kD)
202233_s_at	NM_006004	ubiquinol-cytochrome c reductase hinge protein (UQCRH),
221700_s_at	AF348700	ubiquitin A-52 residue ribosomal protein fusion product 1 /// ubiquitin A-52 residue ribosomal protein
		fusion product 1
200633_at	NM_018955	ubiquitin B
208980_s_at	M26880	ubiquitin C
211296_x_at	AB009010	ubiquitin C
211285_s_at	U84404	ubiquitin protein ligase E3A (human papilloma virus E6-associated protein, Angelman syndrome)
226357_at	AW473649	ubiquitin specific protease 19
221654_s_at	AF077040	ubiquitin specific protease 3
207365_x_at	NM_014709	ubiquitin specific protease 34
201343_at	BE621259	ubiquitin-conjugating enzyme E2D 2 (UBC4/5 homolog, yeast)
200668_s_at	BC003395	ubiquitin-conjugating enzyme E2D 3 (UBC4/5 homolog, yeast)
212519_at	AL518159	ubiquitin-conjugating enzyme E2E 1 (UBC4/5 homolog, yeast)
200682_s_at	BG531983	ubiquitin-conjugating enzyme E2L 3
201649_at	NM_004223	ubiquitin-conjugating enzyme E2L 6
218495 at	NM 004182	ubiquitously-expressed transcript
235327_x_at	BG111015	UBX domain containing 4
200627_at	BC003005	unactive progesterone receptor, 23 kD
212144_at	AL021707	unc-84 homolog B (C. elegans)
208998_at	U94592	uncoupling protein 2 (mitochondrial, proton carrier)
202646_s_at	AA167775	upstream of NRAS
203459_s_at	NM_022575	vacuolar protein sorting 16 (yeast)

Gene Description vacuolar protein sorting 24 (yeast) VAMP (vesicle-associated membrane protein)-associated protein A, 33kDa v-ets erythroblastosis virus E26 oncogene homolog 1 (avian) vimentin	voltage-dependent anion channel 1 voltage-dependent anion channel 2 /// voltage-dependent anion channel 2 voltage-dependent anion channel 3 v-yes-1 Yamaguchi sarcoma viral related oncogene homolog WD repeat domain 40A	Wilms tumor 1 associated protein Wiskott-Aldrich syndrome (eczema-thrombocytopenia) Wiskott-Aldrich syndrome protein interacting protein Wiskott-Aldrich syndrome protein interacting protein WW domain containing adaptor with coiled-coil WW domain containing adaptor with coiled-coil X-ray repair complementing defective repair in Chinese hamster cells 5 (double-strand-break rejoining; Ku autoantigen, 80kDa)	YTH domain family 1 YY1 transcription factor /// YY1 transcription factor zinc finger and BTB domain containing 4 zinc finger protein 160 zinc finger protein 207 zinc finger protein 36, C3H type-like 2 zinc finger protein 410	zinc finger protein 587 zinc finger protein 611 zinc finger protein 611 /// zinc finger protein 611 zinc finger protein 9 (a cellular retroviral nucleic acid binding protein) zinc finger, A20 domain containing 3 zinc finger, MYND domain containing 11 zinc ribbon domain containing, 1
Public ID NM_016079 AF154847 BE218980 AI922599 NM 014000	AL515918 L08666 BC002456 Al356412 AL555107	AU14/416 U12707 AW058622 NM_016628 AL135461 AA205834	AL096828 NM_003403 AI669498 AK024789 NM_003457 AJ223321 U07802 BC000330	NM_017961 NM_030972 NM_003418 AL136598 BE250417 NM_014596
Probe Set ID 217837_s_at 208780_x_at 224833_at 201426_s_at 200931_s_at	212038_s_at 211662_s_at 208845_at 202625_at 224789_at	2259530_s_at 38964_r_at 202664_at 217742_s_at 222390_at 208642_s_at	221741_s_at 200047_s_at 225629_s_at 214715_x_at 200829_x_at 212774_at 201368_at 209944_at	219981_x_at 208137_x_at 206158_s_at 221613_s_at 202136_at 228009_x_at

Table 6. Molecular functions represented by the group of probesets reproducibly detected in intra- and interspecies comparisons.

Function Name Unique Input Unique Input Unique Input Unique Input Unique Input In		ink ID 8.56E-15 ink ID 165 2.40E-14
Function Name Unique Input 46961 hydrogen-transporting ATPase activity, rotational mechanism 19 NM_006476 Hordrogen (107476) NM_006476 107476 ARD50277 107476 ARD50277 440165 ARD70845 440165 ARD70845 440165 ARD71614 440165 ARD71614 440165 ARD71614 440165 ARD71614 440165 ARD71614 440165 ARD71614 440165 ARD7161 440165 ARD7161 440165 ARD7161 440165 ARD7161 47530 NM_001689 85539 NM_001686 177530 NM_001686 177530 AV71113 AV71113 NM_001686 374588 BE733379 374588 BE733379 410817 ARD8148 410817 ARD8148 410817 ARD8178 410817 A	2(2)(1	19 Locus Link ID 10632 10632 8992 8992 8992 51382 51382 51382 51382 51382 51382 5138 514 518 519 509 509 509 509 509 5139 6139 6139 6137 6137 6137
Function Name Horbe NM_006476 AF070655 AF070655 AF070655 AF070655 AF070655 AF070655 AF070655 NM_001697 NM_001689 NM_001689	Unique Reference Total	73 Gene ATP5L ATP5L ATP5L ATP5L ATP6V0E ATP6V0E ATP6V0E ATP6V0E ATP6V3 ATP5G3 ATP5G3 ATP5G3 ATP5G3 ATP5G3 ATP5G3 ATP5G3 ATP5G3 ATP5G1 ATP5C1 A
46961	Unigue Input Total	19 UniGene cluster 107476 107476 107476 440165 440165 272630 409140 85539 85539 829 81634 177530 155433 155433 155433 155433 1429 81634 177530 1777530
	GO ID Function Name	GO:0046961 hydrogen-transporting ATPase activity, rotational mechanism Probe NM_006476 AF070655 AL050277 Al862255 NM_001897 M62762 NM_001689 NM_001689 NM_001689 NM_001689 NM_006866 ASTACLURAL CONSTITUENT of ribosome Probe NM_000985 BG168283 BE733979 NM_002948 BG004954 AW574664 AH186735 AA961748 AA789278 NM_000976

Function Name	Unique Input Total	<u>Unique</u> Reference	Unigue UniGene	Unique Corre	Corrected P.
		Total	Total	UniGene	ō
AA281332	408054	RPL 12	6136	- Otal	
NM_000975	388664	RPL11	6135		
NM_006013	401929	RPL10	6134		
NM_000661	412370	RPL9	6133		
NM_000973	178551	RPL8	6132		
NM_000971	421257	RPL7	6129		
BG389744	421257	RPL7	6129		
NM_000970	528668	RPL6	6128		
BG435643	406590	PGR1	93621		
696000 ⁻ WN	469653	RPL5	6125		
BF214492	469653	RPL5	6125		
AI953886	186350	RPL4	6124		
NM_000968	186350	RPL4	6124		
BC005817	186350	RPL4	6124		
VM_000967	119598	RPL3	6122		
BC006483	119598	RPL3	6122		
L22453	119598	RPL3	6122		
BG339228	119598	RPL3	6122		
NM_018141	380887	MRPS10	55173		
U16738	446522	RPL14	9045		
AA838274	446522	RPL14	9045		
NM_015414	408018	RPL36	25873		
AF348700	5308	UBA52	7311		
AW304232	374553	LAMR1	3921		
NM_024026	458367	MRP63	78988		
NM_001997	387208	FAU	2197		
AF151075	55847	MRPL51	51258		
NM_003776	431307	MRPL40	64976		
BC000514	449070	RPL13A	23521		
NM_012423	449070	RPL13A	23521		
BC001675	449070	RPL13A	23521		
BF979419	449070	RPL13A	23521		
BF942308	449070	RPL13A	23521		
NM_007209	182825	RPL35	11224		
MM_000978	406300	RPL23	9349		
NM_007104	448396	RPL10A	4736		

GO 1D

Unique Corrected P. Reference Value UniGene	
Unig Unig	
Unigue UniGene Total	6234 6235 6236 6237 6237 6230 6230 6231 6233 6233 6233 6233 6233 6233 6233
Unique Reference Total	RPS29 RPS29 RPS29 RPS27 RPS26 RPS26 RPS26 RPS26 RPS26 RPS19 RPS10
Unique Input Total	448396 539 11640 337307 480569 512676 356794 372960 381184 433427 397609 397609 397609 397609 397609 397609 397609 397609 397609 397609 397609 370504 406620 406620 406620 408628 446628 446628 446628 498569 437594 356502
Function Name	BG251501 NM_001032 BC000354 NM_001030 NM_001029 AA888388 BC000523 NM_001024 NM_001022 BE259729 NM_001021 NM_001018 NM_001017 AI200589 AA583817 NM_001017 AI799007 AA320764 NM_001013 BE348997 NM_001013 BE741754 NM_001001 BC000524 NM_001007 AW132023 U14990 NM_001007 AM630314 AI183766 NM_001003 NM_001003

GO ID

Corrected P. Value		1.92E-16
Unigue Reference UniGene		230
Unique UniGene Total	6175 6175 6175 6166 6166 6165 6165 6157 6156 6157 6157	6144 6143 6144 6144 14 10376 10376 10376 10376 10376
Unique Reference Total	RPLP0 RPLP0 RPL90 RPL41 RPL36A RPL35A RPL35A RPL29 RPL27A RPL27A RPL27A RPL27A RPL27A RPL27A RPL27A RPL23A RPL23A RPL23A RPL23A RPL23A	RPL21 RPL19 RPL18A 475 Gene VIM VCL CLTC K-ALPHA-1 K-ALPHA-1
Unique Input Total	443796 443796 443796 381172 380953 444749 289093 250895 375921 430207 356342 356342 400295 405528 3254 419463 419463 326249	381123 381061 337766 409634 14 UniGene cluster 435800 75350 187416 446608 446608
Function Name	BC003655 BC005863 Al953822 NM_021104 NM_001001 BE968801 AW402660 NM_000995 NM_000995 NM_000997 NM_000997 NM_000998 NM_000988 Al832239 NM_000984 U43701 BC001865 BF125158 D17652 NM_000983	NM_000982 NM_000981 NM_000979 Structural molecule activity Probe Al922599 NM_014000 NM_004859 NM_006082 BC006379 BE300252
<u>GO 1D</u>		GO:0005198

<u>GO ID</u>	Function Name	Unique Input Total	Unique Reference Total	<u>Unique</u> <u>UniGene</u> <u>Total</u>	Unique Reference UniGene Total	Corrected P. Value
	AL565074	75318	TUBA1	7277		
	AL523310	31095	MAP4	4134		
	AU157515	396503	CDC10	686		
	AA129420	223745	MATR3	9782		
	BC001002	356729	OK OK	203068		
	NM_015180	444069	SYNE2	23224		
	AF154847	165195	VAPA	9218		
GO:0015078	hydrogen ion transporter activity	-	22	•	6	1.75E-16
	Probe	UniGene cluster	Gene	LocusLink ID		
	BC003564	90336	ATP6V1G1	9550		
GO:0046933	hydrogen-transporting ATP synthase activity, rotational	19	69	19	32	3.99E-14
	mechanism					
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_006476	107476	ATP5L	10632		
	AF070655	107476	ATP5L	10632		
	AL050277	107476	ATP5L	10632		
	AI862255	440165	ATP6V0E	8992		
	NM_003945	440165	ATP6V0E	8992		
	AF077614	272630	ATP6V1D	51382		
	NM_001697	409140	ATP50	539		
	M62762		ATP6V0C	527		
	NM_007100	85539	ATP5I	521		
	BC003679	85539	ATP5I	521		
	NM_001689	429	ATP5G3	518		
	NM_001689	429	ATP5G3	518		
	BC005960	81634	ATP5F1	515		
	NM_006886	177530	ATP5E	514		
	NM_005174	155433	ATP5C1	509		
	BC000931	155433	ATP5C1	509		
	AV711183		ATP5C1	509		
	NM_001686	406510	ATP5B	506		
	AI587323	298280	ATP5A1	498		
GO:0003676	nucleic acid binding	28	1201	28	541	1.38E-16
	Probe	UniGene cluster	Gene	LocusLink ID		
	BC001417	246112	U5-200KD	23020		
	AA526904	190386	KIAA0924	22834		

GO ID	Function Name	<u>Unique Input</u> <u>Total</u>	Unique Reference Total	Unique UniGene Total	Unique Reference UniGene	Corrected P. Value
	AK024789 AJ223321	271511	ZNF160 ZNF238	90338	1014	
	NM_022118	408487	C13orf10	64062		
	NM_005804	311609	DDX39	10212		
	AW080845	235860	FOXP1	27086		
	AKU26898 NM 044827	235860	FOXP1	27086		
	NIV	17969	KIAA0663	228		
	AF203/30 NM 006649	3100	KARS	3735		
	NIN DUSSES	3100	KARS	3735		
	NM_013446	7838	MKRN1	23608		
	AF117233	7838	MKRN1	23608		
	X63071	430541	SON	6651		
	BF676840	430541	SON	6651		
	NM_030972	446500	MGC5384	81856		
	NM_005195	381058	KIAA0146	23514		
	NM_022898	57987	BCL11B	64919		
	NM_001967	511904	EIF4A2	1974		
	NM_001416	129673	EIF4A1	1973		
	BC006210	129673	EIF4A1	1973		
	NM_001404	256184	EEF1G	1937		
	BF797555	201085	PAPOLA	10914		
	AB007447	5148	FLN29	10906		
	NM_024836	181406	FLJ22301	79894		
	NM_004539	427212	NARS	4677		
	NM_004541	74823	ZNF183	7737		
	NM_030757	458363	MKRN4	7682		
GO:0003723	RNA binding	114	864	114	332	5.99E-14
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_000985	374588	RPL17	6139		
	BG168283	374588	RPL17	6139		
	BE733979	374588	RPL17	6139		
	BC004954	410817	RPL13	6137		
	AW574664	410817	RPL13	6137		
	AI186735	410817	RPL13	6137		
	AA961748	410817	RPL13	6137		
	AA789278	410817	RPL13	6137		

NM_000976 AA281332 NM_000661	408054 408054 412370	RPL12 RPL12 PPL0	Otal	Total	
NM_000971 BG389744	41257 421257 421257	RPL7 RPL7	6129 6129		
NM_000970 AI953886	528668 186350	RPL6 RPL4	6128		
NM_000968	186350	RPL4	6124		
NM_000967	119598	RPL3	6122		
BC006483	119598	RPL3	6122		
_22453	119598	RPL3	6122		
56339228 U69546	119598 211610	RPL3	6122 10659		
BE542815	445977	GTF3A	2971		
U16738	446522	RPL14	9045		
AA838274	446522	RPL14	9045		
AL517946	241567	RBMS1	5937		
BC000461	429180	EIF2S2	8894		
BC001449	15265	HNRPR	10236		
NM_003769	77608	SFRS9	8683		
NM_003/30	388130	RNASET2	8635		
NM_003/30 8/73/929	388130	RNASET2	<u>8635</u>		
AI762552	372673	HNRPDI	20980		
NM_001997	387208	FAU	2197		
BC005938	424908	LSM5	23658		
AL538601	288178	SSA2	6738		
AA129420	223745	MATR3	9782		
BE622897		KIS	127933		
U24223	2853	PCBP1	5093		
NM_001418	183684	EIF4G2	1982		
BF247371	93379	EIF4B	1975		
NM_001967	511904	EIF4A2	1974		
NM_030979	458280	PABPC3	5042		
BF512907	439505	DAZAP1	26528		

GO ID

Unigue Corrected P. Reference Value Total	
Unigue Unigue Lotal Lota	1020
Unique Reference Total TARDBP E18-AP5 SFRS10 SFRS10 SFRS2 DDX24 NONO PAPOLA D1S155E HNRPU DDX5 HNRPC HNRPC HNRPA1 HNRPA2B1 HNRPA2B1 HNRPA2B1 RNS26 RPS26 RPS26 RPS26 RPS27 RPS26 RPS27)
Unique Input Total 300624 155218 30035 73965 372267 355861 201085 69855 166463 271541 279806 156481 476302 476302 476302 476302 476302 476302 476302 476302 476302 356721 356721 356721 356721 356724 372960 79110 381184 433427 370504 406683 380956	
Eunction Name NM_007375 BF724216 NM_004593 BG254869 NM_020414 NM_020414 NM_007363 BF797555 AA167775 NM_004396 NM_004396 NM_004396 NM_004396 NM_004396 NM_004396 NM_002137 AI375753 NM_002137 AI375753 NM_002137 AI375753 NM_001029 AA888388 BC000523 NM_001029 AA888388 BC000523 NM_001029 NM_001029 NM_001029 NM_001021 NM_001021 NM_001019 NM_001019 NM_001018 AF061832 AA320764 NM_001014	

GO ID

Corrected P- Value	5.55E-16	
Unique Reference UniGene	02	1
Unigene Unigene Total	6194 6194 6194 6194 6196 6188 6187 6175 6175 6175 6175 6175 6175 6175 617	1
Unique Reference Total	RPS9 RPS9 RPS6 RPS6 RPS6 RPS7 RPS7 RPS7 RPS7 RPS7 RPS7 RPS7 RPS7)
Unique Input Total	139876 408073 408073 408073 448628 446628 446628 498569 498569 498569 43756 443796 443796 443796 443796 443796 380953 250895 375921 430207 356342 356342 356342 356342 356342 400295 326249 337766 409634	
		1
Function Name	NM_000982 NM_000982 NM_000993 NM_000999 NM_000999 NM_000999 NM_000999 NM_000999 NM_000999 NM_000999 NM_000999 NM_000998 NM_000998 NM_000998 NM_000982 NM_000983 NM_000982 NM_000983 NM_000983 NM_000983 NM_000983	
<u> </u>	GO:0005488	

<u>GO ID</u>	Function Name	Unique Input Total	Unique Reference Total	<u>Unigue</u> <u>Unigene</u> <u>Total</u>	Unique Reference UniGene	Corrected P. Value
	U94592 BG537190 BG538564	80658 433670	UCP2 FTL FTL	7351 2512 2512	lota	
	NM_002032	448738	FTH1	2495	v	
	NM 002635	279939	MICH1	<u>23787</u> 5250		
	NM_001642	279518	APLP2	334		
	NM_001152	79172	SLC25A5	292		
	NM_001629	100194	ALOX5AP	241		
GO:0015075	ion transporter activity	_	29	-	15	2.86E-15
	Probe	UniGene cluster	Gene	LocusLink ID		
	AV699746	242721	SLC22A3	6581		
GO:0030106	MHC class I receptor activity	12	46	12	13	6.48E-10
	Probe	UniGene cluster	Gene	LocusLink ID		
	M90685	512152	HLA-G	3135		
	M90684	512152	HLA-G	3135		
	AW514210	411958	HLA-F	3134		
	AI669379	411958	HLA-F	3134		
	X56841	381008	HLA-E	3133		
	NM_005516	381008	HLA-E	3133		
	M31183	381008	HLA-E	3133		
	M12679	274485	HLA-C	3107		
	AK024836	274485	HLA-C	3107		
	L42024	77961	HLA-B	3106		
	L07950	77961	HLA-B	3106		
	AA573862	181244	HLA-A	3105		
GO:0019843	rRNA binding	œ	16	8	9	2.06E-09
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_000975	388664	RPL11	6135		
	MM_000973	178551	RPL8	6132		
	696000 WN	469653	RPL5	6125		
	BF214492	469653	RPL5	6125		
	NM_000984	419463	RPL23A	6147		
	U43/U1 BC004865	419463	RPL23A	6147		
	BC00 1 000		KFL23A	0141		

<u> </u>	Function Name	Unique Input Total	Unique Reference Total	<u>Unique</u> <u>UniGene</u> <u>Total</u>	Unique Reference UniGene	Corrected P.
GO:0008135	BF125158 translation factor activity, nucleic acid binding Probe	419463 1 UniGene cluster 9573	RPL23A 8 Gene	6147 1 LocusLink ID	5	5.79E-10
GO:0042623	ATPase activity, coupled Probe NM_006585 AF352832 AA704004	937.9 4 UniGene cluster 416211 180414 180414	Gene Gene CCT8 HSPA8 HSPA8	23 4 LocusLink ID 10694 3312 3312	71	4.76E-09
GO:0016887	ATPase activity Probe BG252666	1 UniGene cluster 418426	51 Gene ATP8B1	1 LocusLink ID 5205	23	2.25E-09
GO:0045012	MHC class II receptor activity Probe NM_002125 NM_021983 U65585 AJ297586 AF005487 BG397856 NM_002121 MM_7487 NM_002118	9 UniGene cluster 308026 308026 308026 308026 387679 368409 914	34 Gene HLA-DRB3 HLA-DRB3 HLA-DRB3 HLA-DRB3 HLA-DRB1 HLA-DPB1 HLA-DPB1	9 LocusLink ID 3125 3125 3125 3125 3115 3115 3109		7.25E-08
GO:0003954	NADH dehydrogenase activity Probe NM_019056 AK002110 NM_004552 AF261090 NM_005004 NM_004546 NM_002480 NM_002489	10 UniGene cluster 433328 90443 409829 15977 198273 27262 183435 274416 50098	56 Gene P17.3 NDUFS8 NDUFB9 NDUFB8 NDUFB2 NDUFB1 NDUFA6	10 LocusLink ID 54539 4728 4715 4714 4707 4700 4700 4697	33	1.79E-07

GO ID	Function Name	Unique Input Total	Unique Reference Total	<u>Unique</u> <u>UniGene</u> <u>Total</u>	Unigue Reference UniGene	Corrected P.
	BC003674	163867	NDUFA2	4695	50	
GO:0016820	hydrolase activity, acting on acid anhydrides, catalyzing transmembrane movement of substances	-	73	-	28	2.82E-08
	Probe	UniGene cluster	Gene	LocusLink ID		
	AI587323	298280	ATP5A1	498		
GO:0004129	cytochrome-c oxidase activity	œ	35	80	21	1.19E-06
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_001866	432170	COX7B	1349		
	NM_001865	70312	COX7A2	1347		
	NM_004373	180714	COX6A1	1337		
	NM_001862	1342	COX5B	1329		
	BC006229	1342	COX5B	1329		
	AI557312	1342	COX5B	1329		
	AA854966	433419	COX411	1327		
	NM_001861	433419	COX411	1327		
GO:0008137	NADH dehydrogenase (ubiquinone) activity	10	61	10	35	1.39E-06
	Probe	UniGene cluster	Gene	LocusLink ID		
	AK002110	90443	NDUFS8	4728		
	NM_004552	409829	NDUFS5	4725		
	AF261090	15977	NDUFB9	4715		
	NM_005004	198273	NDUFB8	4714		
	NM_004546	27262	NDUFB2	4708		
	NM_004545	183435	NDUFB1	4707		
	NM_005003	5556	NDUFAB1	4706		
	NM_002490	274416	NDUFA6	4700		
	NM_002489	20098	NDUFA4	4697		
	BC003674	163867	NDUFA2	4695		
GO:0003924	GTPase activity	23	344	23	141	4.34E-06
	Probe	UniGene cluster	Gene	LocusLink ID		
	BE138888	301175	RAC2	5880		
	BG292367	413812	RAC1	5879		
	BC004247	413812	RAC1	5879		
	BC001267	73957	RAB5A	5868		
	BG338251	115325	RAB7L1	8934		
	NM_000516	157307	GNAS	2778		
	NM_016592	157307	GNAS	2778		

Corrected P.															4.78E-07				7.93E-06														
Unique Reference Unigene	1019														144				52														
Unigue UniGene Total	<u>2778</u> <u>2778</u> 10383	10376	10376	10376	10376	7277	8766	10123	203068	1968	391	375	7879	6159	2	LocusLink ID	51324	5143	13	LocusLink ID	27335	27335	8894	10289	10209	10209	10209	8667	8665	1982	1975	1974	<u>1968</u>
Unique Reference Total	GNAS GNAS TUBB2	K-ALPHA-1	K-ALPHA-1	K-ALPHA-1	K-ALPHA-1	TUBA1	RAB11A	ARL7	Š	EIF2S3	ARHG	ARF1	RAB7	RPL29	325	Gene	ACP33	PDE4C	126	Gene	eIF3k	elF3k	EIF2S2	GC20	SU11	SUIT	SUI1	EIF3S3	EIF3S5	EIF4G2	EIF4B	EIF4A2	EIF2S3
Unique Input Total	157307 157307	446608	446608	446608	446608	75318	75618	111554	356729	480368	75082	286221		430207	2	UniGene cluster	242458	437211	13	UniGene cluster	143773	143773	429180	315230	150580	150580	150580	127149	381255	183684	93379	511904	480368
Function Name	AF088184 AI591100 AA515698	NM_006082	BC006379	BC006481	BE300252	AL565074	AI215102	BG435404	BC001002	BE252813	NM_001665	AF052179	AK000826	NM_000992	catalytic activity	Probe	AL137312	NM_000923	translation initiation factor activity	Probe	AW083133	AF085358	BC000461	NM_005875	BF246436	AL537707	W67644	NM_003756	NM_003754	NM_001418	BF247371	NM_001967	BE252813
<u>GO ID</u>															GO:0003824				GO:0003743														

Corrected P. Value	1.21E-06
Unigue Reference UniGene	811 811 811 811 811 811 811 811 811 811
Unigue UniGene Total	49 LocusLink ID 23020 1512 1508 3002 8992 8992 5799 5799 5799 5799 5799 57486 57486 51382 5098 5098 5098 5098 5098 5098 5098 5098
Unique Reference Total	1755 Gene U5-200KD CTSH CTSB GZMB ATP6V0E ATP6V0E GNS PTPRE DDX39 RNASET2 ENTPD1 PPT1 CTDSP2 PPM1A CTDSP2 PPM1A CTDSP2 PPM1A CTDSP2 PPM1A CTDSP2 PPM1A CTDSP2 PPM1A CAPN2 USP3 PLCG2 ATP6V1D NLN LOC134147 ATP60 PDE4C ATP6C
Unique Input Total	49 UniGene cluster 246112 114931 135226 1051 440165 440165 437980 31609 388130
Function Name	hydrolase activity Probe BC001417 NM_004390 NM_001908 J03189 Al862255 NM_003945 BE880245 AA775177 NM_005730 NM_003730 AV717590 NM_003730 AV717590 NM_003730 NM_003730 NM_003730 NM_001097 NM_002661 AF077040 NM_002661 AF077040 NM_002665 BE537881 BG252666 BC001169 AU145746 NM_000923 NM_000923 NM_000923 M62762 NM_000931 AV711183 AF521189
<u>GO ID</u>	GO:0016787

GOID	Function Name	Unique Input Total	Unique Reference Total	<u>Unique</u> <u>UniGene</u> <u>Total</u>	Unique Reference UniGene Total	Corrected P-
	NM_001686	406510	ATP5B	206		
	AI587323	298280	ATP5A1	498		
	NM_001967	511904	EIF4A2	1974		
	NM_001416	129673	EIF4A1	1973		
	BC006210	129673	EIF4A1	1973		
	AV703259		IDS	3423		
	BC003564	90336	ATP6V1G1	9550		
	U62891	367676	DUT	1854		
	AI655015	3843	DUSP7	1849		
	BC003143	298654	DUSP6	1848		
	NM_001386	173381	DPYSL2	1808		
	NM_020414	372267	DDX24	57062		
	AW473649	255596	USP19	10869		
	AK054976	256697	HINT1	3094		
	N32864	256697	HINT1	3094		
GO:0005215	transporter activity	16	559	16	290	1.07E-05
	Probe	UniGene cluster	Gene	LocusLink ID		
	AI862255	440165	ATP6V0E	8992		
	NM_003945	440165	ATP6V0E	8992		
	U94592	80658	UCP2	7351		
	AI215102	75618	RAB11A	8766		
	NM_013272	113657	SLC03A1	28232		
	NM_001697	409140	ATP50	539		
	NM_001689	429	ATP5G3	518		
	NM_001689	429	ATP5G3	518		
	BC005960	81634	ATP5F1	515		
	NM_005174	155433	ATP5C1	209		
	BC000931	155433	ATP5C1	209		
	AV711183		ATP5C1	209		
	NM_001686	406510	ATP5B	206		
	AI587323	298280	ATP5A1	498		
	NM_000876	76473	IGF2R	3482		
	NM_001152	79172	SLC25A5	292		
GO:0005200	structural constituent of cytoskeleton	15	211	15	06	1.17E-04
	Probe	UniGene cluster	Gene	LocusLink ID		
	Al922599	435800	WI/	7431		

<u>GO ID</u>	Function Name	Unique Input Total	Unique Reference Total	<u>Unigue</u> UniGene Total	Unique Reference UniGene	Corrected P. Value
	AA515698		TUBB2	10383	10tal	
	NM_005731	83583	ARPC2	10109		
	AF279893	83583	ARPC2	10109		
	BG034239	83583	ARPC2	10109		
	AF004561	439511	ARPC3	10094		
	NM_001614	14376	ACTG1	71		
	BG026805	14376	ACTG1	71		
	BE741683	14376	ACTG1	77		
	AL567820	14376	ACTG1	7.1		
	AU145192	14376	ACTG1	77		
	AL515810	14376	ACTG1	71		
	AW190090	14376	ACTG1	77		
	BC001920	14376	ACTG1	71		
	AA703939	14376	ACTG1	77		
GO:0006330	single-stranded DNA binding	6	82	6	29	1.43E-04
	Probe	UniGene cluster	Gene	LocusLink ID		
	AL517946	241567	RBMS1	5937		
	AI762552	372673	HNRPDL	2866		
	NM_003143	923	SSBP1	6742		
	U24223	2853	PCBP1	5093		
	BC002411	74497	NSEP1	4904		
	BG231551	229641	PC4	10923		
	BE784583	229641	PC4	10923		
	NM_002128	434102	HMGB1	3146		
	AF283771	434102	HMGB1	3146		
GO:0003754	chaperone activity	16	247	16	109	1.92E-04
	Probe	UniGene cluster	Gene	LocusLink ID		
	BC003005	355693	TEBP	10728		
	NM_006585	416211	CCT8	10694		
	NM_006430	374334	CCT4	10575		
	AA515698		TUBB2	10383		
	NM_021130	356331	PPIA	5478		
	BC005982	356331	PPIA	5478		
	AI708767	356331	PPIA	5478		
	M94859	155560	CANX	821		
	AF029750	370937	TAPBP	<u>6892</u>		

Corrected P- Value		2.04E-04	3.06E-04
Unique Reference Unigene	<u> </u>	∞	569
Unigue UniGene Total	8409 51327 5204 203068 3320 23071 3109	4 LocusLink ID 7388 7381 27089 27089	
Unique Reference Total	UXT ERAF PFDN5 OK HSPCA TXNDC4 HLA-DMB	15 Gene UQCRH UQCRB QP-C	612 Gene RAC2 RAC1 RAB5A RAB7L1 GNAS GNAS GNAS GNAS TUBB2 K-ALPHA-1 K-ALPHA-1 K-ALPHA-1 K-ALPHA-1 CDC10 ARL7 OK
Unique Input Total	172791 274309 288856 356729 446579 154023	4 UniGene cluster 285761 131255 146602	28 UniGene cluster 301175 413812 73957 115325 157307 157307 157307 157307 157307 157307 157307 157307 157307 157307 157307 157308 446608 446608 75618 396503 111554 348282 356729
Function Name	NM_004182 NM_016633 NM_002624 BC001002 BG420237 BC005374 NM_002118	ubiquinol-cytochrome-c reductase activity Probe NM_006004 NM_006294 NM_014402	GTP binding Probe BE13888 BG292367 BC004247 BC004247 BC001267 BG338251 NM_016592 AF088184 AI591100 AA515698 NM_006082 BC006481 BE300252 AL565074 AI215102 AU157515 BG435404 NM_013341 BE252813
GO ID		GO:0008121	GO:0005525

<u>GO ID</u>	Function Name	Unique Input Total	Unique Reference Total	<u>Unigue</u> <u>UniGene</u> <u>Total</u>	Unique Reference UniGene	Corrected P. Value
	NM_001961 NM_001665 AF052179 AK000826 NM_004147 AI435089	75309 75082 286221 115242	EEF2 ARHG ARF1 RAB7 DRG1 IAN4L1	1938 391 375 7879 4733 55340	<u>Tota</u>	
GO:0004459	L-lactate dehydrogenase activity Probe NM_002300 BE042354	288094 3 UniGene cluster 234489	MSF 8 Gene LDHB	10801 3 LocusLink ID 3945 3945	ω	3.03E-04
GO:0019863	Invaling light binding Probe BC001120 BC020763	2795 3 UniGene cluster 411701	LDHA 8 Gene LGALS3 FCER1G	3939 3 LocusLink ID 3958 2207	જ	2.92E-04
GO:0004815	aspartate-tRNA ligase activity Probe AF285758 NM_005548	33 UniGene cluster 3100 3100	Gene KARS KARS	3 1 1 LocusLink ID 3735 3735 4677	ω O	3.07E-04
GO:0016491	oxidoreductase activity Probe NM_001329 NM_001865 NM_002085 NM_004373 NM_004373 NM_001862 BC006229 AI557312 AA854966 NM_001861	32 UniGene cluster 171391 432170 70312 433951 76686 180714 1342 1342 1342 433419	Gene CTBP2 COX7A2 GPX1 COX6A1 COX5B COX5B COX5B COX5B	4977 32 LocusLink ID 1488 1349 2876 2876 1329 1329 1329 1327	351	4.47E-04

Corrected P.		3.96E-04	3.92E-04	8.05E-04
Unique Reference UniGene Total		e O	2	80 Q
Unigue UniGene Total	7388 7381 4191 27089 3945 3945 3945 3945 3939 54539 6415 4728 4728 4708 4707 4706 4697	2 LocusLink ID 7417 7416	2 LocusLink ID <u>3735</u> 3735	6 LocusLink ID 7534 7534 7532 7529
Unique Reference Total	UQCRH UQCRB MDH2 QP-C LDHB LDHB LDHA P17.3 HSPC051 SOD2 PRDX1 SEPW1 ALDH2 NDUFS8 NDUFS8 NDUFS8 NDUFS8 NDUFS8 NDUFS8	3 Gene VDAC2 VDAC1	3 Gene KARS KARS	17 Gene YWHAZ YWHAG YWHAG
Unique Input Total	285761 131255 405860 146602 234489 234489 27285 27282 384944 180909 433941 331141 90443 409829 198273 27262 183435 5556 50098	2 UniGene cluster 355927 404814	2 UniGene cluster 3100 3100	6 UniGene cluster 386834 25001 279920
Function Name	NM_006004 NM_006294 BC001917 NM_014402 NM_002300 BE042354 NM_019056 NM_013056 NM_013387 W46388 L19184 AW514401 NM_000690 AK002110 NM_004552 NM_004545 NM_004545 NM_004545 NM_004545 NM_004545 NM_004545 NM_005003 NM_002489 BC003674	82 voltage-dependent anion channel porin activityProbeL08666AL515918	24 lysine-tRNA ligase activity Probe AF285758 NM_005548	protein domain specific binding Probe NM_003406 NM_003406 AB024334 BC001359
GOID		GO:0015482	GO:0004824	GO:0019904

<u>GO ID</u>	Function Name	Unique Input Total	Unique Reference Total	<u>Unigue</u> <u>UniGene</u> Total	Unique Reference UniGene Total	Corrected P. Value
	BF246499 NM_014052	279920	YWHAB	<u>7529</u> <u>7529</u>		
GO:0004859	phospholipase inhibitor activity	ဇ	0	3	2	0.001702626
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_004039	462864	ANXA2	302		
	BC001388	462864	ANXA2	302		
	BE908217		ANXA2	302		
GO:0008073	ornithine decarboxylase inhibitor activity	2	2	2	2	0.001526963
	Probe	UniGene cluster	Gene	LocusLink ID		
	D87914	446427	OAZ1	4946		
	AF090094	334644	OAZ1	4946		
GO:0004215	cathepsin H activity	-	-	-	-	0.00181945
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_004390	114931	CTSH	1512		
GO:0000036	acyl carrier activity	•	-	-	-	0.001633207
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_005003	5556	NDUFAB1	4706		
GO:0004418	hydroxymethylbilane synthase activity	_	-	_	•	0.001525127
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_000190	82609	HMBS	3145		
GO:0004278	granzyme B activity	-	•	-	-	0.001646169
	Probe	UniGene cluster	Gene	LocusLink ID		
	J03189	1051	GZMB	3002		
GO:0045545	syndecan binding	_	_	*-	-	0.001728477
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_005625	164067	SDCBP	6386		
GO:0047066	phospholipid-hydroperoxide glutathione peroxidase activity	-	-	~	-	0.001868624
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_002085	433951	GPX4	2879		
GO:0008428	ribonuclease inhibitor activity	_	τ-	_	~	0.00154789
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_002939	130958	RNH	0209		
GO:0015283	apoptogenic cytochrome c release channel activity	-	~	_	τ-	0.001620447
	Probe	UniGene cluster	Gene	LocusLink ID		
	AL515918	404814	VDAC1	7416		
	01					

<u>Q</u> 00	Function Name	Unique Input Total	Unigue Reference Total	Unigue Unigene Total	Unique Reference UniGene	Corrected P. Value
GO:0004801	transaldolase activity Probe NM 006755	1 UniGene cluster 438678	1 Gene TAI DO1	1 LocusLink ID 6888	<u></u>	0.00178808
GO:0004819	glutamine-tRNA ligase activity Probe NM 005051	1 UniGene cluster 79322	1 Gene	1 LocusLink ID 5859	-	0.001803628
GO:0050659	N-acetylgalactosamine 4-sulfate 6-O-sulfotransferase activity Probe NM_014863	1 UniGene cluster	Gene GALNAC4S	1 LocusLink ID <u>51363</u>	~	0.00185194
GO:0016309	1-phosphatidylinositol-5-phosphate 4-kinase activity Probe NM 005028	1 UniGene cluster 108966	-osi 1 Gene PIP5K2A	1 LocusLink ID 5305	-	0.001757773
GO:0005080	protein kinase C binding Probe NM_006098 AK054976 N32864	3 UniGene cluster 5662 256697 256697	Gene GNB2L1 HINT1 HINT1	3 LocusLink ID 10399 3094 3094	g	0.001530544
GO:0003746	translation elongation factor activity Probe NM_001961 NM_001404 NM_001960 AI613383 NM_001959	5 UniGene cluster 75309 256184 334798 334798 421608	41 Gene EEF2 EEF1G EEF1D EEF1D	5 LocusLink ID 1938 1937 1936 1936	8	0.00151984
GO:0005489	electron transporter activity Probe NM_001865 NM_002085 AI718223 AF197952 AF313911 AK000161 BF572868	11 UniGene cluster 70312 433951 31731 31731 395309 10346 169358	391 Gene COX7A2 GPX4 PRDX5 PRDX5 TXN C10orf26 DJ971N18.	11 LocusLink ID 1347 2879 25824 25824 7295 56255	175	2.99E-04

<u>GO ID</u>	Function Name	<u>Unique Input</u> <u>Total</u>	Unique Reference Total	<u>Unigue</u> UniGene Total	Unique Reference UniGene Total	Corrected P.
	NM_000690 AV734582	331141	ALDH2 TXNDC5	217 81567		
	NM_004786	114412	TXN	9352		
	BC005374	154023	TXNDC4	23071		
GO:0005344	oxygen transporter activity	ဗ	15	ဗ	6	0.00190245
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_000519	36977	HBD	3045		
	M25079		HBB	3043		
	AF349114	155376	HBB	3043		
GO:0004681	casein kinase I activity	က	15	က	4	0.001943217
	Probe	UniGene cluster	Gene	LocusLink ID		
	AL530441	181390	CSNK1G2	1455		
	BG534245	519667	CSNK1A1	1452		
	AW268585	318381	CSNK1A1	1452		
GO:0008308	voltage-dependent ion-selective channel activity	2	9	2	5	0.001882844
	Probe	UniGene cluster	Gene	LocusLink ID		
	L08666	355927	VDAC2	7417		
	AL515918	404814	VDAC1	7416		
GO:0008097	5S rRNA binding	2	9	2	-	0.001895919
	Probe	UniGene cluster	Gene	LocusLink ID		
	696000 WN	469653	RPL5	6125		
	BF214492	469653	RPL5	6125		
GO:0000049	tRNA binding	4	29	4	13	0.002266386
	Probe	UniGene cluster	Gene	LocusLink ID		
	AF285758	3100	KARS	3735		
	NM_005548	3100	KARS	3735		
	BE968801	289093	RPL35A	6165		
	AW402660	289093	RPL35A	6165		
GO:0008159	positive transcription elongation factor activity	2	7	2	2	0.002774145
	Probe	UniGene cluster	Gene	LocusLink 1D		
	NM_004965	356285	HMGN1	3150		
	NM_004965	356285	HMGN1	3150		
GO:0030508	thiol-disulfide exchange intermediate activity	2	7	2	4	0.002756247
	Probe	UniGene cluster	Gene	LocusLink ID		
	AF313911	395309	NXL	7295		

<u>GO ID</u>	Function Name	Unique Input Total	Unique Reference Total	<u>Unigue</u> <u>UniGene</u> <u>Total</u>	Unique Reference UniGene	Corrected P. Value
GO:0015266	NM_004786 protein channel activity Probe	114412 1 UniGene cluster	TXNL 6 Gene MCL1	9352 1 LocusLink ID 4170	<u></u>	0.001227639
GO:0015288	porin activity Probe	1 UniGene cluster	14 Gene	1 LocusLink ID	2	8.01E-04
GO:0008143	ALUSUSTATE poly(A) binding Probe AI734929 AI762552 NM 030070	30204 3 30204 387804 372673 458280	Gene PABPC1 HNRPDL	3 LocusLink ID 26986 9987 5042	S	0.002719156
GO:0008009	NM_U30979 chemokine activity Probe R64130 NM_016951 AF096895 M21121 NM_002985	436260 6 UniGene cluster 2164 81564 15159 489044	Gene Gene PPBP PF4 CKLF CCL5	5042 6 LocusLink ID 5473 5196 51192 6352 6352	46	0.002709567
GO:0005048	signal sequence binding Probe AW087870 NM_003145	2 UniGene cluster 28707 74564	9 Gene SSR3 SSR2	2 LocusLink ID 6747 6746	4	0.002268504
GO:0042287	MHC protein binding Probe M16768	1 UniGene cluster	6 Gene TRGV9	LocusLink ID	2 5	0.001546046
GO:0003690	MKNA binding Probe NM_007209 double-stranded DNA binding Probe AA205834 AL517946 NM_001469	1 UniGene cluster 182825 5 UniGene cluster 257082 241567 169744	37 Gene RPL35 50 Gene XRCC5 RBMS1 G22P1	1 LocusLink ID 11224 5 LocusLink ID 7520 5937 2547	0 t	7.27E-04 0.004410198

G 05	Function Name	Unique Input Total	Unique Reference Total	Unique UniGene Total	Unique Reference UniGene Total	Corrected P. Value
	AI762552 BC002411	372673 74497	HNRPDL NSEP1	<u>9987</u> 4904		
GO:0009032	thymidine phosphorylase activity	_	2	-	~	0.004242825
	Probe	UniGene cluster	Gene	LocusLink ID		
	AW613387	435067	ECGF1	1890		
GO:0005026	type II transforming growth factor beta receptor activity	-	2	-	-	0.004524117
	Probe	UniGene cluster	Gene	LocusLink ID		
	D50683		TGFBR2	7048		
GO:0046870	cadmium ion binding	•	2	•	_	0.004474673
	Probe	UniGene cluster	Gene	LocusLink ID		
	AF078844		MT1F	4494		
GO:0015320	phosphate carrier activity	-	2	-	-	0.004177883
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_002635	290404	SLC25A3	5250		
GO:0048270	methionine adenosyltransferase regulator activity	-	2	~	_	0.004199309
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_013283	54642	MAT2B	27430		
GO:0008574	plus-end-directed microtubule motor activity	-	2	-	•	0.004264923
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_004798	301206	KIF3B	9371		
GO:0005137	interleukin-5 receptor binding	*	2	-	2	0.004135683
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_005625	164067	SDCBP	<u>6386</u>		¢
GO:0008538	proteasome activator activity	-	2	τ-	2	0.004378958
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_002818	434081	PSME2	5721		
GO:0008831	dTDP-4-dehydrorhamnose reductase activity	-	2	_	-	0.003975074
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_013283	54642	MAT2B	27430		
GO:0050178	phenylpyruvate tautomerase activity	₹-	2	_	_	0.004094326
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_002415	407995	MIF	4282		
GO:0015207	adenine transporter activity	—	2	τ-	_	0.004426298
	Probe	UniGene cluster	Gene	LocusLink ID		

<u>00 00</u>	Function Name	Unique Input Total	Unique Reference Total	Unique UniGene Total	Unique Reference UniGene Total	Corrected P.
	NM_001152	79172	SLC25A5	292		
GO:0004816	asparagine-tRNA ligase activity	-	2	_	2	0.004033819
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_004539	427212	NARS	4677		
GO:0001517	N-acetylglucosamine 6-O-sulfotransferase activity	-	2	-	•	0.004626357
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_021615	157439	CHST6	4166		
GO:0004920	interleukin-10 receptor activity	_	2	-	2	0.004499259
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_001558	327	IL10RA	3587		
GO:0016209	antioxidant activity	2	11	2	9	0.004762009
	Probe	UniGene cluster	Gene	LocusLink ID		
	AI718223	31731	PRDX5	25824		
	AF197952	31731	PRDX5	25824		
GO:0008199	ferric iron binding	3	22	3	0	0.005203027
	Probe	UniGene cluster	Gene	LocusLink ID		
	BG537190	433670	FIL	2512		
	BG538564		FTL	2512		
	NM_002032	448738	FTH1	2495		
GO:0004602	glutathione peroxidase activity	2	æ	2	9	0.007011748
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_002085	433951	GPX4	2879		
	NM_000581	76686	GPX1	2876		
GO:0042288	MHC class I protein binding	8	24	3	6	0.006951921
	Probe	UniGene cluster	Gene	LocusLink 1D		
	AA515698		TUBB2	10383		
	AF029750	370937	TAPBP	6892		
	BC001002	356729	Š	203068		
GO:0042835	BRE binding	2	1	2	2	0.006918271
	Probe	UniGene cluster	Gene	LocusLink ID		
	N25915	321390	CUGBP1	10658		
	AI472139	321390	CUGBP1	10658		
GO:0000900	translation repressor activity, nucleic acid binding	2	1	2	2	0.006827638
	Probe N25015	UniGene cluster	Gene	LocusLink ID		
	CIRCZN	321380	CUGBF	10658		

<u>GO ID</u>	Function Name	Unique Input Total	Unique Reference Total	<u>Unigue</u> <u>UniGene</u> Total	Unique Reference UniGene Total	Corrected P. Value
GO:0000166	AI472139 nucleotide binding Probe BC001417 NM_001686	321390 3 UniGene cluster 246112 406510	CUGBP1 251 Gene U5-200KD ATP5B	10658 3 LocusLink ID 23020 506	116	0.001622988
GO:0003823	NM_001090 antigen binding Probe BE217880 X17115	9573 2 UniGene cluster 362807	ABCF1 26 Gene IL7R IGHM	23 2 LocusLink ID 3575 3507	25	0.004038333
GO:0030492	hemoglobin binding Probe NM 016633	1 UniGene cluster 274309	3 Gene ERAF	1 LocusLink ID 51327	m	0.007483513
GO:0004062	aryl sulfotransferase activity Probe	1 UniGene cluster 415067	3 Gene SULT1A3	1 LocusLink ID 6818	2	0.007514436
GO:0003895	gamma DNA-directed DNA polymerase activity Probe NM 002693	1 UniGene cluster 290921	3 Gene POLG	1 LocusLink ID 5428	-	0.007075851
GO:0000150	recombinase activity Probe AL513759	1 UniGene cluster 347340	3 Gene RBPSUH	1 LocusLink ID 3516	-	0.007640729
GO:0005055	laminin receptor activity Probe AW304232	1 UniGene cluster 374553	3 Gene LAMR1	1 LocusLink ID 3921	8	0.007244994
GO:0004917	interleukin-7 receptor activity Probe BE217880	1 UniGene cluster 362807	3 Gene IL7R	1 LocusLink ID <u>3575</u>	2	0.007872267
GO:0016512 GO:0004170	endothelin-converting enzyme 1 activity Probe AF521189 dUTP diphosphatase activity Probe U62891	1 UniGene cluster 129801 1 UniGene cluster 367676	3 Gene ECE2 3 Gene DUT	LocusLink ID 9718 1 LocusLink ID 1854	7 2	0.007906494

<u>Q</u> 00	Function Name	<u>Unique input</u> <u>Total</u>	Unique Reference Total	Unigue UniGene Total	Unique UniGene	Corrected P.
GO:0008449	N-acetylglucosamine-6-sulfatase activity Probe RF880245	1 UniGene cluster 334534	3 Gene	1 LocusLink ID 2799	<u></u>	0.007838334
GO:0050220	prostaglandin-E synthase activity Probe BCกกรกกร	1 UniGene cluster	3 Gene	1 LocusLink ID	2	0.007545617
GO:0005093	RAB GDP-dissociation inhibitor activity Probe NM 001494	1 UniGene cluster 56845	3 Gene GDI2	1 LocusLink ID 2665	2	0.007738271
GO:0004871	signal transducer activity Probe NM 000985	20 UniGene cluster	635 Gene RPI 17	20 LocusLink ID 6139	264	0.004156266
	BG168283 BE733979 NM_002923 NM_005274 NM_000516 NM_016592 AF088184 AI591100 NM_021003 AI89867 M87507 NM_002661 BC002704 BC001463 NM_001960 AI613383 NM_030796	374588 374588 78944 436765 157307 157307 157307 157307 130036 41324 2490 512298 21486 414579 334798	RPL17 RPL17 RGS2 GNG5 GNAS GNAS GNAS GNAS GNAS GNAS CNAS CNAS GNAS CNAS CNAS CNAS CNAS CNAS CNAS CNAS C	6139 6139 5997 2778 2778 2778 5494 6772 6772 6772 1936 1936		
GO:0004727	NM_002965 AF154847 prenylated protein tyrosine phosphatase activity Probe BF795101	112405 165195 2 UniGene cluster 82911	S100A9 VAPA 12 Gene PTP4A2	6280 9218 2 LocusLink ID 8073	ю	0.007694094

GO ID	Function Name	Unique Input Total	Unique Reference Total	<u>Unigue</u> <u>UniGene</u> Total	Unique Reference UniGene	Corrected P. Value
GO:0003774	U48297	82911	PTP4A2	8073	<u> otal</u>	
	Probe	9 UniGene cluster	145 Gene		63	0.010508698
	NM_001614	14376	ACTG1	71		
	BG026805	14376	ACTG1	71		
	BE741683	14376	ACTG1	11		
	AL567820	14376	ACTG1	71		
	AU145192	14376	ACTG1	71		
	AL515810	14376	ACTG1	71		
	AW190090	14376	ACTG1	71		
	BC001920	14376	ACTG1	71		
	AA703939	14376	ACTG1	71		
GO:0003724	RNA helicase activity	2	17	2	80	0.006729576
	Probe	UniGene cluster	Gene	LocusLink ID		
	BF129093	271541	9XQQ	1656		
	NM_004396	279806	DDX5	1655		
GO:0003773	heat shock protein activity	2	65	5	31	0.008488443
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_002156	79037	HSPD1	3329		
	AF275719	74335	HSPCB	3326		
	AF352832	180414	HSPA8	3312		
	AA704004	180414	HSPA8	3312		
	AF217511	180414	HSPA8	3312		
GO:0005086	ARF guanyl-nucleotide exchange factor activity	2	13	2	9	0.009283655
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_013385	7189	PSCD4	27128		
	NM_004762	1050	PSCD1	9267		
GO:0005554	molecular_function unknown	28	820	28	373	0.009487505
	Probe	UniGene cluster	Gene	LocusLink ID		
	AV713673	399981	C20orf178	128866		
	NM_006472	179526	TXNIP	10628		
	NM_015380	505824	CGI-51	25813		
	NM_014453	12107	BC-2	27243		
	DE:544089 NM_016217	6299	KTN3 HECA	<u>10313</u> 51696		

Corrected P-																							0.014485361				0.011275324				0.011645682			0.011478118	
Unigue Reference UniGene Total																							4				3				2			2	
Unigue Uni <u>Gene</u> Total	7178	7178	7178	7178	7178	51652	59286	51593	51522	51503	29997	60685	51398	9949	9643	6500	6500	9556	11079	115416	7940	55505	2	LocusLink ID	6983	6892	-		LocusLink ID	<u>206</u>	-	LocusLink ID	3074	•	LocusLink ID
Unique Reference Total	TPT1	TPT1	TPT1	TPT1	TPT1	NEDF	UBL5	ARS2	C6orf53	HSPC148	GLTSCR2	TEX27	PTD008	AMMECR1	MORF4L2	SKP1A	SKP1A	C14orf2	RER1	C7orf30	LST1	NOLA3	6	Gene	TRGV9	TAPBP	4	(Gene	ATP5B	4	Gene	HEXB	4	Gene
Unique Input Total		374596	374596	374596	374596	512608	386532	111801	30376	42743	421907	6120	108969	433256	411358		171626	109052	40500	87385	436066	14317	2	UniGene cluster		370937	-	9	Unicene cluster	406510	-	UniGene cluster	69293	_	UniGene cluster
Function Name	NM_017627	AL565449	BG498776	AI721229	AI888178	NM_016079	NM_024292	AI523895	BC002496	AF110775	NM_015710	NM_021943	NM_016145	AK023637	NM_012286	NM_003197	AA927664	AF116639	NM_007033	BG397444	NM_007161	NM_018648	peptide antigen binding	Probe	M16/68	AF029750	hydrogen-exporting ATPase activity, phosphorylative	mechanism Braka	BOOL AND STORY	NM_U01686	beta-N-acetythexosaminidase activity	Probe	NM_000521	methionine adenosyltransferase activity	Probe
<u>GO ID</u>																							GO:0042605				GO:0008553				GO:0004563			GO:0004478	

<u> </u>	Function Name	Unique Input Total	<u>Unique</u> <u>Reference</u> <u>Total</u>	Unigue Unigene Total	Unique Reference UniGene Total	Corrected P. Value
GO:0004618	BC001686 phosphoglycerate kinase activity Probe	77502 1 UniGene cluster	MAT2A 4 Gene	4144 1 Octobel ink ID	-	0.011003161
GO:0004145	NM_000291 diamine N-acetyltransferase activity	78771	PGK1	5230	~	0.011118177
GO:0004802	Probe M55580 transketolase activity	UniGene cluster 28491 1	Gene SAT 4	LocusLink ID 6303 1	2	0.010743828
GO:0046979	Probe L12711 TAP2 hinding	UniGene cluster 89643	Gene TKT	LocusLink ID 7086	c	
	Probe AF029750	UniGene cluster 370937	Gene TAPBP	LocusLink ID 6892	7	0.010780124
GO:0030060	L-malate dehydrogenase activity Probe BC001917	1 UniGene cluster 405860	4 Gene MDH2	1 LocusLink ID 4191	2	0.011436978
GO:0008474	palmitoyl-(protein) hydrolase activity Probe NM 000310	1 UniGene cluster 3873	Gene	1 LocusLink ID 5538	8	0.01096535
GO:0030911	TPR domain binding Probe AF275719	1 UniGene cluster 74335	4 Gene HSPCB	1 LocusLink ID 3326		0.011315308
GO:0004301	epoxide hydrolase activity Probe J02959	1 UniGene cluster 81118	4 Gene I TA4H	1 LocusLink ID 4048	4	0.011079572
GO:0046978	TAP1 binding Probe AF029750	1 UniGene cluster 370937	4 Gene TAPBP	1 LocusLink ID 6892	8	0.011157052
GO:0030156	benzodiazepine receptor binding Probe NM_020548	1 UniGene cluster 78888	4 Gene DBI	1 LocusLink ID 1622	7	0.010816667
GO:0008248	pre-mRNA splicing factor activity Probe N25915	8 UniGene cluster 321390	147 Gene CUGBP1	8 LocusLink ID 10658	56	0.010858723

<u>QO ID</u>	Function Name	Unique Input Total	Unique Reference Total	<u>Unique</u> UniGene Total	Unique Reference UniGene	Corrected P. Value
	AI472139 BC006407 NM_003769 BC005938 NM_004593 BG254869 NM_007363	321390 333414 77608 424908 30035 73965	CUGBP1 MGC14151 SFRS9 LSM5 SFRS10 SFRS10	10658 84316 8683 23658 6427 6427	0.00	
GO:0005544	calcium-dependent phospholipid binding Probe NM_004039 BC001388 BE908217	33 UniGene cluster 462864 462864	32 32 Gene ANXA2 ANXA2	3 LocusLink ID 302 302	17	0.014059314
GO:0003756	protein disulfide isomerase activity Probe NM_006817 BC005374	2 UniGene cluster 511762 154023	16 Gene C12orf8 TXNDC4	2 LocusLink ID 10961 23071	æ	0.014384282
GO:0008320	protein carrier activity Probe BC000027 AK024976	2 UniGene cluster 424551 75914	16 Gene P24B RNP24	2 LocusLink ID <u>23423</u> 10959	œ	0.014477384
GO:0008383	manganese superoxide dismutase activity Probe W46388	1 UniGene cluster 384944	5 Gene SOD2	1 LocusLink ID 6648	-	0.015622861
GO:0000213	tRNA-intron endonuclease activity Probe NM_024075	1 UniGene cluster 15580	5 Gene LENG5	1 LocusLink ID 79042	ဇ	0.015283234
GO:0004213	cathepsin B activity Probe NM_001908	1 UniGene cluster 135226	5 Gene CTSB	1 LocusLink ID 1508	2	0.014958059
GO:0004601	peroxidase activity Probe NM_002085 NM_000581 L19184 AA167775	4 UniGene cluster 433951 76686 180909 69855	55 Gene GPX4 GPX1 PRDX1 D1S155E	4 LocusLink ID 2879 2876 5052 7812	25	0.016517148

<u> </u>	Function Name	Unique Input Total	Unique Reference Total	<u>Unigue</u> <u>UniGene</u> <u>Total</u>	Unique Reference UniGene	Corrected P.
GO:0004840	ubiquitin conjugating enzyme activity Probe U84404 BG531983 AL518159 BC003395 BE621259 AW014299 AW025284 NM 004223	8 UniGene cluster 180686 108104 163546 411826 108332 19196 19196	164 Gene UBE2L3 UBE2E1 UBE2D3 UBE2D2 LOC51619 UBE2L6	8 LocusLink ID 7337 7332 7324 7323 7322 51619 51619 9246	54	0.019203271
GO:0042043	neurexin binding Probe NM 005625	1 UniGene cluster 164067	6 Gene SDCBP	1 LocusLink ID 6386	е	0.019163984
GO:0050656	3'-phosphoadenosine 5'-phosphosulfate binding Probe NM_014863	1 UniGene cluster	6 Gene GALNAC4S	1 LocusLink ID 51363	4	0.019759475
GO:0008190	eukaryotic initiation factor 4E binding Probe BG106477	1 UniGene cluster 278712	6 Gene EIF4EBP2	1 LocusLink ID 1979	2	0.019985298
GO:0005094	Rho GDP-dissociation inhibitor activity Probe NM 001175	1 UniGene cluster 292738	6 Gene ARHGDIB	1 LocusLink ID 397	0	0.019322802
GO:0004694	eukaryotic translation initiation factor 2alpha kinase activity Probe NM 014413	1 UniGene cluster 434986	6 Gene HRI	1 LocusLink ID 27102	က	0.019216632
GO:0004652	polynucleotide adenylyltransferase activity Probe BF797555	1 UniGene cluster 201085	6 Gene PAPOLA	1 LocusLink ID 10914	-	0.01992836
GO:0004594	pantothenate kinase activity Probe NM_024960	1 UniGene cluster 203589	6 Gene PANK2	1 LocusLink ID <u>80025</u>	е	0.020216342
GO:0004579	dolichyl-diphosphooligosaccharide-protein glycotransferase activity Probe	1 UniGene cluster	6 Gene	1 LocusLink ID	ဗ	0.020042562

<u>GO ID</u>	Function Name	Unique Input Total	Unique Reference Total	<u>Unigue</u> <u>UniGene</u> <u>Total</u>	Unique Reference UniGene Total	Corrected P.
	BC002594	301882	DDOST	1650		
GO:0003988	acetyl-CoA C-acyltransferase activity	-	9	-	3	0.020393161
	Probe	UniGene cluster	Gene	LocusLink ID		
	AI860341	166160	ACAA1	ଚା		
GO:0004356	glutamate-ammonia ligase activity	_	9	_	3	0.019871745
	Probe	UniGene cluster	Gene	LocusLink ID		
	AL161952	442669	GLUL	2752		
GO:0005046	KDEL sequence binding	_	9	-	2	0.019484274
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_006854	446645	KDELR2	11014		
GO:0008026	ATP-dependent helicase activity	9	178	9	72	0.01127708
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_005804	311609	DDX39	10212		
	NM 001967	511904	EIF4A2	1974		
	NM 001416	129673	EIF4A1	1973		
	BC006210	129673	EIF4A1	1973		
	BF129093	271541	9XQQ	1656		
	NM_004396	279806	DDX5	1655		
GO:0003720	telomerase activity	-	2	_	က	0.029368161
	Probe	UniGene cluster	Gene	LocusLink ID		
	BC003005	355693	TEBP	10728		
GO:0008077	Hsp70/Hsp90 organizing protein activity	-	7	_	8	0.024283751
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_003932	377199	ST13	6767		
GO:0005062	hematopoietin/interferon-class (D200-domain) cytokine	_	7	_	8	0.025195205
	receptor signal transducer activity	((
	Probe	UniGene cluster	Gene	LocusLink ID		
	BC002704	21486	STAT1	6772		
GO:0004157	dihydropyrimidinase activity	_	7	-	4	0.025127839
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_001386	173381	DPYSL2	1808		
GO:0004634	phosphopyruvate hydratase activity	+	7	-	4	0.024666172
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_001428	433455	ENO1	2023		
GO:0003891	delta DNA polymerase activity	-	7	_	4	0.024537367

<u> </u>	Function Name	Unique Input Total	<u>Unique</u> <u>Reference</u> <u>Total</u>	<u>Unigue</u> UniGene Total	Unique Reference UniGene Total	Corrected P. Value
	Probe NM_002693	UniGene cluster 290921	Gene	LocusLink ID 5428		
GO:0017017	MAP kinase phosphatase activity	2	21	7	10	0.024121627
	Probe	UniGene cluster	Gene	LocusLink ID		
	AI655015	3843	DUSP7	1849		
	BC003143	298654	DUSP6	1848		
GO:0019212	phosphatase inhibitor activity	-	3	-	-	0.0398592
	Probe	UniGene cluster	Gene	LocusLink ID		
	AW612574	385913	ANP32E	81611		
GO:0005057	receptor signaling protein activity	9	100	9	39	0.032727531
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_003332	9963	TYROBP	7305		
	NM_003641	458414	IFITM1	8519		
	AA749101	458414	IFITM1	8519		
	BC020763		FCER1G	2207		
	NM_004106	433300	FCER1G	2207		
	AF052179	286221	ARF1	375		
GO:0004784	superoxide dismutase activity	2	6	2	3	0.051010541
	Probe	UniGene cluster	Gene	LocusLink ID		
	W46388	384944	SOD2	6648		
	AA811192	129621	KIAA0179	23076		

Table 7. Biological processes represented by the group of probesets reproducibly detected in intra- and interspecies comparisons.

Corrected P- Value	3.99E-15
Unique Reference UniGene	338 338
Unique UniGene Total	42 LocusLink ID 10581 4282 5698 4050 2207 2207 2207 2207 2207 2207 2207 2
Unique Reference Total	Gene IFITM2 MIF PSME2 PSME9 LTB FTH1 PPBP IFITM1 IFITM1 TCF7 TAPBP FCER1G FCER1G FCER1G FCER1G FCER1G IFITM1 IFITM
Unique Input Total	42 UniGene cluster 174195 434081 381081 376208 448738 2164 458414 458414 458414 385086 169294 370937 433300 81564 48516 48516 48516 48516 362807 193400 292738 411958 411958 31008 381008 308026 308026 308026 308026
	, ,
Function Name	immune response Probe NM_006435 NM_006415 NM_002415 NM_002818 NM_002818 NM_002834 NM_002032 R64130 NM_002032 R64130 NM_002032 R64130 NM_002032 AF029750 BC020763 NM_004048 AP7029750 BE218980 NM_004048 AV700030 X17115 NM_001175 NM_001175 NM_001175 NM_001175 NM_001175 NM_001175 NM_001175 NM_001175 NM_001161 AW514210 AI669379 X56841 NM_005165 NM_021983 NM_021983
<u>@0 ID</u>	GO:0006955

<u> </u>	Function Name	Unique Input Total	Unique Reference Total	<u>Unique</u> <u>UniGene</u> <u>Total</u>	Unigue Reference Unigene	Corrected P. Value
GO:0008152	AF005487 BG397856 NM_002121 M27487 NM_002118 M12679 AK024836 L42024 L07950 AA573862 metabolism Probe	308026 387679 368409 914 1162 274485 274485 77961 77961 181244 6	HLA-DRB3 HLA-DQA1 HLA-DPB1 HLA-DMB HLA-C HLA-B HLA-B HLA-B 619	3125 3117 3115 3109 3107 3106 3106 3106 6 6	<u> Iota </u>	2.02E-16
	NM_021100 BE880245 NM_014873 AW613387 AV703259 NM_001918	194692 334534 435067	Gene NFS1 GNS KIAA0205 ECGF1 IDS	LocusLink ID 9054 2799 9926 1890 3423 1629		
GO:0006412	Probe NM_000985 BG168283 BG168283 BG168283 BG168283 BE733979 NM_002948 BC004954 AW574664 AN574664 AN 574664 AN 57466	129 UniGene cluster 374588 374588 381219 410817 410817 410817 410817 410817 410817 410829 412370 178551	S513 Gene RPL17 RPL17 RPL13 RPL13 RPL13 RPL13 RPL12 RPL12 RPL12 RPL10 RPL10 RPL10	129 LocusLink ID 6139 6138 6137 6137 6137 6135 6135 6135 6135 6135 6135 6135	237	2.00E-14

Function Name	Unique Input Total	Unique Reference Total	<u>Unigue</u> UniGene Total	Unique Reference UniGene Total	Corrected P-
BG389744 NM 000970	421257 528668	RPL7 RPI 6	<u>6129</u> 6128		
696000 WN	469653	RPL5	6125		
BF214492	469653	RPL5	6125		
A1953886	186350	RPL4	6124		
NM_000968	186350	RPL4	6124		
BC005817	186350	RPL4	6124		
NM_000967	119598	RPL3	6122		
BC006483	119598	RPL3	6122		
-22453	119598	RPL3	6122		
BG339228	119598	RPL3	6122		
NM_018141	380887	MRPS10	55173		
J16738	446522	RPL14	9045		
AA838274	446522	RPL14	9045		
NM_015414	408018	RPL36	25873		
NM_005051	79322	QARS	5859		
AW083133	143773	eIF3k	27335		
AF085358	143773	elF3k	27335		
BC000461	429180	EIF2S2	8894		
AF348700	5308	UBA52	7311		
BF246436	150580	SUIT	10209		
AL537707	150580	SUIT	10209		
W67644	150580	SUI1	10209		
NM_003756	127149	EIF3S3	8667		
NM_003754	381255	EIF3S5	8665		
AW304232	374553	LAMR1	3921		
NM_016091	119503	EIF3S6IP	51386		
AF285758	3100	KARS	3735		
NM_005548	3100	KARS	3735		
NM_001997	387208	FAU	2197		
BC000514	449070	RPL13A	23521		
NM_012423	449070	RPL13A	23521		
BC001675	449070	RPL13A	23521		
BF979419	449070	RPL13A	23521		
BF942308	449070	RPL13A	23521		
NM_007209	182825	RPL35	11224		

<u>GO ID</u>

Function Name BF247371 NM_001967	<u>Unique Input</u> <u>Total</u> 93379 511904	Unique Reference Total ElF4B	Unique UniGene Total 1975	Unique Reference UniGene Total	Corrected P. Value
	480368	EIF2S3	1968		
	75309 256184	EEF2 FFF1G	1938 1937		
	334798	EEF10	1936		
	334798	EEF1D	1936		
	421608	EEF182	1933		
	406300 448396	RPL23	<u>9349</u> 4736		
	448396	RPL10A	4736		
	539	RPS29	6235		
	153177	RPS28	6234		
	311640	RPS27A	6233		
	337307	RPS27	6232		
	480569	RPS26	6231		
	512676	RPS25	6230		
	356794	RPS24	6229		
	372960	RPS21	6227		
	381184	RPS19	<u>6223</u>		
	381184	RPS19	6223		
	433427	RPS17	<u>6218</u>		
	397609	RPS16	6217		
	397609	RPS16	6217		
	397609	RPS16	6217		
	427212	NARS	4677		
	370504	RPS15A	<u>6210</u>		
	406683	RPS15	6209		
	446588	RPS13	6207		
	380956	RPS12	6206		
	406620	RPS10	6204		
	406620	RPS10	6204		
	139876	RPS9	6203		
	139876	RPS9	6203		
	32916	NACA	4666		
	32916	NACA	<u>4666</u>		

Function Name	Unique Input Total	Unique Reference Total	<u>Unigue</u> <u>UniGene</u> <u>Total</u>	Unigue Reference UniGene Total	Corrected P. Value
BE741754	408073	RPS6	6194		
NM_001010	408073	RPS6	6194		
BC000524	408073	RPS6	6194		
NM_001009	378103	RPS5	6193		
NM_001007	446628	RPS4X	6191		
AW132023	446628	RPS4X	6191		
U14990	387576	RPS3	6188		
NM_002952	498569	RPS2	6187		
AA630314	498569	RPS2	6187		
AI183766	498569	RPS2	6187		
NM_001004	437594	RPLP2	6181		
NM_001003	356502	RPLP1	6176		
NM_001002		RPLP0	6175		
BC003655	443796	RPLP0	6175		
BC005863	443796	RPLP0	6175		
AI953822	443796	RPLP0	6175		
NM_021104	381172	RPL41	6171		
066000 WN	380953	RPL38	6169		
NM_001001	444749	RPL36AL	6166		
BE968801	289093	RPL35A	6165		
AW402660	289093	RPL35A	6165		
NM_000995	250895	RPL34	6164		
NM_001090	9573	ABCF1	23		
NM_000993	375921	RPL31	6160		
NM_000992	430207	RPL29	6159		
NM_000991	356371	RPL28	6158		
066000 WN	356342	RPL27A	6157		
BE737027	356342	RPL27A	6157		
L05095	400295	RPL30	6156		
NM_000988	405528	RPL27	6155		
AI832239	3254	MRPL23	6150		
NM_000984	419463	RPL23A	6147		
U43701	419463	RPL23A	6147		
BC001865		RPL23A	6147		
BF125158	419463	RPL23A	6147		
D17652	326249	RPL22	6146		

00 ID	Function Name	Unique Input Total	Unique Reference Total	<u>Unique</u> <u>UniGene</u> <u>Total</u>	Unigue Reference UniGene	Corrected P. Value
	NM_000983 NM_000982 NM_000981 NM_000980 NM_000979	326249 381123 381061 337766 409634	RPL22 RPL21 RPL19 RPL18A RPL18A	6146 6144 6143 6142 6142	<u>Total</u>	
GO:0009607	response to biotic stimulus Probe NM_006435 NM_03641	3 UniGene cluster 174195 458414	Gene Gene IFITM2 IFITM1	3 LocusLink ID 10581 8519	۲	1.30E-15
GO:0006754	ATP biosynthesis Probe BC003564	1 UniGene cluster 90336	S Gene ATP6V1G1	os i s 1 LocusLink ID 9550	4	3.77E-16
GO:0006119	oxidative phosphorylation Probe NM_006004 NM_006294	2 2 UniGene cluster 285761 131255	Gene UQCRH	2 2 LocusLink ID 7388 7384	4	5.68E-16
GO:0015986	ATP synthesis coupled proton transport Probe NM_006476 AF070655 AL050277 A1862255 NM_003945 AF077614 NM_001697 NM_001697 NM_001699 NM_001689 NM_001689 NM_001689 NM_001689 NM_001689 NM_001689 NM_005960 NM_005960 NM_006886 NM_005174 BC000931	19 UniGene cluster 107476 107476 107476 440165 440165 272630 409140 85539 85539 85539 81634 177530 155433	Gene ATP5L ATP5L ATP5L ATP6V0E ATP6V0E ATP6V0C ATP50 ATP50 ATP50 ATP5G3 ATP5G3 ATP5G3	19 10632 10632 10632 10632 8992 8992 539 521 521 518 518 516 509	35	1.89E-14

<u>GO ID</u>	Function Name	Unique Input Total	Unique Reference Total	Unigue UniGene Total	Unique Reference UniGene	Corrected P.
	AV711183 NM_001686 AI587323	406510 298280	ATP5C1 ATP5B ATP5A1	509 506 498	012	
GO:0009142	nucleoside triphosphate biosynthesis	-	3	-	8	2.53E-15
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_002512	433416	NME2	4831		
GO:0006952	defense response	~	130	-	74	9.14E-15
	Probe	UniGene cluster	Gene	LocusLink ID		
	U12707	2157	WAS	7454		
GO:0015992	proton transport	19	106	19	44	5.22E-11
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_006476	107476	ATP5L	10632		
	AF070655	107476	ATP5L	10632		
	AL050277	107476	ATP5L	10632		
	AI862255	440165	ATP6V0E	8992		
	NM_003945	440165	ATP6V0E	8992		
	U94592	80658	UCP2	7351		
	AF077614	272630	ATP6V1D	51382		
	NM_001697	409140	ATP50	539		
	M62762		ATP6V0C	527		
	NM_001689	429	ATP5G3	518		
	NM_001689	429	ATP5G3	518		
	BC005960	81634	ATP5F1	515		
	NM_006886	177530	ATP5E	514		
	NM_005174	155433	ATP5C1	209		
	BC000931	155433	ATP5C1	209		
	AV711183		ATP5C1	509		
	NM_001686	406510	ATP5B	506		
	Al587323	298280	ATP5A1	498		
	BC003564	90336	ATP6V1G1	9550		
GO:0019885	antigen processing, endogenous antigen via MHC class I	13	47	13	1	7.10E-11
	Probe	UniGene cluster	Gene	LocusLink ID		
	AF029750	370937	TAPBP	6892		
	M90685	512152	HLA-G	3135		
	M90684	512152	HLA-G	3135		

GO ID	Function Name	Unique Input Total	Unique Reference Total	<u>Unique</u> Uni <u>Gene</u> Total	Unique Reference UniGene	Corrected P. Value
	AW514210	411958	HLA-F	3134	lotal	
	AI669379	411958	HLA-F	3134		
	X56841	381008	HLA-E	3133		
	NM_005516	381008	HLA-E	3133		
	M31183	381008	HLA-E	3133		
	M12679	274485	HLA-C	3107		
	AK024836	274485	HLA-C	3107		
	L42024	77961	HLA-B	3106		
	L07950	77961	HLA-B	3106		
	AA573862	181244	HLA-A	3105		
GO:0019883	antigen presentation, endogenous antigen	12	35	12	7	2.14E-10
	Probe	UniGene cluster	Gene	LocusLink ID		
	M90685	512152	HLA-G	3135		
	M90684	512152	HLA-G	3135		
	AW514210	411958	HLA-F	3134		
	AI669379	411958	HLA-F	3134		
	X56841	381008	HLA-E	3133		
	NM_005516	381008	HLA-E	3133		
	M31183	381008	HLA-E	3133		
	M12679	274485	HLA-C	3107		
	AK024836	274485	HLA-C	3107		
	L42024	77961	HLA-B	3106		
	L07950	77961	HLA-B	3106		
	AA573862	181244	HLA-A	3105		
GO:0006414	translational elongation	11	43	11	19	5.22E-09
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_001961	75309	EEF2	1938		
	NM_001404	256184	EEF1G	1937		
	NM_001960	334798	EEF1D	1936		
	AI613383	334798	EEF1D	1936		
	NM_001959	421608	EEF1B2	1933		
	NM_001004	437594	RPLP2	6181		
	NM_001003	356502	RPLP1	6176		
	NM_001002		RPLP0	6175		
	BC003655	443796	RPLP0	6175		
	BC005863	443796	RPLP0	6175		
	103	•				

<u>00 00</u>	Function Name	Unique Input Total	Unique Reference Total	Unique UniGene Total	Unique Reference UniGene	Corrected P.
	Al953822	443796	RPLP0	6175	I Otal	
GO:0019884	antigen presentation, exogenous antigen	6	32	6	10	4.43E-08
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_002125	308026	HLA-DRB3	3125		
	NM_021983	308026	HLA-DRB3	3125		
	U65585	308026	HLA-DRB3	3125		
	AJ297586	308026	HLA-DRB3	3125		
	AF005487	308026	HLA-DRB3	3125		
	BG397856	387679	HLA-DQA1	3117		
	NM_002121	368409	HLA-DPB1	3115		
	M27487	914	HLA-DPA1	3113		
	NM_002118	1162	HLA-DMB	3109		
GO:0019886	antigen processing, exogenous antigen via MHC class II	6	33	6	11	5.77E-08
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_002125	308026	HLA-DRB3	3125		
	NM_021983	308026	HLA-DRB3	3125		
	U65585	308026	HLA-DRB3	3125		
	AJ297586	308026	HLA-DRB3	3125		
	AF005487	308026	HLA-DRB3	3125		
	BG397856	387679	HLA-DQA1	3117		
	NM_002121	368409	HLA-DPB1	3115		
	M27487	914	HLA-DPA1	3113		
	NM_002118	1162	HLA-DMB	3109		
GO:0016070	RNA metabolism	_	7	_	3	2.17E-08
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_020414	372267	DDX24	57062		
GO:0008151	cell growth and/or maintenance	21	642	21	238	4.68E-08
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_005962	118630	MXI1	4601		
	NM_000516	157307	GNAS	2778		
	NM_016592	157307	GNAS	2778		
	AF088184	157307	GNAS	2778		
	Al591100	157307	GNAS	2778		
	NM_005935	114765	MLLT2	4299		
	AB002282	174050	EDF1	8721		

<u> </u>	Function Name	Unique Input Total	<u>Unique</u> <u>Reference</u> Total	<u>Unique</u> <u>UniGene</u> Total	Unigue Reference UniGene	Corrected P. Value
	BC000771	17846R	TDM3	0212	Total	
	M14333	390567	N A	2534		
	BF246436	150580	SUI1	10209		
	AL537707	150580	SUIT	10209		
	W67644	150580	SUI1	10209		
	Al356412	80887	LYN	4067		
	Al828967	41324	CBL	867		
	NM_005356	1765	LCK	3932		
	NM_001706	155024	BCL6	604		
	BE218980		ETS1	2113		
	AL162047	422334	NCOA4	8031		
	AI817830	93231	MYST3	7994		
	AV702810	436687	SET	6418		
	BF129093	271541	9XQQ	1656		
GO:0009613	response to pest/pathogen/parasite	4	31	4	23	1.32E-07
	Probe	UniGene cluster	Gene	LocusLink ID		
	AF038602	129758	PSTPIP1	9051		
	NM_001747	82422	CAPG	822		
	BC002704	21486	STAT1	6772		
	BC002411	74497	NSEP1	4904		
GO:0006446	regulation of translational initiation	o	62	6	27	6.56E-07
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_005875	315230	GC20	10289		
	BF246436	150580	SUI1	10209		
	AL537707	150580	SU11	10209		
	W67644	150580	SUIT	10209		
	NM_003756	127149	EIF3S3	8667		
	NM_003754	381255	EIF3S5	8665		
	NM_001418	183684	EIF4G2	1982		
	BF247371	93379	EIF4B	1975		
	NM_001967	511904	EIF4A2	1974		
GO:0009117	nucleotide metabolism	_	37	_	22	7.26E-08
	Probe	UniGene cluster	Gene	LocusLink ID		
	U62891	367676	DUT	1854		
GO:0006334	nucleosome assembly	13	104	13	53	1.57E-06

Function Name Unique Input Probe Total BC001124 UniGene cluster NM_005324 180877 Z48950 180877 NM_002106 119192 BF718636 119192 AL13629 458358 AV702810 436687 NM_004537 419776	lus lus	Unique Reference Total ter Gene H3F3B H3F3B H3F3B H2AFZ H2AFZ H2AFZ H2AFZ H2AFZ H2AFZ SET NAP1L1	Unique	Unique Reference UniGene Total	Value
ftranslation	2 (2 (2 (2 (2 (2 (2 (2 (2 (2 (2 (2 (2 (2		4673 4673 4673 8 LocusLink ID 2872	30	3.97E-06
AL517946 BF246436 AL537707 AL537707 W67644 AW304232 BC001716 BG106477	67 80 80 80 53 12	RBMS1 SUI1 SUI1 LAMR1 PAIP2 EIF4EBP2	5937 10209 10209 3921 51247	;	
priospriorylation Probe NM_005028 RNA processing	1 UniGene cluster 108966 9	23 ster Gene PIP5K2A 144	1 LocusLink ID <u>5305</u> 9	- - 2	6.04E-07 5.22E-06
	UniGene cluster 211610 241567 372673 155218 293225 166463		LocusLink ID 10659 5937 9987 11100 162989 3192	5	

<u>QO ID</u>	Function Name	Unique Input Total	Unigue Reference Total	<u>Unique</u> <u>UniGene</u> <u>Total</u>	Unique Reference UniGene	Corrected P. Value
	NM_002137 AI375753 NM_001019	232400 232400 370504	HNRPA2B1 HNRPA2B1 RPS15A	3181 3181 6210	<u> ota</u>	
GO:0006413	translational initiation	4	55	4	21	3.11E-06
	Probe	UniGene cluster	Gene	LocusLink ID		
	BC000461	429180	EIF2S2	8894		
	BF246436	150580	SUI1	10209		
	AL537707	150580	SUIT	10209		
	400/044	150580	SUI1	10209		
GO:0006139	nucleobase, nucleoside, nucleotide and nucleic acid metabolism	2	86	2	38	1.31E-06
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_001386	173381	DPYSL2	1808		
	NM_014596	57813	ZNRD1	30834		
GO:0046785	microtubule polymerization	7	40	7	20	3.40E-05
	Probe	UniGene cluster	Gene	LocusLink ID		
	AA515698		TUBB2	10383		
	NM_006082	446608	K-ALPHA-1	10376		
	BC006379	446608	K-ALPHA-1	10376		
	BC006481	446608	K-ALPHA-1	10376		
	BE300252	446608	K-ALPHA-1	10376		
	AL565074	75318	TUBA1	7277		
	BC001002	356729	Š	203068		
GO:0045069	regulation of viral genome replication	ဇ	7	3	2	4.80E-05
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_021130	356331	PPIA	5478		
	BC005982	356331	PPIA	5478		
	AI708767	356331	PPIA	5478		
GO:0006950	response to stress	7	150	7	99	1.18E-05
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_017572	512094	MKNK2	2872		
	NM_014445	439874	SERP1	27230		
	NM_014413	434986	HRI	27102		
	BF246436	150580	SUI1	10209		
	AL537707	150580	SUI1	10209		

GO 1D	Function Name	Unique Input Total	Unique Reference Total	Unigue Unigene Total	Unigue Reference UniGene Total	Corrected P.
	W67644 AA129773	150580 324473	SUI1 MAPK1	<u>10209</u> 5594		
GO:0006810	transport	21	066	21	477	5.13E-06
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_000519	36977	HBD	3045		
	M25079		HB8	3043		
	AF349114	155376	HBB	3043		
	NM_001860	24030	SLC31A2	1318		
	AJ223321		ZNF238	10472		
	U94592	80658	UCP2	7351		
	BC006337	119591	AP2S1	1175		
	NM_003768	194673	PEA15	8682		
	AF189289	279939	MTCH1	23787		
	NM_002635	290404	SLC25A3	5250		
	L12387	422340	SRI	6717		
	BC000436	511916	ENSA	2029		
	U51478	76941	ATP1B3	483		
	NM_000876	76473	IGF2R	3482		
	NM_001152	79172	SLC25A5	292		
	NM_024881	134074	SLC35E1	79939		
	NM_002136	356721	HNRPA1	3178		
	AL568186	356721	HNRPA1	3178		
	X79536	356721	HNRPA1	3178		
	NM_020548	78888	DBI	1622		
	NM_001090	9573	ABCF1	23		
GO:0006894	Golgi to secretory vesicle transport	4	12	4	τ	8.55E-05
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_000516	157307	GNAS	2778		
	NM_016592	157307	GNAS	2778		
	AF088184	157307	GNAS	2778		
	AI591100	157307	GNAS	2778		
GO:0006417	regulation of protein biosynthesis	-	5	-	3	2.02E-05
	Probe	UniGene cluster	Gene	LocusLink ID		
	AL533334	21321	MTPN	136319		
GO:0006122	mitochondrial electron transport, ubiquinol to cytochrome c	ဧ	9	3	3	1.21E-04

GO ID	Function Name	Unique Input Total	Unique Reference Total	<u>Unique</u> <u>UniGene</u> <u>Total</u>	Unique Reference UniGene	Corrected P. Value
	Probe NM_006004 NM_006294 NM_013387	UniGene cluster 285761 131255 284292	Gene UQCRH UQCRB HSPC051	LocusLink ID 7388 7381 29796		
GO:0006091	energy pathways	13	183	13	86	1.20E-04
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_004373	180714	COX6A1	1337		
	AA854966	433419	COX411	1327		
	NM_001861	433419	COX411	1327		
	NM_002635	290404	SLC25A3	5250		
	NM_001689	429	ATP5G3	518		
	NM_001689	429	ATP5G3	518		
	NM_005174	155433	ATP5C1	200		
	BC000931	155433	ATP5C1	509		
	AV711183		ATP5C1	509		
	NM_001686	406510	ATP5B	506		
	NM_004546	27262	NDUF82	4708		
	BC003674	163867	NDUFA2	4695		
	AI860341	166160	ACAA1	80		
GO:0008154	actin polymerization and/or depolymerization	2	13	2	4	8.15E-05
	Probe	UniGene cluster	Gene	Locustink ID		
	AW058622	401414	WASPIP	7456		
	U12707	2157	WAS	7454		
GO:0006422	aspartyl-tRNA aminoacylation	ဗ	8	3	5	2.96E-04
	Probe	UniGene cluster	Gene	LocusLink ID		
	AF285758	3100	KARS	3735		
	NM_005548	3100	KARS	3735		
	NM_004539	427212	NARS	4677		
GO:0006511	ubiquitin-dependent protein catabolism	16	244	16	94	3.43E-04
	Probe	UniGene cluster	Gene	LocusLink ID		
	AF233225	5912	FBXO7	25793		
	NM_012179	5912	FBX07	25793		
	U84404	180686	UBE3A	7337		
	BG531983	108104	UBE2L3	7332		
	AL518159	163546	UBE2E1	7324		

Corrected P. Value		4.43E-04	3.08E-05 2.05E-04
Unique Reference UniGene		4	160
Unique UniGene Total	7322 5698 5694 5692 5690 5689 5689 5683 9736	4 LocusLink ID 10109 10109 10094	1 LocusLink ID 10933 14 LocusLink ID 5879 5879 5879 25824 4282 1051 4048 604 6352 6280 6279
Unique Reference Total	UBE2D2 PSMB9 PSMB6 PSMB4 PSMB1 PSMB1 PSMB1 USP3 USP3	12 Gene ARPC2 ARPC2 ARPC2	ARFC3 78 Gene MORF4L1 280 Gene RAC1 RAC1 PRDX5 PRDX5 MIF CEBPB LTA4H BCL6 ALOX5AP CCL5 CCL5 S100A9
Unique input Total	108332 381081 77060 89545 432607 352768 352768 333786 251636 507665	4 UniGene cluster 83583 83583 439511	439311 UniGene cluster 374503 14 UniGene cluster 413812 413812 31731 407995 81118 155024 100194 489044 489044 416073
Function Name	BE621259 NM_002800 BC000835 NM_002796 NM_002793 W86293 NM_002787 AF077040 NM_014709 AW473649	regulation of actin filament polymerization Probe NM_005731 AF279893 BG034239 AF004561	chromatin assembly/disassembly Probe NM_006791 inflammatory response Probe BG292367 BC004247 AI718223 AF197952 NM_002415 AL564683 J02959 NM_001706 NM_001706 NM_001629 MX_1121 NM_002965 NM_002965
<u>GO ID</u>		GO:0030833	GO:0006933

<u>GO ID</u>	Function Name	Unique Input Total	Unique Reference Total	<u>Unigue</u> <u>UniGene</u> <u>Total</u>	Unique Reference UniGene	Corrected P. Value
	NM_001090	9573	ABCF1	23	lotal	
GO:0006430	lysyl-tRNA aminoacylation	2	ဗ	2	2	4.01E-04
	Probe	UniGene cluster	Gene	LocusLink ID		
	AF285758	3100	KARS	3735		
	NM_005548	3100	KARS	3735		
GO:0006444	nascent polypeptide association	2	8	2	-	4.05E-04
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_005594	32916	NACA	4666		
	BF976260	32916	NACA	4666		
GO:0006457	protein folding	17	287	17	115	4.24E-04
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_006585	416211	CCT8	10694		
	NM_006430	374334	CCT4	10575		
	NM_021130	356331	PPIA	5478		
	BC005982	356331	PPIA	5478		
	AI708767	356331	PPIA	5478		
	NM_000801	374638	FKBP1A	2280		
	NM_004182	172791	TXN	8409		
	NM_003932	377199	ST13	2929		
	NM_002624	288856	PFDN5	5204		
	NM_002156	79037	HSPD1	3329		
	AF275719	74335	HSPCB	3326		
	BG420237	446579	HSPCA	3320		
	AF352832	180414	HSPA8	3312		
	AA704004	180414	HSPA8	3312		
	AF217511	180414	HSPA8	3312		
	NM_006817	511762	C12orf8	10961		
	BC005374	154023	TXNDC4	23071		
GO:0019079	viral genome replication	2	31	2	14	7.11E-05
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_001329	171391	CTBP2	1488		
	NM_006402	367886	HBXIP	10542		
GO:0006120	mitochondrial electron transport, NADH to ubiquinone	2	32	5	18	5.74E-04
	Probe	UniGene cluster	Gene	LocusLink ID		
	AK002110	90443	NDUFS8	<u>4728</u>		

<u>GO ID</u>	Function Name	Unique Input Total	Unique Reference Total	Unigene UniGene Total	Unigue Reference Unigene Total	Corrected P. Value
	NM_004552	409829	NDUFS5	4725		
	AF261090	15977	NDUFB9	4715		
	NM_005004	198273	NDUFB8	4714		
	NM_004546	27262	NDUFB2	4708		
GO:0007018	microtubule-based movement	80	92	8	38	5.50E-04
	Probe	UniGene cluster	Gene	LocusLink ID		
	AA515698		TUBB2	10383		
	NM_006082	446608	K-ALPHA-1	10376		
	BC006379	446608	K-ALPHA-1	10376		
	BC006481	446608	K-ALPHA-1	10376		
	BE300252	446608	K-ALPHA-1	10376		
	AL565074	75318	TUBA1	7277		
	NM_014183	100002	DNCL2A	83658		
	BC001002	356729	Š	203068		
GO:0007190	adenylate cyclase activation	9	49	9	17	7.45E-04
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_006367	104125	CAP1	10487		
	AA806142	104125	CAP1	10487		
	NM_000516	157307	GNAS	2778		
	NM_016592	157307	GNAS	2778		
	AF088184	157307	GNAS	2778		
	AI591100	157307	GNAS	2778		
GO:0016071	mRNA metabolism	2	5	2	4	7.19E-04
	Probe	UniGene cluster	Gene	LocusLink ID		
	U24223	2853	PCBP1	5093		
	NM_030979	458280	PABPC3	5042		
GO:0006880	intracellular iron ion storage	2	4	2	2	8.41E-04
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_002032	448738	FTH1	2495		
	L12387	422340	SRI	6717		
GO:0007189	G-protein signaling, adenylate cyclase activating pathway	4	13	4	2	0.00150912
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_000516	157307	GNAS	2778		
	NM_016592	157307	GNAS	2778		
	AFU66104	15/30/	GNAS	8//2		

<u>GO 1D</u>	Function Name	Unique Input Total	Unique Reference Total	Unigue UniGene Total	Unique Reference UniGene Total	Corrected P. Value
	AI591100	157307	GNAS	2778		
GO:0006979	response to oxidative stress	8	80	80	34	0.001121373
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_002085	433951	GPX4	2879		
	NM_000581	76686	GPX1	2876		
	Al718223	31731	PRDX5	25824		
	AF197952	31731	PRDX5	25824		
	W46388	384944	SOD2	6648		
	M21121	489044	CCL5	6352		
	NM_002985	489044	CCL5	6352		
	AA167775	69855	D1S155E	7812		
GO:0030595	immune cell chemotaxis	-	9	-	4	3.41E-04
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_002619	81564	PF4	5196		
GO:0030593	neutrophil chemotaxis	က	13	0	22	0.00152254
	Probe	UniGene cluster	Gene	LocusLink ID		
	BF593625	192182	SYK	6850		
	NM_016951	15159	CKLF	51192		
	AF096895	15159	CKLF	51192		
GO:0006968	cellular defense response	8	103	8	56	0.001182115
	Probe	UniGene cluster	Gene	LocusLink ID		
	U20350	78913	CX3CR1	1524		
	NM_002432	153837	MNDA	4332		
	NM_003332	9963	TYROBP	7305		
	BG500301		ITGB1	3688		
	M21121	489044	CCL5	6352		
	NM_002985	489044	CCL5	6352		
	M90685	512152	HLA-G	3135		
	M90684	512152	HLA-G	3135		
GO:0007010	cytoskeleton organization and biogenesis	₩	131	·	52	1.96E-04
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_021103	446574	TMSB10	9168		
GO:0045071	negative regulation of viral genome replication	_	_	-	~	0.001700141
	Probe	UniGene cluster	Gene	Locustink ID		
	NM_006058	355141	TNIP1	10318		

<u> </u>	Function Name	Unique Input Total	Unique Reference Total	<u>Unique</u> <u>UniGene</u> <u>Total</u>	Unique Reference UniGene	Corrected P- Value
GO:0001522	pseudouridine synthesis Probe NM 018648	1 UniGene cluster 14317	1 Gene NOLA3	1 LocusLink ID 55505	<u></u>	0.001583338
GO:0016075	rRNA catabolism Probe	1 UniGene cluster	dene	1 LocusLink ID	←	0.001743002
GO:0006425	glutaminyl-tRNA aminoacylation Probe	1 UniGene cluster	Jebbs 1 Gene	102303 1 LocusLink ID	-	0.001571343
GO:0045059	positive thymic T-cell selection Probe NM 000732	1 UniGene cluster 95327	1 Gene	1 LocusLink ID	-	0.001885611
GO:0045653	negative regulation of megakaryocyte differentiation Probe NM 002619	1 UniGene cluster 81564	Gene Gene PF4	1 LocusLink ID 5196	←	0.001595517
GO:0006596	Probe N25915 A1472139 BC006407 BC001449 NM_007363 NM_021644 NM_002136 AL568186 X79536 polyamine biosynthesis Probe D87914	UniGene cluster 321390 321390 333414 15265 355861 356721 356721 256721 446427	Gene CUGBP1 CUGBP1 MGC14151 HNRPR NONO HNRPA1 HNRPA1 HNRPA1 Gene OAZ1	LocusLink ID 10658 84316 10236 4841 3178 3178 3178 2 2 LocusLink ID 4946	3	0.001255596
GO:0009596	Arusousst detection of pest/pathogen/parasite Probe M90685 M90684 NM_002118	334644 3 UniGene cluster 512152 512152	OAZ1 8 Gene HLA-G HLA-G HLA-DMB	4946 3 LocusLink ID 3135 3109	ဗ	0.002557128

Corrected P-	5.02E-04							0.001758435																				0.001942545							0.001915848
Unique Reference UniGene Total	43							159																				18							თ
Unigue Unigene Total	5	LocusLink ID	9168	832	829	397	6386	18	LocusLink ID	5879	5879	5868	8934	2665	8766	8724	54543	3842	3837	29916	11337	81929	375	11015	7879	23224	10762	5	LocusLink ID	1329	1329	1329	25824	25824	က
Unique Reference Total	98	Gene	TMSB10	CAPZB	CAPZA1	ARHGDIB	SDCBP	380	Gene	RAC1	RAC1	RAB5A	RAB7L1	GDI2	RAB11A	SNX3	TOMM7	KPNB2	KPNB1	SNX11	GABARAP	SEC13L	ARF1	KDELR3	RAB7	SYNE2	NUP50	43	Gene	COX5B	COX5B	COX5B	PRDX5	PRDX5	15
Unique Input Total	S	UniGene cluster	446574	333417	309415	292738	164067	18	UniGene cluster	413812	413812	73957	115325	56845	75618	12102		405954	439683	15827	84359	301048	286221			444069	362841	5	UniGene cluster	1342	1342	1342	31731	31731	က
Function Name		Probe	NM_021103	U03271	NM_006135	NM_001175	NM_005625		Probe	BG292367	BC004247	BC001267	BG338251	NM_001494	AI215102	AB047360	NM_019059	NM_002270	BC003572	AI668643	NM_007278	AV701173	AF052179	297056	AK000826	NM_015180	200 2 0	5 respiratory gaseous exchange	Probe	NM_001862	BC006229	AI557312	AI718223		1 oxygen transport
<u>0</u> 00	GO:0030036							GO:0015031																				GO:0007585							GO:0015671

<u> </u>	Function Name	Unique Input Total	Unique Reference Total	<u>Unigue</u> <u>UniGene</u> <u>Total</u>	Unique Reference UniGene	Corrected P. Value
	Probe NM_000519 M25079 AF349114	UniGene cluster 36977 155376	Gene HBD HBB	LocusLink ID 3045 3043 3043	<u> </u>	
GO:0048246	macrophage chemotaxis	2	7	2	4	0.002721135
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_016951	15159	CKLF	51192		
	AF096895	15159	CKLF	51192		
GO:0048247	lymphocyte chemotaxis	2	7	2	3	0.002703913
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_016951	15159	CKLF	51192		
	AF096895	15159	CKLF	51192		
GO:0043123	positive regulation of I-kappaB kinase/NF-kappaB cascade	1	185	11	75	0.002720104
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_000985	374588	RPL17	6139		
	BG168283	374588	RPL17	6139		
	BE733979	374588	RPL17	6139		
	NM_021003	130036	PPM1A	5494		
	M87507	2490	CASP1	834		
	NM_000801	374638	FKBP1A	2280		
	BC001463	414579	SCOTIN	51246		
	NM_001960	334798	EEF1D	1936		
	AI613383	334798	EEF1D	1936		
	NM_030796	4750	DKFZP564	81552		
	AF154847	165195	VAPA	9218		
GO:0045898	regulation of transcriptional preinitiation complex formation	2	80	2	4	0.003718539
	Probe	UniGene cluster	Gene	LocusLink ID		
	AA766897		ATF7IP	55729		
	AK025060	272210	ATF7IP	55729		
GO:0020027	hemoglobin metabolism	•	-	-	ν-	0.005068009
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_016633	274309	ERAF	51327		
GO:0008380	RNA splicing Probe	8 Triffens chafer	167	8 -	55	0.002013903
¥.	200	Oliocalia ciustal	פפופ	LOCUSLITIK ID		

Function Name	Unique Input Total	Unique Reference Total	<u>Unique</u> <u>UniGene</u> <u>Total</u>	Unigue Reference UniGene	Corrected P. Value
BC001417 BC004383 NM_006107 BG254869 NM_007363	246112 172550 130293 73965 355861 476302	U5-200KD PTBP1 LUC7A SFRS2 NONO HNRPC	23020 5725 51747 6427 4841	<u> </u>	
AA664258 AV725195 secretory pathway Probe NM_016951 AF096895	476302 476302 3 UniGene cluster 15159	HNRPC HNRPC 12 Gene CKLF	3183 3183 3 LocusLink ID 51192 51192	Ŋ	0.007460959
BC005374 positive regulation of fibroblast proliferation Probe	154023 1 UniGene cluster	TXNDC4 2 Gene	23071 1 LocusLink ID	τ-	0.00433262
NM_014024 S-adenosylmethionine biosynthesis Probe	27.5243 1 UniGene cluster 54642	S LUCAO 2 Gene MATOR	1 1 LocusLink ID 27430	-	0.004600366
nuclear migration Probe AL021707	1 UniGene cluster	2 Gene UNC84B	1 LocusLink ID <u>25777</u>	-	0.004287252
fibrinolysis Probe NM_000173 asparaginyl-tRNA aminoacylation	UniGene cluster 1472	2 Gene GP1BA 2	1 LocusLink ID 2811 1	8 8	0.004220954
NM_004539 ribosomal protein-nucleus import Probe	427212 1 UniGene cluster	NARS 2 Gene	4677 1 LocusLink ID		0.00467923
mitochondrial genome maintenance Probe AW613387	406300 1 UniGene cluster 435067	APLES 2 Gene ECGF1	1 1 LocusLink ID 1890	-	0.004014045
negative regulation of glucose import	_	2	_	~	0.004574666

<u>GO ID</u>	Function Name	Unique Input Total	Unique Reference Total	Unigue Unigene Total	Unique Reference UniGene Total	Corrected P.
	Probe NM_003768	UniGene cluster 194673	Gene PEA15	LocusLink ID 8682		
GO:0045226	extracellular polysaccharide biosynthesis	-	2	-	~ -	0.0041149
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_013283	54642	MAT2B	27430		
GO:0045947	negative regulation of translational initiation	_	9	-	2	0.002463051
	Probe	UniGene cluster	Gene	LocusLink ID		
	BG106477	278712	EIF4EBP2	1979		
GO:0007249	I-kappaB kinase/NF-kappaB cascade	_	16	-	6	0.001710245
	Probe	UniGene cluster	Gene	LocusLink ID		
	BC002704	21486	STAT1	6772		
GO:0042267	natural killer cell mediated cytolysis	2	10	2	4	0.00544291
	Probe	UniGene cluster	Gene	LocusLink ID		
	AA515698		TUBB2	10383		
	BC001002	356729	Š	203068		
GO:0006118	electron transport	22	612	22	285	0.004401978
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_001866	432170	COX7B	1349		
	NM_001865	70312	COX7A2	1347		
	NM_004373	180714	COX6A1	1337		
	NM_001862	1342	COX5B	1329		
	BC006229	1342	COX5B	1329		
	Al557312	1342	COX5B	1329		
	AA854966	433419	COX4I1	1327		
	NM_001861	433419	COX411	1327		
	NM_006004	285761	UQCRH	7388		
	NM_006294	131255	UQCRB	7381		
	AF313911	395309	TXN	7295		
	AK000161	10346	C10orf26	54838		
	BF572868	169358	DJ971N18.	56255		
	NM_014402	146602	QP-C	27089		
	NM_013387	284292	HSPC051	29796		
	AV734582		TXNDC5	81567		
	NM_004786	114412	TXN	9352		

Function Name		Unique Input Total	Unique Reference Total	Unique UniGene Total	Unique Reference UniGene	Corrected P. Value
AK002110		90443	NDUFS8	4728	Total	
AF261090		15977	NDUFB9	4715		
NM_005004		198273	NDUFB8	4714		
NM_002490		274416	NDUFA6	4700		
BC0053/4		154023	TXNDC4	23071		
protein-membrane targeting		_	7	-	က	0.004123081
Probe		UniGene cluster	Gene	LocusLink ID		
NM_005625		164067	SDCBP	6386		
hemocyte development		2	11	2	9	0.006949018
Probe		UniGene cluster	Gene	LocusLink ID		
NM_001022		381184	RPS19	6223		
BE259729		381184	RPS19	6223		
cell homeostasis		2	7	2	2	0.010899694
Probe		UniGene cluster	Gene	LocusLink ID		
AI275690			MCL1	4170		
AW245401		293225	DEDD2	162989		
establishment and/or maintenance of chromatin architecture	ure	-	33	-	13	0.002067519
Probe		UniGene cluster	Gene	LocusLink ID		
BC003689		181163	HMGN2	3151		
negative regulation of hemoglobin biosynthesis		_	3	_	_	0.007804694
Probe		UniGene cluster	Gene	LocusLink ID		
NM_014413		434986	HRI	27102		
DNA ligation		_	3	-	2	0.007048425
Probe		UniGene cluster	Gene	LocusLink ID		
NM_001469		169744	G22P1	2547		
spermine biosynthesis		-	ဗ	_	_	0.007216244
Probe		UniGene cluster	Gene	LocusLink ID		
NM_001634		159118	AMD1	262		
cardioblast differentiation		_	3	_	2	0.00777134
Probe		UniGene cluster	Gene	LocusLink ID		
AF521189		129801	ECE2	9718		
peptide antigen stabilization		*	m	-	•	0.007705481
מייולים מייוקטלו פומסיייבמייטיו			o (•	
Probe		Unilgene cluster	TAPRP	EOCUSEITIK ID		
			i : .	-	•	700730775
	,	-	ס	-		0.001

<u> </u>	Function Name	Unique Input Total	Unique Reference Total	<u>Unique</u> <u>UniGene</u> <u>Total</u>	Unique Reference UniGene	Corrected P. Value
	Probe U62891	UniGene cluster 367676	Gene	LocusLink ID 1854	<u> </u>	
GO:0045993	negative regulation of translational initiation by iron	_	3	-	-	0.00760876
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_014413	434986	HZ	27102		
GO:0048227	plasma membrane to endosome transport	τ-	3	-	-	0.007187722
	Probe	UniGene cluster	Gene	LocusLink ID		
	AI215102	75618	RAB11A	8766		
GO:0048268	clathrin cage assembly	-	3	_	_	0.007362322
	Probe	UniGene cluster	Gene	LocusLink ID		
	BC006337	119591	AP2S1	1175		
GO:0006303	double-strand break repair via nonhomologous end-joining	2	12	2	4	0.007664614
	Probe	UniGene cluster	Gene	LocusLink ID		
	AA205834	257082	XRCC5	7520		
	NM_001469	169744	G22P1	2547		
GO:0006260	DNA replication	6	181	6	75	0.007055992
	Probe	UniGene cluster	Gene	LocusLink ID		
	AL517946	241567	RBMS1	5937		
	NM_003143	923	SSBP1	6742		
	AW613387	435067	ECGF1	1890		
	U62891	367676	DUT	1854		
	AV702810	436687	SET	6418		
	NM_004537	419776	NAP1L1	4673		
	AI888672	419776	NAP1L1	4673		
	AW148801	419776	NAP1L1	4673		
	Al985751	419776	NAP1L1	4673		
GO:0006935	chemotaxis	8	177	8	66	0.005728882
	Probe	UniGene cluster	Gene	LocusLink ID		
	U20350	78913	CX3CR1	1524		
	AA129773	324473	MAPK1	5594		
	R64130	2164	РРВР	5473		
	NM_016951	15159	CKLF	51192		
	AF096895	15159	CKLF	51192		
	AW613387	435067	ECGF1	1890		
	MZTTZT	489044	CCLS	6352		

<u>QO 10</u>	Function Name	Unique Input Total	<u>Unique</u> <u>Reference</u> <u>Total</u>	Unigue Unigene Total	Unique Reference UniGene	Corrected P. Value
	NM_002985	489044	CCL5	6352		
GO:0006812	cation transport	_	323	_	148	0.00549913
	Probe	UniGene cluster	Gene	LocusLink ID		
	BG252666	418426	ATP8B1	5205		
GO:0019835	cytolysis	_	4	-	12	0.004318099
	Probe	UniGene cluster	Gene	LocusLink ID		
	J03189	1051	GZMB	3002		
GO:0000060	protein-nucleus import, translocation	2	20	2	5	0.006407126
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_002270	405954	KPNB2	3842		
	BC003572	439683	KPNB1	3837		
GO:0009306	protein secretion	5	54	5	20	0.011289406
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_000516	157307	GNAS	2778		
	NM_016592	157307	GNAS	2778		
	AF088184	157307	GNAS	2778		
	AI591100	157307	GNAS	2778		
	M94859	155560	CANX	821		
GO:0006890	retrograde transport, Golgi to ER	2	13	2	9	0.009352936
	Probe	UniGene cluster	Gene	LocusLink ID		
	AF029750	370937	TAPBP	6892		
	NM_007033	40500	RER1	11079		
GO:0006401	RNA catabolism	က	30	3	1-	0.00862849
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_002939	130958	RNH	6050		
	NM_003730	388130	RNASET2	8635		
	NM_003730	388130	RNASET2	8635		
9966000:05	regulation of signal transduction	_	18	_	11	0.004337645
	Probe	UniGene cluster	Gene	LocusLink ID		
	AF189289	279939	MTCH1	23787		
GO:0006323	DNA packaging	-	20	_	11	0.004068342
	Probe	UniGene cluster	Gene	LocusLink ID		
	AI817830	93231	MYST3	7994		
GO:0006879	iron ion homeostasis	2	43	2	12	0.004584021
	Probe	UniGene cluster	Gene	LocusLink ID		

<u>GO ID</u>	Function Name	Unique Input Total	<u>Unique</u> <u>Reference</u> <u>Total</u>	Unigue UniGene Total	Unigue Reference UniGene	Corrected P.
	BG537190	433670	日日	2512		
	BG538564		<u></u>	2512		
GO:0030517	negative regulation of axon extension	_	4	~	-	0.011396131
	Probe	UniGene cluster	Gene	LocusLink ID		
	AB015639	436349	RTN4	57142		
GO:0006930	substrate-bound cell migration, cell extension	_	4	-	4	0.011519555
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_005625	164067	SDCBP	6386		
GO:0045429	positive regulation of nitric oxide biosynthesis	-	4	-	~	0.010890501
	Probe	UniGene cluster	Gene	LocusLink ID		
	AF275719	74335	HSPCB	3326		
GO:0018105	peptidyl-serine phosphorylation	_	4	-	_	0.011603334
	Probe	UniGene cluster	Gene	LocusLink ID		
	BE622897		KIS	127933		
GO:0019987	negative regulation of anti-apoptosis	7-	4	-	-	0.010636389
	Probe	UniGene cluster	Gene	LocusLink ID		
	AB015639	436349	RTN4	57142		
GO:0006376	mRNA splice site selection	ဇ	26	8	7	0.013116792
	Probe	UniGene cluster	Gene	LocusLink ID		
	N25915	321390	CUGBP1	10658		
	AI472139	321390	CUGBP1	10658		
	NM_003769	77608	SFRS9	8683		
GO:0008584	male gonad development	2	15	2	12	0.012262454
	Probe	UniGene cluster	Gene	LocusLink ID		
	AL162047	422334	NCOA4	8031		
	AA167775	69855	D1S155E	7812		
GO:0006268	DNA unwinding	2	15	2	7	0.012302791
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_002128	434102	HMGB1	3146		
	AF283771	434102	HMGB1	3146		
GO:0009060	aerobic respiration	2	16	2	8	0.014430683
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_006004	285761	UQCRH	7388		
	NM_006294	131255	UQCRB	7381		
GO:0016246	RNA interference	2	7	2	2	0.019620665
	122					

<u>GO ID</u>	Function Name	Unique Input Total	<u>Unique</u> <u>Reference</u> <u>Total</u>	<u>Unigue</u> <u>UniGene</u> <u>Total</u>	Unique Reference UniGene Total	Corrected P. Value
	Probe N25915 AI472139	UniGene cluster 321390 321390	Gene CUGBP1 CUGBP1	LocusLink ID 10658 10658		
GO:0007262	STAT protein nuclear translocation	-	2	-	3	0.015426963
	Probe	UniGene cluster	Gene	LocusLink ID		
	BC002704	21486	STAT1	6772		
GO:0000303	response to superoxide	~	5	-	-	0.015573422
	Probe	UniGene cluster	Gene	LocusLink ID		
	W46388	384944	SOD2	6648		
GO:0046685	response to arsenate	_	5	~	2	0.01509571
	Probe	UniGene cluster	Gene	LocusLink ID		
	AI523895	111801	ARS2	51593		
GO:0018279	N-linked glycosylation via asparagine	-	5	_	2	0.015049545
	Probe	UniGene cluster	Gene	LocusLink ID		
	BC002594	301882	DDOST	1650		
GO:0001315	age-dependent response to reactive oxygen species	-	5	-	1	0.015235917
	Probe	UniGene cluster	Gene	LocusLink ID		
	W46388	384944	SOD2	6648		
GO:0030150	mitochondrial matrix protein import	-	5	-	2	0.014822896
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_002156	79037	HSPD1	3329		
GO:0006613	cotranslational membrane targeting	2	13	2	9	0.01980687
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_003145	74564	SSR2	6746		
	BC000687	4147	TRAM1	23471		
GO:0007001	chromosome organization and biogenesis (sensu Eukarya)	9	116	9	58	0.013577495
	Probe	UniGene cluster	Gene	LocusLink ID		
	BC001124	180877	H3F3B	3021		
	NM_005324	180877	H3F3B	3021		
	Z48950		H3F3B	3021		
	NM_002106	119192	H2AFZ	3015		
	BF718636	119192	H2AFZ	3015		
	H51429		H2AFX	3014		
GO:0030097	hemopoiesis	2	49	2	17	0.008708902
	Probe	UniGene cluster	Gene	LocusLink ID		

<u> </u>	Function Name	Unique Input Total	Unique Reference Total	Unique UniGene Total	Unique Reference UniGene Total	Corrected P.
GO:0019735	AK024789 NM_016633 antimicrobial humoral response (sensu Vertebrata)	271511 274309 8	ZNF160 ERAF 155	90338 51327 8	79	0.019382698
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_001311	70327	CRIP1	1396		
	NM_003403	388927	171	7528		
	NM_000560	443057	CD53	<u>963</u>		
	AV717590	444105	ENTPD1	953		
	NM_021130	356331	PPIA	5478		
	BC005982	356331	PPIA	5478		
	Al708767	356331	PPIA	5478		
	BE217880	362807	IL7R	3575		
GO:0006096	glycolysis	5	80	2	39	0.0180812
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_002300	234489	LDHB	3945		
	BE042354		LDHB	3945		
	NM_005566	2795	LDHA	3939		
	NM_000291	78771	PGK1	5230		
	NM_001428	433455	ENO1	2023		
GO:0019370	leukotriene biosynthesis	2	18	2	12	0.018251413
	Probe	UniGene cluster	Gene	LocusLink ID		
	J02959	81118	LTA4H	4048		
	NM_001629	100194	ALOX5AP	241		
GO:0000018	regulation of DNA recombination	2	11	2	5	0.027256515
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_014863		GALNAC4S	51363		
	BE217880	362807	IL7R	3575		
GO:0009605	response to external stimulus	-	14		7	0.011452982
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_014413	434986	HRI	27102		
GO:0016481	negative regulation of transcription	4	84	4	30	0.012250866
	Probe	UniGene cluster	Gene	LocusLink ID		
	AF130054	512387	LRRFIP1	9208		
	NM_007273	444499	REA	11331		

<u>00 10</u>	Function Name	Unique Input Total	<u>Unique</u> <u>Reference</u> Total	<u>Unigue</u> <u>UniGene</u> <u>Total</u>	Unique Reference UniGene	Corrected P- Value
	U64661 AW245401	293225	RNF12 DEDD2	<u>51132</u> 162989	lotal	
GO:0009303	rRNA transcription	τ-	9	τ-	2	0.02045279
	Probe	UniGene cluster	Gene	LocusLink ID		
00.000000	DE042013	440877	GIF3A	7871	,	
90.0000300	King splicing		Q	_	4	0.019430151
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_024075	15580	LENG5	79042		
GO:0009399	nitrogen fixation	_	9	-	3	0.019815451
	Probe	UniGene cluster	Gene	LocusLink ID		
	AL161952	442669	GLUL	2752		
GO:0045577	regulation of B-cell differentiation	_	~	_	_	0.052592889
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_014863		GALNAC4S	<u>51363</u>		
GO:0008295	spermidine biosynthesis	-		_	3	0.020333879
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_001634	159118	AMD1	262		
GO:0030323	respiratory tube development	-	2	1	-	0.036815022
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_016217	6299	HECA	51696		
GO:0007612	learning	-	9	_	2	0.019269571
	Probe	UniGene cluster	Gene	LocusLink ID		
	M14333	390567	FYN	2534		
GO:0006302	double-strand break repair	_	21	-	80	0.010649617
	Probe	UniGene cluster	Gene	LocusLink ID		
	NM_006384	135471	CIB1	10519		
GO:0007281	germ cell development	2	20	2	9	0.022163696
	Probe	UniGene cluster	Gene	LocusLink ID		
	N25915	321390	CUGBP1	10658		
	AI472139	321390	CUGBP1	10658		
GO:0030503	regulation of cell redox homeostasis	•	7	-	ဗ	0.024158899
	Probe	UniGene cluster	Gene	LocusLink ID		
	BC005374	154023	TXNDC4	23071		
GO:0016486	peptide hormone processing	-	7	-	3	0.024346662

리	Function Name	Unique Input Total	Unique Reference Total	Unique UniGene Total	Unique Reference UniGene Total	Corrected P. Value
Probe		UniGene cluster	Gene	LocusLink ID		
AF521189		129801	ECE2	9718		
enzyme	coenzyme A biosynthesis	_	7	~	4	0.024927882
Probe		UniGene cluster	Gene	LocusLink ID		
NM_024960	096	203589	PANK2	80025		
gative	negative regulation of lymphocyte proliferation	* -	5	-	*	0.029276672
Probe		UniGene cluster	Gene	LocusLink ID		
4 00	NM_007161	436066	LST1	7940		
Julati	regulation of action potential	~	7	-	3	0.024601601
Probe		UniGene cluster	Gene	LocusLink ID		
L12387		422340	SRI	6717		
aci	bile acid transport	-	4	-	2	0.033444169
Probe		UniGene cluster	Gene	LocusLink ID		
1252	BG252666	418426	ATP8B1	5205		
opto	apoptotic program	2	26	2	6	0.024021339
Probe		UniGene cluster	Gene	LocusLink ID		
AL515918	318	404814	VDAC1	7416		
AI275690	. 06		MCL1	4170		
SNA	mRNA polyadenylation	2	22	2	7	0.027058891
Probe		UniGene cluster	Gene	LocusLink ID		
AI734929	59	387804	PABPC1	26986		
BF797555	555	201085	PAPOLA	10914		